


RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		Technician: M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
			Technician: M. Seamans
			Date: 03/05/2006




Date: 27.FEB.2006 11:14:22

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz 0.5 & 1.0		Technician: M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		Date: 03/05/2006




Date: 27.FEB.2006 11:15:11

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		Technician: M. Seamans
Notes:	Fundamental Frequency: 344.0501002 MHz		Date: 03/05/2006




Date: 27.FEB.2006 12:36:31

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
			Technician: M. Seamans
			Date: 03/05/2006




Date: 27.FEB.2006 12:37:30

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		




Date: 27.FEB.2006 12:38:10

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
		Technician:	M. Seamans
		Date:	03/05/2006




Date: 27.FEB.2006 12:39:21

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		




Date: 27.FEB.2006 12:51:18

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		




Date: 27.FEB.2006 12:59:20

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
Technician:		M. Seamans	
Date:		03/05/2006	



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 344.0501002 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		




Date: 27.FEB.2006 14:03:46

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		
Technician:	M. Seamans		
Date:	03/05/2006		




Date: 27.FEB.2006 14:14:05

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		Technician: M. Seamans
Notes:	Fundamental Frequency: 353.99499 MHz		Date: 03/05/2006




Date: 27.FEB.2006 14:16:35

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		
Technician:	M. Seamans		
Date:	03/05/2006		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Job No: R-4564N-1
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		
			Technician: M. Seamans
			Date: 03/05/2006



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET


Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:	Duty Cycle Plots		
Customer:	LPA Design, Inc.	Test Sample:	PocketWizard Plus 2 with Transceiver
Model No:	N/A	Serial No:	N/A
Test Specification:	FCC Part 15, Subpart C	15.231(b)	Date: 03/05/2006
Operating Mode:	Transmitting signal @ 344MHz to 354 MHz		
Notes:	Fundamental Frequency: 353.99499 MHz		

