


Z-COM (Model: XI-330B), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 53.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.190 mW/g, SAR (1g): 0.102 mW/g, SAR (10g): 0.0556 mW/g, (Worst-case extrapolation)
Penetration depth: 8.2 (7.5, 9.4) [mm]; Powerdrift: -0.09 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.2



Z-COM (Model: XI-330B), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 53.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 8.4 (7.6, 9.8) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.2



Z-COM (Model: XI-330B), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 53.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: $(90^\circ, 90^\circ)$
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.157 mW/g, SAR (1g): 0.0843 mW/g, SAR (10g): 0.0460 mW/g, (Worst-case extrapolation)
Penetration depth: 8.1 (7.5, 9.4) [mm]; Powerdrift: 0.04 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.3



Z-COM (Model: XI-330B), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 53.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.187 mW/g, SAR (1g): 0.0990 mW/g, SAR (10g): 0.0539 mW/g, (Worst-case extrapolation)
Penetration depth: 8.1 (7.3, 9.5) [mm]; Powerdrift: -0.01 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.3



Z-COM (Model: XI-330B), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 53.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,180°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.793 mW/g, SAR (1g): 0.412 mW/g, SAR (10g): 0.208 mW/g, (Worst-case extrapolation)
Penetration depth: 7.9 (7.3, 9.2) [mm]; Powerdrift: 0.06 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.3



Z-COM (Model: XI-330B), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 53.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 8.1 (7.5, 9.3) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.3



Z-COM (Model: XI-330B), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 53.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,180°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.667 mW/g, SAR (1g): 0.347 mW/g, SAR (10g): 0.176 mW/g, (Worst-case extrapolation)
Penetration depth: 7.9 (7.3, 9.2) [mm]; Powerdrift: 0.09 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.4



Z-COM (Model: XI-330B), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.14 \text{ mho/m}$ $\epsilon_r = 53.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,180°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.686 mW/g, SAR (1g): 0.356 mW/g, SAR (10g): 0.182 mW/g, (Worst-case extrapolation)
Penetration depth: 8.0 (7.3, 9.3) [mm]; Powerdrift: -0.06 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.4

