




Quick Guide

MT-58A 5 GHz Digital Interlinking Transmitter



User Guide Download

MIPRO ELECTRONICS CO., LTD.

Headquarters: NO. 814, Beigang Rd., Chiayi City 600079, Taiwan

Tel : +886-5-238-0809

Fax : +886-5-238-0803


www.mipro.com.tw

mipro@mipro.com.tw



2CE706A



All rights reserved. Do not copy or forward without prior approvals of MIPRO.
Specifications and design subject to change without notice. YM 026/03




Power On

ACT Sync Area


LCD Display




Antenna



Unbalanced 6.3 mm
Phone jack



Balanced XLR




Power Supply

※ Adapter illustration
for reference only;
actual product may vary.

• ACT Function Operation

ACT-5800 Series Receiver




Press ACT Button First

Power On

ACT


< 10 cm (4 inch)

MT-58A Transmitter



Power On

Press ACT Button Again



Press the ACT Button

ACT...



**CH - ID
10-05**

ACT Success



ACT...




FAIL

ACT Failure


- Set the audio input level. The proper input level should light up 3 – 4 LEDs lit (■ ■ ■ □ □).



- Select the proper transmitter amplifier for the channel.
- Set the proper RF output power. Two levels are available: HIGH and LOW.



- Set +48 V Phantom Power



Notes

1. Scan QR Code to download the user guide.
2. Refer to the actual product in the event of product description discrepancy.
3. Frequency range, RF output power and maximum deviation comply with the regulations of different countries.



Dispose of any unusable devices or batteries responsibly and in accordance with any applicable regulations.

Disposing of used batteries with domestic waste is to be avoided!

Batteries / NiCad cells often contain heavy metals such as cadmium(Cd), mercury(Hg) and lead(Pb) that makes them unsuitable for disposal with domestic waste. You may return spent batteries/ accumulators free of charge to recycling centres or anywhere else batteries/accumulators are sold.

By doing so, you contribute to the conservation of our environment!



Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures: . Reorient or relocate the receiving antenna. . Increase the separation between the equipment and receiver. . Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. . Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. (Example - use only shielded interface cables when connecting to computer or peripheral devices).

FCC Radiation Exposure Statement

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your body.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Industry Canada Statement

This device complies with Industry Canada licence-exempt RSS standard. Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence.

L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

IC Radiation Exposure Statement:

This equipment complies with IC RSS-102 radiation exposure limit set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

Cet équipement est conforme aux CNR-102 d'Industrie Canada. Cet équipement

doit être installé et utilisé avec une distance minimale de 20 centimètres entre le

radiateur et votre corps. Cet émetteur ne doit pas être co-localisées ou opérant en conjonction avec autre antenne ou émetteur. Les antennes utilisées pour cet

émetteur doivent être installés et fournir une distance de séparation d'au moins

20 centimètre de toute personne et doit pas être co-située ni fonctionner en

conjonction avec une autre antenne ou émetteur.