


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet




Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WWAN Ant 0	37.92	59.25	261.79	7.73
WLAN/BT Ant 0	8.42	165.72	153.50	101.50
WLAN Ant 1	171.01	8.08	25.84	221.43

<Right Side View> Tablet



Antenna	To Front Face	To Rear Face
	(mm)	(mm)
WWAN Ant 0	13.57	7.55
WLAN/BT Ant 0	8.67	12.65
WLAN Ant 1	6.89	14.35


<Photographs of Body SAR Test Setup>

	
Rear Face of EUT Tested at 0 mm	Left Side of EUT Tested at 0 mm
	
Right Side of EUT Tested at 0 mm	Top Side of EUT Tested at 0 mm
	
Bottom Side of EUT Tested at 0 mm	

<Photographs of Body with Gap SAR Test Setup>



Rear Face of EUT Tested at 10 mm



Right Side of EUT Tested at 17 mm


<Photographs of Body with Barcode Scanner SAR Test Setup>




Rear Face of EUT Tested at 0 mm(20 Degree)



Rear Face of EUT Tested at 0 mm(70 Degree)




Right Side of EUT Tested at 0 mm(20 Degree)



Right Side of EUT Tested at 0 mm(70 Degree)



Top Side of EUT Tested at 0 mm(20 Degree)



Top Side of EUT Tested at 0 mm(70 Degree)



Rear Face of EUT Tested at 10 mm(20 Degree)



Rear Face of EUT Tested at 10 mm(70 Degree)



Right Side of EUT Tested at 17 mm(20 Degree)



Right Side of EUT Tested at 17 mm(70 Degree)