

E19580
V4 / 2021 November

PureGo

Fruit and Vegetable Cleanliness Detector

User Manual

Copyright © 2021 ASUSTeK COMPUTER INC. All Rights Reserved.

No part of this manual, including the products and software described in it, may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language in any form or by any means, except documentation kept by the purchaser for backup purposes, without the express written permission of ASUSTeK COMPUTER INC. ("ASUS").

Product warranty or service will not be extended if: (1) the product is repaired, modified or altered, unless such repair, modification or alteration is authorized in writing by ASUS; or (2) the serial number of the product is defaced or missing.

ASUS PROVIDES THIS MANUAL "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OR CONDITIONS OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL ASUS, ITS DIRECTORS, OFFICERS, EMPLOYEES OR AGENTS BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES (INCLUDING DAMAGES FOR LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OR DATA, INTERRUPTION OF BUSINESS AND THE LIKE), EVEN IF ASUS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES ARISING FROM ANY DEFECT OR ERROR IN THIS MANUAL OR PRODUCT.

SPECIFICATIONS AND INFORMATION CONTAINED IN THIS MANUAL ARE FURNISHED FOR INFORMATIONAL USE ONLY, AND ARE SUBJECT TO CHANGE AT ANY TIME WITHOUT NOTICE, AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY ASUS. ASUS ASSUMES NO RESPONSIBILITY OR LIABILITY FOR ANY ERRORS OR INACCURACIES THAT MAY APPEAR IN THIS MANUAL, INCLUDING THE PRODUCTS AND SOFTWARE DESCRIBED IN IT.

Products and corporate names appearing in this manual may or may not be registered trademarks or copyrights of their respective companies, and are used only for identification or explanation and to the owners' benefit, without intent to infringe.

Contents

Contents	3
Safety Precautions.....	4
Product specifications	5
Getting to know your PureGo	6
Getting Started.....	9
Charging your PureGo.....	9
Calibrating your PureGo	10
Detecting with the PureGo when washing fruits or vegetables	11
Using the APP	14
Cleaning your PureGo	15
Charging dock cleaning and maintenance.....	17
Notices.....	18

Safety Precautions

- This product is a sensor designed specifically to detect the degree of pollutant residue in the water while you are washing fruits and vegetables.
- This product uses UV light to detect residues. For safety reasons, this product does not contain any anti-yellowing agents, therefore prolonged exposure to the UV lights it emits may cause the certain parts of this device to turn yellow after time. This is completely natural and does not affect the functions of the device, nor cause harm to humans.
- This product uses UV light detection, therefore before opening the bottom cover or cleaning the device, ensure that the device is powered off or in Standby mode and make sure not to look directly into the light source. Please seek medical help immediately if you feel uncomfortable.

Fruit and Vegetable test list


Description	Fruits and Vegetables not applicable to the test results (Including but not limited to:)
Rich in phytochemicals (Chlorophyll / Anthocyanin); colorants are released in large amounts when washing these fruits and vegetables. This may affect the test results.	Okinawa Spinach, Red Amaranth, Strawberry
Rich in phytochemicals or plant spores, which are released in large quantities when washed and may affect the test results.	Mushrooms, Cloud Ear Fungus, Seaweed, Enoki Mushroom

* For the latest Fruits and Vegetables test list please refer to the ASUS website
<https://www.asus.com/us/Networking-IoT-Servers/Smart-Home/Smart-kitchen/PureGo-PD100/>.

Product specifications


Model	PD100 / PD100A
Dimensions (L x W x D)	102 x 98 x 47 mm
Weight	180g
Battery capacity	1200mA/h
Charging method	Wireless charging
Power input	5V, 2A
Operation time	6 hours (water temperature approximately 25°C)
Operating water temperature	8°C ~ 35°C
Storage humidity	-10°C ~ 50°C, 0% ~ 95% RH
Water resistance rating	IOS-6425 / IP67
Bluetooth	BLE 5.0
Outer casing material	LSR
Inner detection chamber material	PPE

Getting to know your PureGo



Top view

The status LED indicators and Start/Standby button are located on the top side of the device, and provide a quick way for you to view battery power, Bluetooth status, and test results through the different LED colors.



NOTE:

- PureGo's revolutionary smart water detection feature makes it so that no buttons have to be pressed during the detection process; PureGo will automatically begin detection once it is placed in the water. You can also press the Start/Standby button then begin using the PureGo when the LED ring starts blinking white.
 - If no LEDs light up after a long period of time, the device may be out of power. Place the device onto the charging dock, then try again after the device is charged.
 - Please refer to the following table for the LED descriptions of the Start/Standby button.
-

Activity LED	LED behaviour	Description
Bluetooth indicator	Blinking	Pairing
	Lights up for 5 seconds then turns off	Successfully paired
	Off	Pairing unsuccessful
Power indicator (not on charging dock)	Red	Low power; charge immediately
	Red light on button press	Extremely low power, washing detection cannot be used; charge immediately
	Off	No power
LED ring		
Power indicator (on charging dock)	Green	Power full
	Green (blinking)	Power level 10% - 100%
	Red (blinking)	Power level below 10%
	Off	No power
LED ring (under water)	White (blinking)	Detection started
	Red (blinking)	Lots of pollutants / impurities detected in the water, please change the water or continue washing thoroughly
	Orange (blinking)	Medium amount of pollutants / impurities detected in the water, we recommend continuing with washing the fruits and vegetables
	Green (blinking)	Low amount of pollutants / impurities detected in the water; the cleanliness of the water is close to clean water. You can stop washing
	Blue (blinking)	Calibrating
	Blue	Calibration completed

(continued on the next page)

Activity LED	LED behavior	Description
LED ring		
LED ring (others)	White (looping)	Firmware updating
	Red	Error notification. Remove the device from water then place it back into the water, or short press the Start button to turn off the red LED light
	Off	No changes in status after washing for 40 minutes


Function	Start/Standby button behavior	APP mode
Activate washing detection	Short press for 0.5 seconds	Start washing session
Stop washing detection (Standby mode)	Short press for 0.5 seconds	Stop washing session
Calibration mode	Press for 1.5 seconds	Trigger calibration mode
Bluetooth pairing	Long press for 5 seconds	Trigger BLE pairing
Firmware update	None	Trigger firmware update

Getting Started

Charging your PureGo

Please follow the steps below to charge your PureGo

1. Place the PureGo onto the charging dock with the front side facing outwards. (The side with the ASUS logo is the front side of the PureGo; the side with the model name and certifications is the rear of the PureGo.)
2. Connect the cable from the charging dock to the USB power adapter.
3. Plug the USB power adapter into a power outlet.



NOTE:

- Ensure to wait until your PureGo is fully charged before using it for the first time. Your PureGo is fully charged when the LED ring lights up green.
 - This device uses a power adapter with a power input of 5V/2A. Ensure to use the bundled power adapter when charging the PureGo.
-


Calibrating your PureGo

CAUTION!

- Ensure to follow the calibration tutorial and calibrate when using your PureGo for the first time.
- You do not need to calibrate after every use, but we recommend calibrating your PureGo periodically (once every 1 to 3 months, depending on usage frequency) to ensure detection accuracy.
- We recommend recalibrating when changing usage locations to ensure detection accuracy.
- There may be slight differences in the water quality of the same area during different times. We recommend calibrating periodically, or calibrating when the PureGo APP reminder appears.

To Calibrate your PureGo:

1. Press and hold the Start/Standby button for approximately 1.5 seconds until the LED ring lights up blue, then place your PureGo into clean water.



CAUTION! To ensure the optical detection chamber is completely immersed in the water, the belt should be below water level when your PureGo is placed into the water.

2. The LED ring will blink blue during calibration. When the calibration process is completed, the LED ring becomes a solid blue light. The calibration process should take about 25 seconds.



Detecting with the PureGo when washing fruits or vegetables


PureGo's revolutionary smart water detection feature allows instant detection of the amount of pollutants in the water once it is placed in the water.

When the LED ring begins blinking orange, we recommend continuing with washing the fruits and vegetables, or changing the water and soaking the fruits and vegetables again. When the LED ring blinks green, the cleanliness of the water is close to clean water.

NOTE: For more information on the LED descriptions, please refer to the table on page 7.

Recommended washing steps

1. Clean the surface of the leafy parts and dirt from the roots of the fruits and vegetables using clean water or with a tool.
2. Soak the fruits and vegetables in clean water for approximately 1 minute to allow agricultural pesticide or other residue such as dust to dissolve in the water. PureGo's revolutionary smart water detection feature makes it so that no buttons have to be pressed during the detection process; PureGo will automatically begin detection once it is placed in the water.



CAUTION! To ensure the optical detection chamber is completely immersed in the water, the belt should be below water level when your PureGo is placed into the water.

3. Continue washing the fruits and vegetables with a small trickle of water to wash away agricultural pesticide or other residue on the surface of the fruits and vegetables, while continuing the detection process with the PureGo.
4. The cleanliness is indicated by the LED ring on PureGo:
 - **Red (blinking):** Lots of pollutants / impurities detected in the water, please change the water or continue washing thoroughly.
 - **Orange (blinking):** Medium amount of pollutants / impurities detected in the water, we recommend continuing with washing the fruits and vegetables.
 - **Green (blinking):** Low amount of pollutants / impurities detected in the water; the cleanliness of the water is close to clean water. You can stop washing.



5. Remove the inedible parts of your fruits and vegetables.

NOTE: A short press on the Start/Standby button will start/end this session.

Notes when washing fruits and vegetables:

- Please follow the recommended procedures and recommended water temperature (8°C ~ 35°C) when using PureGo to avoid detection abnormalities.
 - This device is made to function in clear water. Do not use the device in other non clear water aqueous solutions such as sodas, tea, or coffee.
 - Clear water is the best solution when washing fruits and vegetables. We do not recommend using commercial fruit and vegetable wash solutions, salt water, baking soda, or vinegar as it may not be able to remove agricultural pesticide, and may even prolong the degradation time of the agricultural pesticide, increase the chances of chemical contamination of the fruits and vegetables, or result in detection abnormalities.
 - Take care not to damage the surface of the fruits and vegetables when washing them, as an excess of phytochemicals in the water may affect the detection accuracy. If you find damages or bruises on the fruits and vegetables when washing them, we recommend removing them from the water used for detection and rinsing them each individually.
 - This device is used to assist with the washing of common fruits and vegetables. Do not wash items that may contaminate the water such as tea leaves or herbal medicine.
 - Cooked food cannot be used with the detection feature of this device.
 - If your LED ring lights up red due to an error while washing the fruits and vegetables, please refer to the following for help:
 - Refer to the PureGo APP for troubleshooting steps
 - FAQ on the ASUS website (<https://www.asus.com/us/Networking-IoT-Servers/Smart-Home/Smart-kitchen/PureGo-PD100/>)
 - **Fruit and Vegetable test list** in this manual.
-

Using the APP

You may use the device independently, or link it to the PureGo APP for more detailed information. You can download and install the PureGo APP from Google Play or App Store, or scan the QR code with your mobile phone.



PureGo



Android



iOS

Pairing through Bluetooth after downloading the APP:

1. Follow the instructions on the APP and long press the Start/Standby button located on the top of the device for about 5 seconds until the Bluetooth indicator lights up blue.
2. **PD100 SNXXXX** should be displayed on the APP, where **XXXX** represents the serial number of your PureGo device.
3. Select the device on your mobile phone to begin pairing. The pairing is successful if the Bluetooth indicator lights up solid blue.




Cleaning your PureGo

Fruit or vegetable remains, or dirt may be stuck to the detection lens or in the bottom filter cover when washing fruits and vegetables. We recommend cleaning and recalibrating once every month to ensure an accurate and smooth detection process.


NOTE: Ensure the PureGo is in Standby Mode before cleaning the PureGo.

Follow the steps below to clean and calibrate your PureGo:

1. Press both sides of the detachable bottom filter cover and remove it from the PureGo.



2. Wet a lens cleaning cloth or cotton swab with clean water, and clean both glass sides of the optical detection chamber.



NOTE: Use clean water to clean your PureGo. Do not use organic solvents (such as oil removers or alcohol) or detergents.

3. Rinse the bottom filter cover with clean water, then wipe it dry using a soft cloth and reattach it to the PureGo.
4. After cleaning the PureGo, place the PureGo in clean water. Long press until the LED ring lights up blue and perform a recalibration to make sure the PureGo was properly cleaned.
5. The recalibration process is complete once the blue light turns off.



Charging dock cleaning and maintenance

- After using the device, please gently shake to remove excess water inside the detachable bottom filter, or leave it out to dry for a few minutes. Charge the device by placing it onto the wireless charging dock once the device is completely dry.
- The wireless charging dock is not water resistant. Please DO NOT place the charging dock in water, or wash it under running water. If the surface of the wireless charging dock is dirty, please use a wet cloth to wipe it clean.
- The wireless charging dock comes with a detachable catch pan, which can hold up to 10cc of water. Please empty out and clean the catch pan regularly, then ensure to replace it afterwards.
- If the catch pan overflows, please wipe the surface the charging dock is placed on dry and ensure the bottom side of the charging dock is dry.

Notices

FCC Compliance Information

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with manufacturer's instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

CAUTION! Any changes or modifications not expressly approved by the grantee of this device could void the user's authority to operate the equipment. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received including interference that may cause undesired operation.

RF Exposure Warning

The equipment complies with FCC RF exposure limits set forth for an uncontrolled environment. The equipment must not be co-located or operating in conjunction with any other antenna or transmitter.

Compliance Statement of Innovation, Science and Economic Development Canada (ISED)

This device complies with Innovation, Science and Economic Development Canada licence exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

CAN ICES-003(B)/NMB-003(B)

Déclaration de conformité de Innovation, Sciences et Développement économique Canada (ISED)

Le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

CAN ICES-003(B)/NMB-003(B)

Radio Frequency (RF) Exposure Information

The radiated output power of the Wireless Device is below the Innovation, Science and Economic Development Canada (ISED) radio frequency exposure limits. The Wireless Device should be used in such a manner such that the potential for human contact during normal operation is minimized. This device has also been evaluated and shown compliant with the ISED RF Exposure limits under portable exposure conditions. (antennas are less than 20 cm of a person's body).

Informations concernant l'exposition aux fréquences radio (RF)

La puissance de sortie rayonnée du dispositif sans fil est inférieure aux limites d'exposition aux radiofréquences d'Innovation, Sciences et Développement économique Canada (ISED). Le dispositif sans fil doit être utilisé de manière à minimiser le potentiel de contact humain pendant le fonctionnement normal.

Cet appareil a également été évalué et montré conforme aux limites d'exposition RF ISED dans des conditions d'exposition portable. (les antennes mesurent moins de 20 cm du corps d'une personne).

