


6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting108
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70146G	59.47	88.20	-28.73	41.32	3	Vertical	327	1.92	-	40.90	9.53	32.28			
RMS	13.69354G	46.09	68.20	-22.11	27.97	3	Vertical	327	1.92	-	40.87	9.53	32.28			

6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting108
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.675G	60.73	88.20	-27.47	42.69	3	Horizontal	201	1.68	-	40.80	9.52	32.28			
RMS	13.70398G	46.28	68.20	-21.92	28.12	3	Horizontal	201	1.68	-	40.91	9.53	32.28			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 87
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	79.38	88.20	-8.82	70.52	3	Vertical	145	1.86	-	34.25	5.77	31.16			
AV	5.925G	68.03	68.20	-0.17	59.17	3	Vertical	145	1.86	-	34.25	5.77	31.16			
PK	6.006G	113.81	Inf	-Inf	104.83	3	Vertical	145	1.86	-	34.32	5.85	31.19			
AV	6.0012G	103.62	Inf	-Inf	94.66	3	Vertical	145	1.86	-	34.30	5.85	31.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 87
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96124G	54.16	74.00	-19.84	37.48	3	Vertical	251	1.69	-	39.30	8.73	31.35			
AV	11.96496G	40.88	54.00	-13.12	24.19	3	Vertical	251	1.69	-	39.30	8.73	31.34			
PK	17.9631G	60.64	74.00	-13.36	43.65	3	Vertical	66	1.80	-	46.60	11.64	41.25			
AV	17.94708G	47.14	54.00	-6.86	30.19	3	Vertical	66	1.80	-	46.59	11.63	41.27			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 87
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98206G	54.05	74.00	-19.95	37.33	3	Horizontal	252	1.92	-	39.30	8.73	31.31			
AV	11.9586G	40.70	54.00	-13.30	24.02	3	Horizontal	252	1.92	-	39.30	8.73	31.35			
PK	17.94507G	60.98	74.00	-13.02	44.04	3	Horizontal	336	1.80	-	46.59	11.63	41.28			
AV	17.9532G	47.38	54.00	-6.62	30.40	3	Horizontal	336	1.80	-	46.60	11.64	41.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45198G	59.48	74.00	-14.52	42.42	3	Vertical	11	1.16	-	38.60	11.02	32.56			
AV	12.44502G	45.86	54.00	-8.14	28.78	3	Vertical	11	1.16	-	38.63	11.01	32.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.45022G	59.74	74.00	-14.26	42.69	3	Horizontal	28	1.90	-	38.60	11.01	32.56			
AV	12.4513G	45.86	54.00	-8.14	28.80	3	Horizontal	28	1.90	-	38.60	11.02	32.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6225MHz_TX

EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67564G	46.93	83.54	-36.61	44.57	1	Vertical	88	1.55	-	37.70	15.27	50.61			
AV	18.67036G	33.20	63.54	-30.34	30.81	1	Vertical	88	1.55	-	37.72	15.27	50.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67722G	46.80	83.54	-36.74	44.45	1	Horizontal	269	1.56	-	37.69	15.27	50.61			
AV	18.67014G	33.10	63.54	-30.44	30.71	1	Horizontal	269	1.56	-	37.72	15.27	50.60			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76646G	60.05	88.20	-28.15	42.33	3	Vertical	54	1.15	-	39.10	11.16	32.54			
RMS	12.765G	45.82	68.20	-22.38	28.11	3	Vertical	54	1.15	-	39.09	11.16	32.54			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77172G	59.95	88.20	-28.25	42.20	3	Horizontal	124	2.51	-	39.13	11.16	32.54			
RMS	12.7722G	45.88	68.20	-22.32	28.13	3	Horizontal	124	2.51	-	39.13	11.16	32.54			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15626G	46.09	83.54	-37.45	44.30	1	Vertical	287	1.57	-	37.74	15.24	51.19			
AV	19.15682G	32.34	63.54	-31.20	30.55	1	Vertical	287	1.57	-	37.74	15.24	51.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX


6385MHz_TX

EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15624G	45.91	83.54	-37.63	44.12	1	Horizontal	280	1.53	-	37.74	15.24	51.19			
AV	19.15944G	32.45	63.54	-31.09	30.64	1	Horizontal	280	1.53	-	37.76	15.24	51.19			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25298G	60.77	74.00	-13.23	42.40	3	Vertical	292	2.90	-	39.81	11.38	32.82			
RMS	13.25114G	46.89	54.00	-7.11	28.53	3	Vertical	292	2.90	-	39.80	11.38	32.82			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.248G	61.22	88.20	-26.98	42.86	3	Horizontal	138	2.19	-	39.80	11.38	32.82			
RMS	13.24968G	46.90	68.20	-21.30	28.54	3	Horizontal	138	2.19	-	39.80	11.38	32.82			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87676G	45.56	83.54	-37.98	44.49	1	Vertical	6	1.50	-	37.76	15.21	51.90			
AV	19.87276G	32.30	63.54	-31.24	31.25	1	Vertical	6	1.50	-	37.74	15.21	51.90			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87486G	45.89	83.54	-37.65	44.83	1	Horizontal	274	1.55	-	37.75	15.21	51.90			
AV	19.87916G	32.29	63.54	-31.25	31.21	1	Horizontal	274	1.55	-	37.77	15.21	51.90			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.411G	61.95	88.20	-26.25	43.18	3	Vertical	221	1.79	-	40.30	11.45	32.98			
RMS	13.4118G	47.91	68.20	-20.29	29.14	3	Vertical	221	1.79	-	40.30	11.45	32.98			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.4127G	62.24	88.20	-25.96	43.47	3	Horizontal	114	2.71	-	40.30	11.45	32.98				
RMS	13.40666G	47.95	68.20	-20.25	29.18	3	Horizontal	114	2.71	-	40.30	11.45	32.98				

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11748G	45.03	83.54	-38.51	43.94	1	Vertical	286	1.55	-	37.80	15.29	52.00			
AV	20.11964G	31.78	63.54	-31.76	30.70	1	Vertical	286	1.55	-	37.78	15.30	52.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11724G	45.39	83.54	-38.15	44.30	1	Horizontal	215	1.50	-	37.80	15.29	52.00			
AV	20.11442G	31.79	63.54	-31.75	30.69	1	Horizontal	215	1.50	-	37.81	15.29	52.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.56938G	62.59	88.20	-25.61	43.48	3	Vertical	180	2.98	-	40.56	11.52	32.97				
RMS	13.56788G	48.47	68.20	-19.73	29.36	3	Vertical	180	2.98	-	40.56	11.52	32.97				

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.56996G	62.14	88.20	-26.06	43.03	3	Horizontal	162	1.88	-	40.56	11.52	32.97				
RMS	13.57138G	48.43	68.20	-19.77	29.31	3	Horizontal	162	1.88	-	40.56	11.52	32.96				

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35692G	46.73	83.54	-36.81	45.15	1	Vertical	312	1.55	-	38.09	15.49	52.00			
AV	20.35534G	33.50	63.54	-30.04	31.93	1	Vertical	312	1.55	-	38.09	15.48	52.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3502G	46.79	83.54	-36.75	45.21	1	Horizontal	6	1.55	-	38.10	15.48	52.00			
AV	20.35546G	33.59	63.54	-29.95	32.02	1	Horizontal	6	1.55	-	38.09	15.48	52.00			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 89
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9139G	79.67	88.20	-8.53	70.83	3	Vertical	164	1.63	-	34.23	5.76	31.15			
AV	5.9249G	67.66	68.20	-0.54	58.80	3	Vertical	164	1.63	-	34.25	5.77	31.16			
PK	6.0481G	111.15	Inf	-Inf	102.01	3	Vertical	164	1.63	-	34.49	5.86	31.21			
AV	6.0514G	100.35	Inf	-Inf	91.20	3	Vertical	164	1.63	-	34.50	5.86	31.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 89
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04403G	53.86	74.00	-20.14	37.26	3	Vertical	40	1.80	-	39.12	8.76	31.28			
AV	12.04385G	40.28	54.00	-13.72	23.68	3	Vertical	40	1.80	-	39.12	8.76	31.28			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 89
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05339G	53.47	74.00	-20.53	36.90	3	Horizontal	214	1.80	-	39.09	8.76	31.28			
AV	12.03542G	40.28	54.00	-13.72	23.64	3	Horizontal	214	1.80	-	39.16	8.76	31.28			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36638G	59.87	74.00	-14.13	42.56	3	Vertical	332	1.32	-	38.97	10.98	32.64			
AV	12.37384G	46.33	54.00	-7.67	29.03	3	Vertical	332	1.32	-	38.95	10.98	32.63			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3693G	59.96	74.00	-14.04	42.66	3	Horizontal	251	1.05	-	38.96	10.98	32.64			
AV	12.37476G	46.30	54.00	-7.70	29.00	3	Horizontal	251	1.05	-	38.95	10.98	32.63			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55972G	47.64	83.54	-35.90	45.14	1	Vertical	334	1.52	-	37.70	15.27	50.47			
AV	18.55606G	33.28	63.54	-30.26	30.78	1	Vertical	334	1.52	-	37.70	15.27	50.47			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55684G	46.66	83.54	-36.88	44.16	1	Horizontal	315	1.54	-	37.70	15.27	50.47			
AV	18.55294G	33.27	63.54	-30.27	30.76	1	Horizontal	315	1.54	-	37.70	15.27	50.46			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68846G	59.69	74.00	-14.31	42.18	3	Vertical	174	1.76	-	38.92	11.12	32.53			
AV	12.68642G	46.26	54.00	-7.74	28.74	3	Vertical	174	1.76	-	38.93	11.12	32.53			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.6908G	60.35	74.00	-13.65	42.84	3	Horizontal	338	1.46	-	38.92	11.12	32.53			
AV	12.6855G	46.28	54.00	-7.72	28.76	3	Horizontal	338	1.46	-	38.93	11.12	32.53			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03476G	46.38	83.54	-37.16	44.27	1	Vertical	168	1.56	-	37.90	15.25	51.04			
AV	19.03104G	32.82	63.54	-30.72	30.71	1	Vertical	168	1.56	-	37.90	15.25	51.04			

5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6345MHz_TX

EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03518G	46.53	83.54	-37.01	44.42	1	Horizontal	225	1.50	-	37.90	15.25	51.04			
AV	19.03668G	32.82	63.54	-30.72	30.71	1	Horizontal	225	1.50	-	37.90	15.25	51.04			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3336G	61.17	74.00	-12.83	42.62	3	Vertical	295	2.81	-	40.03	11.42	32.90			
AV	13.32918G	47.62	54.00	-6.38	29.09	3	Vertical	295	2.81	-	40.02	11.41	32.90			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 108
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32596G	60.81	74.00	-13.19	42.30	3	Horizontal	314	2.62	-	40.00	11.41	32.90			
AV	13.33126G	47.41	54.00	-6.59	28.86	3	Horizontal	314	2.62	-	40.03	11.42	32.90			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9958G	44.99	83.54	-38.55	43.99	1	Vertical	22	1.56	-	37.80	15.20	52.00			
AV	19.9911G	31.76	63.54	-31.78	30.75	1	Vertical	22	1.56	-	37.80	15.20	51.99			

6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX


6665MHz_TX

EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99832G	46.34	83.54	-37.20	45.34	1	Horizontal	234	1.55	-	37.80	15.20	52.00			
AV	19.99412G	31.65	63.54	-31.89	30.65	1	Horizontal	234	1.55	-	37.80	15.20	52.00			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 89
02-C-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	81.49	88.20	-6.71	72.63	3	Vertical	73	1.80	-	34.25	5.77	31.16			
AV	5.9235G	67.95	68.20	-0.25	59.08	3	Vertical	73	1.80	-	34.25	5.77	31.15			
PK	6.2612G	110.18	Inf	-Inf	100.96	3	Vertical	73	1.80	-	34.58	5.92	31.28			
AV	6.2018G	99.55	Inf	-Inf	90.21	3	Vertical	73	1.80	-	34.70	5.90	31.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 89
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21936G	53.44	74.00	-20.56	37.13	3	Vertical	76	1.46	-	38.76	8.84	31.29			
AV	12.21894G	40.32	54.00	-13.68	24.01	3	Vertical	76	1.46	-	38.76	8.84	31.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 89
02-C-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.22308G	54.44	74.00	-19.56	38.14	3	Horizontal	356	1.80	-	38.75	8.84	31.29			
AV	12.21471G	40.25	54.00	-13.75	23.93	3	Horizontal	356	1.80	-	38.77	8.84	31.29			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX


6265MHz Straddle 5.925-6.425GHz_TX

EUT_Z_4TX
Setting108
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5177G	54.93	74.00	-19.07	38.66	3	Vertical	81	2.56	-	38.60	8.98	31.31			
AV	12.54182G	41.88	54.00	-12.12	25.63	3	Vertical	81	2.56	-	38.60	8.99	31.34			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6265MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting108
02-C-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52214G	54.76	74.00	-19.24	38.50	3	Horizontal	97	1.69	-	38.60	8.98	31.32			
AV	12.54146G	41.86	54.00	-12.14	25.60	3	Horizontal	97	1.69	-	38.60	8.99	31.33			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting108
06-D-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2767G	46.02	83.54	-37.52	44.16	1	Vertical	102	1.55	-	37.95	15.24	51.33			
AV	19.27098G	32.46	63.54	-31.08	30.61	1	Vertical	102	1.55	-	37.94	15.24	51.33			

5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX



EUT_Z_4TX
Setting108
06-D-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.27132G	45.77	83.54	-37.77	43.92	1	Horizontal	305	1.56	-	37.94	15.24	51.33			
AV	19.27088G	32.43	63.54	-31.11	30.58	1	Horizontal	305	1.56	-	37.94	15.24	51.33			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

09/04/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

11/03/2024

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

11/03/2024

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

11/03/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

09/04/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

11/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

11/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

11/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

09/04/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

11/03/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

11/03/2024

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

11/03/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

09/04/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

11/03/2024




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

09/04/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

12/03/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

5955MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6195MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6415MHz_TX

11/03/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6535MHz_TX

11/03/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6695MHz_TX

11/03/2024




6.525-6.875GHz_802.11be EHT20-BF_Nss2,(MCS0)_4TX

MASK

6855MHz_TX

11/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

5965MHz_TX

09/04/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6205MHz_TX

12/03/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6405MHz_TX

12/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6565MHz_TX

12/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6685MHz_TX

12/03/2024




6.525-6.875GHz_802.11be EHT40-BF_Nss2,(MCS0)_4TX

MASK

6845MHz_TX

12/03/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

5985MHz_TX

09/04/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6225MHz_TX

12/03/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6385MHz_TX

12/03/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6625MHz_TX

12/03/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6705MHz_TX

12/03/2024




6.525-6.875GHz_802.11be EHT80-BF_Nss2,(MCS0)_4TX

MASK

6785MHz_TX

12/03/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6025MHz_TX

09/04/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6185MHz_TX

12/03/2024




5.925-6.425GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6345MHz_TX

12/03/2024




6.525-6.875GHz_802.11be EHT160-BF_Nss2,(MCS0)_4TX

MASK

6665MHz_TX

12/03/2024




5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

MASK

6105MHz_TX

09/04/2024



5.925-6.425GHz_802.11be EHT320-BF_Nss2,(MCS0)_4TX

MASK

6265MHz_TX

12/03/2024

