



Appendix A. Test Result of AC Power Line Conducted Emission




Appendix B. Test Result of 6dB Bandwidth

Modulation	Frequency (MHz)	6dB Bandwidth (MHz)	Limit (MHz)	Result
		Ant. 1		
GFSK (2Mbps)	2402	1.13	>0.50	Pass
	2440	1.13	>0.50	Pass
	2479	1.15	>0.50	Pass
GFSK (4Mbps)	2403	1.11	>0.50	Pass
	2440	1.10	>0.50	Pass
	2477	1.11	>0.50	Pass


GFSK/2MHz/2M/2402MHz/Ch0/Ant.1




GFSK/2MHz/2M/2440MHz/CH38/Ant.1




GFSK/2MHz/2M/2479MHz/CH77/Ant.1




GFSK/4MHz/4M/2403MHz/Ch1/Ant.1



GFSK/4MHz/4M/2440MHz/CH38/Ant.1



GFSK/4MHz/4M/2477MHz/Ch75/Ant.1



Appendix C. Test Result of Maximum Peak Conducted Output Power

Average

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)	Limit (dBm)	Result
		Ant. 1		
GFSK (2Mbps)	2402	5.67	30.00	Pass
	2440	5.69	30.00	Pass
	2479	5.67	30.00	Pass
GFSK (4Mbps)	2403	5.55	30.00	Pass
	2440	5.55	30.00	Pass
	2477	5.61	30.00	Pass


Peak

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)	Limit (dBm)	Result
		Ant. 1		
GFSK (2Mbps)	2402	5.80	30.00	Pass
	2440	5.84	30.00	Pass
	2479	5.82	30.00	Pass
GFSK (4Mbps)	2403	5.76	30.00	Pass
	2440	5.71	30.00	Pass
	2477	5.75	30.00	Pass


Appendix D. Test Result of Power Spectral Density

Modulation	Frequency (MHz)	Power Spectral Density (dBm / 3kHz)	Limit (dBm / 3kHz)	Result
		Ant. 1		
GFSK (2Mbps)	2402	-13.40	8.00	Pass
	2440	-14.01	8.00	Pass
	2479	-13.59	8.00	Pass
GFSK (4Mbps)	2403	-15.38	8.00	Pass
	2440	-16.00	8.00	Pass
	2477	-15.63	8.00	Pass


GFSK/2MHz/2M/2402MHz/Ch0/Ant.1




GFSK/2MHz/2M/2440MHz/CH38/Ant.1




GFSK/2MHz/2M/2479MHz/CH77/Ant.1




GFSK/4MHz/4M/2403MHz/Ch1/Ant.1



GFSK/4MHz/4M/2440MHz/CH38/Ant.1




GFSK/4MHz/4M/2477MHz/Ch75/Ant.1




Appendix E. Test Result of Antenna Port Conducted Emission


Modulation	Measurement Level Δ (dB)	Result
GFSK (2Mbps)	> 20	PASS
GFSK (4Mbps)	> 20	PASS




GFSK/2MHz/2M/2402MHz/Ch0/Ant.1(Band Edge)




GFSK/2MHz/2M/2479MHz/CH77/Ant.1(Band Edge)






GFSK/4MHz/4M/2403MHz/Ch1/Ant.1(Band Edge)




GFSK/4MHz/4M/2477MHz/Ch75/Ant.1(Band Edge)



Appendix F. Test Result of Radiated Emission


Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2402MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4804.000	39.67	74.00	-34.33	36.60	3.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2402MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4804.000	40.96	74.00	-33.04	37.89	3.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2448MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4880.000	38.64	74.00	-35.36	35.46	3.18	Peak
2	7320.000	51.60	54.00	-2.40	44.03	7.57	Average
3	7320.000	55.91	74.00	-18.09	48.34	7.57	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2448MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4880.000	38.33	74.00	-35.67	35.15	3.18	Peak
2	7320.000	52.78	54.00	-1.22	45.21	7.57	Average
3	7320.000	58.94	74.00	-15.06	51.37	7.57	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2479MHz
Test by :Jack Hsu




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4958.000	37.56	74.00	-36.44	34.36	3.20	Peak
2	7437.000	51.71	54.00	-2.29	44.11	7.60	Average
3	7437.000	55.61	74.00	-18.39	48.01	7.60	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2479MHz
Test by :Jack Hsu




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4958.000	37.61	74.00	-36.39	34.41	3.20	Peak
2	7437.000	51.14	54.00	-2.86	43.54	7.60	Average
3	7437.000	57.53	74.00	-16.47	49.93	7.60	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2403MHz
Test by :Jack Hsu




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4806.000	38.63	74.00	-35.37	35.56	3.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2403MHz
Test by :Jack Hsu




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4806.000	39.89	74.00	-34.11	36.82	3.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2440MHz
Test by :Jack Hsu




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4880.000	39.66	74.00	-34.34	36.48	3.18	Peak
2	7320.000	50.37	54.00	-3.63	42.80	7.57	Average
3	7320.000	57.49	74.00	-16.51	49.92	7.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2440MHz
Test by :Jack Hsu




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4880.000	38.03	74.00	-35.97	34.85	3.18	Peak
2	7320.000	51.62	54.00	-2.38	44.05	7.57	Average
3	7320.000	58.37	74.00	-15.63	50.80	7.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2477MHz
Test by :Jack Hsu




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4954.000	37.10	74.00	-36.90	33.92	3.18	Peak
2	7431.000	53.12	54.00	-0.88	45.53	7.59	Average
3	7431.000	60.44	74.00	-13.56	52.85	7.59	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2477MHz
Test by :Jack Hsu




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	4954.000	36.99	74.00	-37.01	33.81	3.18	Peak
2	7431.000	52.63	54.00	-1.37	45.04	7.59	Average
3	7431.000	60.31	74.00	-13.69	52.72	7.59	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2440MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	57.160	18.91	40.00	-21.09	42.92	-24.01	QP
2	128.940	25.38	43.50	-18.12	50.90	-25.52	QP
3	231.760	38.96	46.00	-7.04	64.60	-25.64	QP
4	320.760	32.51	46.00	-13.49	54.55	-22.04	QP
5	435.460	27.95	46.00	-18.05	47.22	-19.27	QP
6	590.660	27.19	46.00	-18.81	42.94	-15.75	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2440MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	30.000	28.35	40.00	-11.65	53.46	-25.11	QP
2	124.090	28.78	43.50	-14.72	54.86	-26.08	QP
3	309.360	29.83	46.00	-16.17	52.64	-22.81	QP
4	436.430	29.33	46.00	-16.67	48.56	-19.23	QP
5	499.480	28.71	46.00	-17.29	46.73	-18.02	QP
6	603.270	26.52	46.00	-19.48	41.93	-15.41	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2402MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2353.600	46.94	54.00	-7.06	16.52	30.42	Average
2	2402.000	100.61	-----	-----	70.15	30.46	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2402MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2341.800	58.33	74.00	-15.67	27.91	30.42	Peak
2	2401.600	102.21	-----	-----	71.75	30.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2387.000	46.70	54.00	-7.30	16.26	30.44	Average
2	2402.000	99.50	-----	-----	69.04	30.46	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2386.000	58.69	74.00	-15.31	28.25	30.44	Peak
2	2401.600	101.17	-----	-----	70.71	30.46	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2479MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2479.000	98.56	-----	-----	68.17	30.39	Average
2	2485.600	47.34	54.00	-6.66	16.88	30.46	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2479MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2478.600	100.18	-----	-----	69.79	30.39	Peak
2	2483.600	59.44	74.00	-14.56	29.00	30.44	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2479MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB/m	
1	2479.000	96.47	81.30	15.17	66.08	30.39	Average
2	2484.000	47.23	81.30	-34.07	16.79	30.44	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2479MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB/m	
1	2478.600	98.10	81.30	16.80	67.71	30.39	Peak
2	2490.200	58.62	81.30	-22.68	28.12	30.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2403MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB/m	
1	2325.200	47.48	81.30	-33.82	16.92	30.56	Average
2	2403.000	97.53	81.30	16.23	67.05	30.48	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2403MHz
Test BY :Bob




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB/m	
1	2340.800	58.81	81.30	-22.49	28.39	30.42	Peak
2	2402.000	101.35	81.30	20.05	70.89	30.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2403MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2314.600	47.77	54.00	-6.23	17.16	30.61	Average
2	2403.000	88.64	-----	-----	58.16	30.48	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2403MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2370.200	58.55	74.00	-15.45	28.12	30.43	Peak
2	2404.000	92.44	-----	-----	61.95	30.49	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2477MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2477.200	96.26	-----	-----	65.87	30.39	Average
2	2483.800	48.51	54.00	-5.49	18.07	30.44	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2477MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2478.000	100.06	-----	-----	69.67	30.39	Peak
2	2486.600	59.01	74.00	-14.99	28.54	30.47	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.


Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2477MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2477.000	94.27	-----	-----	63.88	30.39	Average
2	2484.400	47.77	54.00	-6.23	17.33	30.44	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2477MHz
Test BY :Bob



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB/m	
1	2478.200	98.04	-----	-----	67.65	30.39	Peak
2	2489.200	58.65	74.00	-15.35	28.16	30.49	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.