


Annex G. Photographs



G.1 Test Sample

Front Sample 03  A photograph of the front of a laptop chassis (Sample 03) placed on a white surface next to a black TOLSEN ruler. The chassis is light grey with a white label on the left side and a small circular cutout in the center.	Front Sample 02  A photograph of the front of a laptop chassis (Sample 02) placed on a white surface next to a black TOLSEN ruler. The chassis is light grey with a white label on the left side and a small circular cutout in the center.
Back Sample 03  A photograph of the back of a laptop chassis (Sample 03) placed on a white surface next to a black TOLSEN ruler. The chassis is light grey with two large hexagonal ventilation grilles on the left and right sides.	Back Sample 02  A photograph of the back of a laptop chassis (Sample 02) placed on a white surface next to a black TOLSEN ruler. The chassis is light grey with two large hexagonal ventilation grilles on the left and right sides.
Laptop Sample 03  A photograph of a black laptop (Sample 03) open on a white surface. A black TOLSEN ruler is placed horizontally in front of the laptop.	Laptop Sample 02  A photograph of a black laptop (Sample 02) open on a white surface. A black TOLSEN ruler is placed horizontally in front of the laptop.

G.2 SAR Test position




G.3 PD Test position

Laptop @2.5mm	Laptop @2.5mm (close view)
	
Laptop @2.5mm	Laptop @2.5mm (close view)
	


G.4 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section are provided by the manufacturer



G.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch - 191016-02



End of the report

This page is intentionally left blank and marks the last page of the test report.