
JULY 29, 2003
Federal Communications Commission
Equipment Approval Services
7435 Oakland Mills Road
Columbia, MD 21046

SUBJECT : ImageQuest Co., Ltd.
FCC ID: PJIL15A0C063
Class II Permissive Change
Orig. Grant Date: March 11, 2003

Gentlemen:

Transmitted herewith, on behalf of ImageQuest Co., Ltd. is an application for a Class II Permissive Change Certification of the following 15-inch LCD Monitor:


FCC ID : PJIL15A0C063
Model : L15A0C063

The device is identical to the previously certified monitor except for the following:

1. Original LCD Panel
(Manufacture : AU Optonics Model NO : M150XN05)
2. Alternate LCD Panel
(Manufacture : Hannstar Display Corporation Model No.: HSD150SX84-C))

Attached is the applicant's Cover Letter, External/Internal Photos, Test Set-Up Photos, FCC ID & Label Location, User Manual, Schematic and Test Report.

Should you have any questions or comments concerning the above, please contact the undersigned.



KI SOO KIM
EMC MAMAGER

cc: Mr. HEE JUNG KIM ----- R & D CENTER / MANAGER

• Solution for EMI

We, ImageQuest CO.,LTD. , announce that all modifications will be incorporated into each unit sold in the U.S.

- 1. Attach a gasket on the Main Board and Main Frame to contact a LCD panel**
- 2. Attach a gasket on the Stand ass'y to contact a LCD panel**
- 3. Attach a aluminum foil on LCD panel**
- 4. Apply a ferrite Core to the OSD board signal cable**

(Please refer to next page of the photographs for Solution for EMI)



ImageQuest CO.,LTD.

2003.7.29

**R & D CENTER / MANAGER
HEE JUNG KIM**



1. Attach a gasket on the Main Board and Main Frame to contact a LCD panel



2. Attach a gasket on the Stand ass'y to contact a LCD panel



3. Attach a aluminum foil on LCD panel



4. Apply a ferrite Core to the OSD board signal cable

