Test Mode:	TX 2404 MHz _CH00_UHD 4M π/4-DQPSK

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		9630.000	37.96	11.03	48.99	74.00	-25.01	peak	
2	*	9630.231	29.36	11.03	40.39	54.00	-13.61	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2404 MHz _CH00_UHD 4M π/4-DQPSK

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		24672.500	25.88	30.07	55.95	80.00	-24.05	peak	
2	*	24672.552	15.86	30.07	45.93	60.00	-14.07	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2440 MHz _CH18_UHD 4M π/4-DQPSK

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	2439.000	98.50	6.85	105.35	74.00	31.35	peak	No Limit
2	*	2440.050	88.38	6.84	95.22	54.00	41.22	AVG	No Limit

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2440 MHz _CH18_UHD 4M π/4-DQPSK

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2440 MHz _CH18_UHD 4M π/4-DQPSK

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4995.000	44.25	4.12	48.37	74.00	-25.63	peak	
2	*	4995.000	31.99	4.12	36.11	54.00	-17.89	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2440 MHz _CH18_UHD 4M π/4-DQPSK

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	25062.210	15.96	30.47	46.43	60.00	-13.57	AVG	
2		25063.500	25.90	30.47	56.37	80.00	-23.63	peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2440 MHz _CH18_UHD 4M π/4-DQPSK

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	2439.050	102.27	6.85	109.12	74.00	35.12	peak	No Limit
2	*	2439.950	92.03	6.84	98.87	54.00	44.87	AVG	No Limit

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2440 MHz _CH18_UHD 4M π/4-DQPSK

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2440 MHz _CH18_UHD 4M π/4-DQPSK

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		9750.000	39.54	10.99	50.53	74.00	-23.47	peak	
2	*	9750.231	27.36	10.99	38.35	54.00	-15.65	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2440 MHz _CH18_UHD 4M π/4-DQPSK

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	25624.496	14.88	30.16	45.04	60.00	-14.96	AVG	
2		25624.500	25.57	30.16	55.73	80.00	-24.27	peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2476 MHz_CH36_UHD 4M π/4-DQPSK

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	2475.050	98.84	6.80	105.64	74.00	31.64	peak	No Limit
2	*	2475.900	88.56	6.80	95.36	54.00	41.36	AVG	No Limit
3		2483.500	42.35	6.80	49.15	74.00	-24.85	peak	
4		2483.500	33.48	6.80	40.28	54.00	-13.72	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2476 MHz_CH36_UHD 4M π/4-DQPSK

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2476 MHz_CH36_UHD 4M π/4-DQPSK

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4981.155	39.91	4.07	43.98	74.00	-30.02	peak	
2	*	4981.545	30.73	4.07	34.80	54.00	-19.20	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2476 MHz_CH36_UHD 4M π/4-DQPSK

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		25395.000	25.64	30.17	55.81	80.00	-24.19	peak	
2	*	25395.052	15.88	30.17	46.05	60.00	-13.95	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2476 MHz_CH36_UHD 4M π/4-DQPSK

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	2476.000	102.41	6.80	109.21	74.00	35.21	peak	No Limit
2	*	2476.000	91.84	6.80	98.64	54.00	44.64	AVG	No Limit
3		2483.500	45.28	6.80	52.08	74.00	-21.92	peak	
4		2483.500	35.18	6.80	41.98	54.00	-12.02	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2476 MHz_CH36_UHD 4M π/4-DQPSK

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2476 MHz_CH36_UHD 4M π/4-DQPSK

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	7694.600	29.15	9.51	38.66	54.00	-15.34	AVG	
2		7695.000	36.96	9.51	46.47	74.00	-27.53	peak	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode:	TX 2476 MHz_CH36_UHD 4M π/4-DQPSK

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		25650.000	26.51	30.18	56.69	80.00	-23.31	peak	
2	*	25650.112	16.38	30.17	46.55	60.00	-13.45	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - NUMBER OF HOPPING FREQUENCY

Test Mode	Hopping Mode_ UHD 1M GFSK
Number of Hopping Frequency	37



Date: 2.APR.2020 20:36:01

Test Mode	Hopping Mode_ UHD 2M GFSK
Number of Hopping Frequency	37



Date: 2.APR.2020 20:52:23

Test Mode	Hopping Mode_ UHD 2M π/4-DQPSK
Number of Hopping Frequency	37



Date: 7.APR.2020 16:33:36

Test Mode	Hopping Mode_ UHD 2M 8DPSK
Number of Hopping Frequency	37



Date: 7.APR.2020 17:11:01

Test Mode	Hopping Mode_ UHD 4M π/4-DQPSK
Number of Hopping Frequency	19



Date: 7.APR.2020 17:58:07

APPENDIX F - AVERAGE TIME OF OCCUPANCY

Test Mode:	Hopping on_UHD 1M GFSK

Frequency (MHz)	Pulse Duration (ms)	Dwell Time (s)	Limits (s)	Test Result
2404	2.1250	0.3676	0.4000	Pass

CH00



Date: 2.APR.2020 20:42:52



Date: 2.APR.2020 20:43:40

Test Mode:	Hopping on_UHD 2M GFSK

Frequency (MHz)	Pulse Duration (ms)	Dwell Time (s)	Limits (s)	Test Result
2404	1.0750	0.2107	0.4000	Pass

CH00



Date: 2.APR.2020 20:55:12



Date: 2.APR.2020 20:56:41

Test Mode:	Hopping on_UHD 2M π/4-DQPSK

Frequency (MHz)	Pulse Duration (ms)	Dwell Time (s)	Limits (s)	Test Result
2404	0.5800	0.1338	0.4000	Pass

CH00



Date: 7.APR.2020 16:21:58



Date: 7.APR.2020 16:22:44

Test Mode:	Hopping on_UHD 2M 8DPSK

Frequency (MHz)	Pulse Duration (ms)	Dwell Time (s)	Limits (s)	Test Result
2404	0.4000	0.0969	0.4000	Pass

CH00



Date: 7.APR.2020 16:58:09



Date: 7.APR.2020 17:00:47

Test Mode:	Hopping on_UHD 4M π/4-DQPSK

Frequency (MHz)	Pulse Duration (ms)	Dwell Time (s)	Limits (s)	Test Result
2404	0.3000	0.0865	0.4000	Pass

CH00



Date: 7.APR.2020 17:41:12



Date: 7.APR.2020 17:42:53

APPENDIX G - HOPPING CHANNEL SEPARATION MEASUREMENT

Test Mode:	Hopping on _UHD 1M GFSK

Channel	Frequency (MHz)	Channel Separation (MHz)	2/3 of 20 dB Bandwidth (MHz)	Test Result
00	2404	2.224	0.779	Pass
18	2440	1.728	0.781	Pass
37	2478	1.992	0.792	Pass

CH00



CH18



CH37



Test Mode:	Hopping on _UHD 2M GFSK

Channel	Frequency (MHz)	Channel Separation (MHz)	2/3 of 20 dB Bandwidth (MHz)	Test Result
00	2404	2.336	1.461	Pass
18	2440	2.008	1.477	Pass
37	2478	1.984	1.504	Pass

CH00



CH18



CH37



Test Mode:	Hopping on _UHD 2M π/4-DQPSK

Channel	Frequency (MHz)	Channel Separation (MHz)	2/3 of 20 dB Bandwidth (MHz)	Test Result
00	2404	2.030	1.667	Pass
18	2440	1.960	1.660	Pass
37	2478	1.990	1.653	Pass

CH00



CH18



CH37



Test Mode:	Hopping on _UHD 2M 8DPSK

Channel	Frequency (MHz)	Channel Separation (MHz)	2/3 of 20 dB Bandwidth (MHz)	Test Result
00	2404	2.040	1.680	Pass
18	2440	2.000	1.613	Pass
37	2478	1.980	1.673	Pass

CH00



CH18



CH37

Test Mode:	Hopping on _UHD 4M π/4-DQPSK

Channel	Frequency (MHz)	Channel Separation (MHz)	2/3 of 20 dB Bandwidth (MHz)	Test Result
00	2404	4.000	3.120	Pass
18	2440	4.000	3.120	Pass
37	2478	4.000	3.107	Pass

CH00



CH18



CH37



APPENDIX H - BANDWIDTH

Test Mode:	TX Mode _UHD 1M GFSK

Channel	Frequency (MHz)	20 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
00	2404	1.168	1.036
18	2440	1.172	1.036
37	2478	1.188	1.048

CH00



Date: 2.APR.2020 19:10:09

CH18



Date: 2.APR.2020 19:14:28

CH37



Date: 2.APR.2020 19:17:48

Test Mode:	TX Mode _UHD 2M GFSK

Channel	Frequency (MHz)	20 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
00	2404	2.192	2.032
18	2440	2.216	2.048
37	2478	2.256	2.048

CH00



Date: 2.APR.2020 19:35:50

CH18



Date: 2.APR.2020 19:39:40

CH37



Date: 2.APR.2020 19:49:08

Test Mode:	TX Mode _UHD 2M π/4-DQPSK

Channel	Frequency (MHz)	20 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
00	2404	2.500	2.350
18	2440	2.490	2.350
37	2478	2.480	2.340

CH00



Date: 7.APR.2020 16:05:16

CH18



Date: 7.APR.2020 16:09:52

CH37



Date: 7.APR.2020 16:14:23

Test Mode:	TX Mode _UHD 2M 8DPSK

Channel	Frequency (MHz)	20 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
00	2404	2.520	2.340
18	2440	2.420	2.340
37	2478	2.510	2.350

CH00



Date: 7.APR.2020 20:03:31

CH18



Date: 7.APR.2020 16:52:13

CH37



Date: 7.APR.2020 16:54:13

Test Mode:	TX Mode _UHD 4M π/4-DQPSK

Channel	Frequency (MHz)	20 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
00	2404	4.680	4.620
18	2440	4.680	4.620
36	2476	4.660	4.560

CH00



Date: 7.APR.2020 17:30:24

CH18



Date: 7.APR.2020 20:06:17

CH36



Date: 7.APR.2020 17:37:49

APPENDIX I - MAXIMUM OUTPUT POWER

For Normal Power

Test Mode:	TX Mode _UHD 1M GFSK

Channel	Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
00	2404	5.71	0.0037	21.00	0.125	Pass
18	2440	7.33	0.0054	21.00	0.125	Pass
37	2478	6.08	0.0041	21.00	0.125	Pass

CH00



Date: 2.APR.2020 18:51:39

CH18



Date: 2.APR.2020 18:52:20

CH37



Date: 2.APR.2020 18:53:14

Test Mode:	TX Mode _UHD 2M GFSK

Channel	Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
00	2404	5.72	0.0037	21.00	0.125	Pass
18	2440	7.35	0.0054	21.00	0.125	Pass
37	2478	6.17	0.0041	21.00	0.125	Pass

CH00



Date: 2.APR.2020 19:01:42

CH18



Date: 2.APR.2020 19:02:09

CH37



Date: 2.APR.2020 19:02:40

Test Mode:	TX Mode _UHD 2M π/4-DQPSK

Channel	Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
00	2404	8.28	0.0067	21.00	0.125	Pass
18	2440	9.49	0.0089	21.00	0.125	Pass
37	2478	8.86	0.0077	21.00	0.125	Pass

CH00



CH18



CH37



Test Mode:	TX Mode _UHD 2M 8DPSK

Channel	Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
00	2404	8.61	0.0073	21.00	0.125	Pass
18	2440	9.66	0.0092	21.00	0.125	Pass
37	2478	9.20	0.0083	21.00	0.125	Pass

CH00



CH18



CH37

Test Mode:	TX Mode _UHD 4M π/4-DQPSK

Channel	Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
00	2404	8.20	0.0066	21.00	0.125	Pass
18	2440	9.37	0.0086	21.00	0.125	Pass
36	2476	8.63	0.0073	21.00	0.125	Pass

CH00



Date: 7.APR.2020 15:39:24

CH18



Date: 7.APR.2020 15:40:03

CH36



Date: 7.APR.2020 15:40:40

For High Power

Test Mode:	TX Mode _UHD 1M GFSK

Channel	Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
00	2404	12.75	0.0188	21.00	0.125	Pass
18	2440	13.31	0.0214	21.00	0.125	Pass
37	2478	11.63	0.0146	21.00	0.125	Pass

CH00



CH18



CH37



Test Mode:	TX Mode _UHD 2M GFSK

Channel	Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
00	2404	12.74	0.0188	21.00	0.125	Pass
18	2440	13.30	0.0214	21.00	0.125	Pass
37	2478	11.69	0.0148	21.00	0.125	Pass

CH00



CH18



CH37



Test Mode:	TX Mode _UHD 2M π/4-DQPSK

Channel	Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
00	2404	14.90	0.0345	21.00	0.125	Pass
18	2440	15.23	0.0366	21.00	0.125	Pass
37	2478	13.87	0.0264	21.00	0.125	Pass

CH00



CH18



CH37



Test Mode:	TX Mode _UHD 2M 8DPSK

Channel	Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
00	2404	15.38	0.0309	21.00	0.125	Pass
18	2440	15.63	0.0333	21.00	0.125	Pass
37	2478	14.21	0.0244	21.00	0.125	Pass

CH00



CH18



CH37



Test Mode:	TX Mode _UHD 4M π/4-DQPSK

Channel	Frequency (MHz)	Output Power (dBm)	Output Power (W)	Max. Limit (dBm)	Max. Limit (W)	Test Result
00	2404	14.57	0.0286	21.00	0.125	Pass
18	2440	14.79	0.0301	21.00	0.125	Pass
36	2476	13.95	0.0248	21.00	0.125	Pass

CH00



Date: 7.APR.2020 17:22:06

CH18



Date: 7.APR.2020 17:24:30

CH36



Date: 7.APR.2020 17:26:02

APPENDIX J - CONDUCTED SPURIOUS EMISSION

Test Mode : TX Mode _ UHD 1M GFSK

Bandedge-CH00 (Lower)



Date: 2.APR.2020 19:06:33

Bandedge-CH37 (Upper)



Date: 2.APR.2020 19:16:06

Hopping on mode (Lower)



Date: 2.APR.2020 20:37:46

Hopping on mode (Upper)



Date: 2.APR.2020 20:38:26

CH00 – 10th Harmonic of the fundamental frequency



Date: 2.APR.2020 19:10:51



Date: 2.APR.2020 19:11:12



Date: 2.APR.2020 19:11:20

CH18 – 10th Harmonic of the fundamental frequency



Date: 2.APR.2020 19:12:30



Date: 2.APR.2020 19:12:37



Date: 2.APR.2020 19:12:45

CH37 – 10th Harmonic of the fundamental frequency



Date: 2.APR.2020 19:16:19



Date: 2.APR.2020 19:16:27



Date: 2.APR.2020 19:16:35

Test Mode : TX Mode _ UHD 2M GFSK

Bandedge-CH00 (Lower)



Date: 2.APR.2020 19:30:36

Bandedge-CH37 (Upper)



Date: 2.APR.2020 19:41:51

Hopping on mode (Lower)



Date: 2.APR.2020 20:52:58

Hopping on mode (Upper)



Date: 2.APR.2020 20:53:33

CH00 – 10th Harmonic of the fundamental frequency



Date: 2.APR.2020 19:30:50



Date: 2.APR.2020 19:30:58



Date: 2.APR.2020 19:31:06

CH18 – 10th Harmonic of the fundamental frequency



Date: 2.APR.2020 19:38:01



Date: 2.APR.2020 19:38:10



Date: 2.APR.2020 19:38:18

CH37 – 10th Harmonic of the fundamental frequency



Date: 2.APR.2020 19:42:04



Date: 2.APR.2020 19:42:12



Date: 2.APR.2020 19:42:20

Test Mode : TX Mode _ UHD 2M π/4-DQPSK

Bandedge-CH00 (Lower)



Date: 7.APR.2020 15:53:41

Bandedge-CH37 (Upper)



Date: 7.APR.2020 15:55:31

Hopping on mode (Lower)



Date: 7.APR.2020 16:35:04

Hopping on mode (Upper)



Date: 7.APR.2020 16:35:41

CH00 – 10th Harmonic of the fundamental frequency



Date: 7.APR.2020 15:53:55



Date: 7.APR.2020 15:54:03



Date: 7.APR.2020 15:54:12

CH18 – 10th Harmonic of the fundamental frequency



Date: 7.APR.2020 15:54:52



Date: 7.APR.2020 15:55:01



Date: 7.APR.2020 15:55:09

CH37 – 10th Harmonic of the fundamental frequency



Date: 7.APR.2020 15:55:45



Date: 7.APR.2020 15:55:53



Date: 7.APR.2020 15:56:02

Test Mode : TX Mode _ UHD 2M 8DPSK

Bandedge-CH00 (Lower)



Date: 7.APR.2020 16:42:05

Bandedge-CH37 (Upper)



Date: 7.APR.2020 16:45:10

Hopping on mode (Lower)



Date: 7.APR.2020 17:15:03

Hopping on mode (Upper)



Date: 7.APR.2020 17:16:10

CH00 – 10th Harmonic of the fundamental frequency



Date: 7.APR.2020 16:42:39



Date: 7.APR.2020 16:42:48



Date: 7.APR.2020 16:42:57

CH18 – 10th Harmonic of the fundamental frequency



Date: 7.APR.2020 16:43:55



Date: 7.APR.2020 16:44:04



Date: 7.APR.2020 16:44:13

CH37 – 10th Harmonic of the fundamental frequency



Date: 7.APR.2020 16:45:25



Date: 7.APR.2020 16:45:34



Date: 7.APR.2020 16:45:43

Test Mode : TX Mode _ UHD 4M π/4-DQPSK

Bandedge-CH00 (Lower)



Date: 7.APR.2020 17:20:29

Bandedge-CH36 (Upper)



Date: 7.APR.2020 17:25:12

Hopping on mode (Lower)



Date: 7.APR.2020 18:01:55

Hopping on mode (Upper)



Date: 7.APR.2020 18:40:41

CH00 – 10th Harmonic of the fundamental frequency



Date: 7.APR.2020 17:20:43



Date: 7.APR.2020 17:20:52



Date: 7.APR.2020 17:21:01

CH18 – 10th Harmonic of the fundamental frequency



Date: 7.APR.2020 17:23:54



Date: 7.APR.2020 17:24:03



Date: 7.APR.2020 17:24:12

CH36 – 10th Harmonic of the fundamental frequency



Date: 7.APR.2020 17:25:27



Date: 7.APR.2020 17:25:36



Date: 7.APR.2020 17:25:45

End of Test Report