






6.1.1.1.5 Test Bandwidth = 15


6.1.1.1.5.1 Test Channel = LCH

6.1.1.1.5.1.1 Test RB = RB1#0














6.1.1.1.5.2 Test Channel = MCH

6.1.1.1.5.2.1 Test RB = RB1#0














6.1.1.1.5.3 Test Channel = HCH

6.1.1.1.5.3.1 Test RB = RB1#0












6.1.2.1 Test Mode = LTE/TM2


6.1.2.1.1 Test Bandwidth = 1.4


6.1.2.1.1.1 Test Channel = LCH

6.1.2.1.1.1.1 Test RB = RB1#0












6.1.2.1.1.2 Test Channel = MCH

6.1.2.1.1.2.1 Test RB = RB1#0














6.1.2.1.1.3 Test Channel = HCH

6.1.2.1.1.3.1 Test RB = RB1#0













6.1.2.1.2 Test Bandwidth = 3


6.1.2.1.2.1 Test Channel = LCH

6.1.2.1.2.1.1 Test RB = RB1#0
























6.1.2.1.2.3.1 Test RB = RB1#0














6.1.2.1.3 Test Bandwidth = 5


6.1.2.1.3.1 Test Channel = LCH

6.1.2.1.3.1.1 Test RB = RB1#0














6.1.2.1.3.2 Test Channel = MCH

6.1.2.1.3.2.1 Test RB = RB1#0












6.1.2.1.3.3 Test Channel = HCH

6.1.2.1.3.3.1 Test RB = RB1#0














6.1.2.1.4 Test Bandwidth = 10


6.1.2.1.4.1 Test Channel = LCH

6.1.2.1.4.1.1 Test RB = RB1#0













6.1.2.1.4.2 Test Channel = MCH

6.1.2.1.4.2.1 Test RB = RB1#0















6.1.2.1.4.3 Test Channel = HCH

6.1.2.1.4.3.1 Test RB = RB1#0













6.1.2.1.5 Test Bandwidth = 15


6.1.2.1.5.1 Test Channel = LCH

6.1.2.1.5.1.1 Test RB = RB1#0














6.1.2.1.5.2 Test Channel = MCH

6.1.2.1.5.2.1 Test RB = RB1#0














6.1.2.1.5.3 Test Channel = HCH

6.1.2.1.5.3.1 Test RB = RB1#0









7Appendix_G: Field Strength of Spurious Radiation

Note: We tested all modes, but the data presented below is the worst case.

9kHz~150kHz, VBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, VBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK


Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK

Part I - Test Plots


7.1 For LTE

7.1.1 Test Band = BAND26_ANT1


7.1.1.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR BELOW 1G_L




Copy of RSE-TX-DIRECTOR BELOW 1G_H




7.1.1.2 Test Bandwidth = 15



Copy of RSE-TX-DIRECTOR BELOW 1G_L




Copy of RSE-TX-DIRECTOR BELOW 1G_H




7.1.2 Test Band = BAND26_ANT2


7.1.2.1 Test Bandwidth = 1.4




Copy of RSE-TX-DIRECTOR BELOW 1G_L




Copy of RSE-TX-DIRECTOR BELOW 1G_H




7.1.2.2 Test Bandwidth = 15



Copy of RSE-TX-DIRECTOR BELOW 1G_L



Copy of RSE-TX-DIRECTOR BELOW 1G_H



8Appendix_H: Frequency Stability

8.1 For LTE

8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND26	LTE/TM1	1.4	LCH	TN	VL	-0.17	-0.00021	PASS
					VN	1.95	0.00236	PASS
					VH	-0.26	-0.00032	PASS
			MCH	TN	VL	0.53	0.00063	PASS
					VN	1.22	0.00146	PASS
					VH	2.12	0.00253	PASS
			HCH	TN	VL	1.92	0.00226	PASS
					VN	-0.06	-0.00007	PASS
					VH	-0.80	-0.00094	PASS
		3	LCH	TN	VL	11.84	0.01434	PASS
					VN	-0.44	-0.00053	PASS
					VH	-16.47	-0.01995	PASS
			MCH	TN	VL	-5.58	-0.00667	PASS
					VN	-2.16	-0.00258	PASS
					VH	-1.37	-0.00164	PASS
			HCH	TN	VL	-4.26	-0.00503	PASS
					VN	5.64	0.00665	PASS
					VH	1.47	0.00173	PASS
		5	LCH	TN	VL	0.53	0.00064	PASS
					VN	-0.69	-0.00083	PASS
					VH	1.16	0.0014	PASS
			MCH	TN	VL	-2.23	-0.00267	PASS
					VN	-2.89	-0.00345	PASS
					VH	4.09	0.00489	PASS
			HCH	TN	VL	-2.15	-0.00254	PASS
					VN	2.78	0.00328	PASS
					VH	-5.15	-0.00608	PASS
		10	LCH	TN	VL	-2.35	-0.00283	PASS
					VN	7.20	0.00869	PASS
					VH	5.89	0.0071	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	TN	VL	7.37	0.00881	PASS
					VN	0.67	0.0008	PASS
					VH	-0.76	-0.00091	PASS
			HCH	TN	VL	0.11	0.00013	PASS
					VN	3.86	0.00457	PASS
					VH	4.42	0.00524	PASS
		15	LCH	TN	VL	-9.87	-0.01187	PASS
					VN	-13.46	-0.01619	PASS
					VH	0.74	0.00089	PASS
			MCH	TN	VL	13.99	0.01672	PASS
					VN	-20.24	-0.0242	PASS
					VH	-9.61	-0.01149	PASS
			HCH	TN	VL	0.63	0.00075	PASS
					VN	-3.86	-0.00459	PASS
					VH	0.26	0.00031	PASS
	LTE/TM2	1.4	LCH	TN	VL	-0.20	-0.00024	PASS
					VN	-0.50	-0.00061	PASS
					VH	0.19	0.00023	PASS
			MCH	TN	VL	-6.88	-0.00822	PASS
					VN	-0.90	-0.00108	PASS
					VH	-1.02	-0.00122	PASS
			HCH	TN	VL	-1.06	-0.00125	PASS
					VN	0.79	0.00093	PASS
					VH	-1.10	-0.0013	PASS
		3	LCH	TN	VL	5.79	0.00701	PASS
					VN	-16.98	-0.02057	PASS
					VH	-0.63	-0.00076	PASS
			MCH	TN	VL	-3.78	-0.00452	PASS
					VN	-3.15	-0.00377	PASS
					VH	0.60	0.00072	PASS
			HCH	TN	VL	-4.06	-0.00479	PASS
					VN	7.08	0.00835	PASS
					VH	1.97	0.00232	PASS
		5	LCH	TN	VL	-0.63	-0.00076	PASS
					VN	0.37	0.00045	PASS
					VH	0.40	0.00048	PASS
			MCH	TN	VL	-2.49	-0.00298	PASS
					VN	-7.85	-0.00938	PASS
					VH	0.80	0.00096	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
		10	HCH	TN	VL	1.57	0.00185	PASS
					VN	-1.69	-0.002	PASS
					VH	1.14	0.00135	PASS
			LCH	TN	VL	-4.71	-0.00568	PASS
					VN	-8.07	-0.00973	PASS
					VH	3.93	0.00474	PASS
			MCH	TN	VL	2.15	0.00257	PASS
					VN	-10.74	-0.01284	PASS
					VH	-1.70	-0.00203	PASS
		15	HCH	TN	VL	-2.65	-0.00314	PASS
					VN	1.10	0.0013	PASS
					VH	-4.99	-0.00591	PASS
			LCH	TN	VL	-7.22	-0.00868	PASS
					VN	-11.46	-0.01378	PASS
					VH	-7.34	-0.00883	PASS
			MCH	TN	VL	1.83	0.00219	PASS
					VN	1.92	0.0023	PASS
					VH	0.56	0.00067	PASS
			HCH	TN	VL	-4.53	-0.00538	PASS
					VN	-1.70	-0.00202	PASS
					VH	4.71	0.0056	PASS

8.1.2Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
BAND26	LTE/TM1	1.4	LCH	VN	-30	1.02	0.00124	PASS
					-20	-0.13	-0.00016	PASS
					-10	1.06	0.00129	PASS
					0	0.51	0.00062	PASS
					10	-1.02	-0.00124	PASS
					20	0.57	0.00069	PASS
					30	-0.83	-0.00101	PASS
					40	0.41	0.0005	PASS
					50	0.63	0.00076	PASS
			MCH	VN	-30	0.01	0.00001	PASS
					-20	-0.94	-0.00112	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-10	0.87	0.00104	PASS
					0	0.50	0.0006	PASS
					10	-0.83	-0.00099	PASS
					20	-1.00	-0.0012	PASS
					30	5.55	0.00663	PASS
					40	0.04	0.00005	PASS
					50	-2.63	-0.00314	PASS
			HCH	VN	-30	-0.54	-0.00064	PASS
					-20	-0.16	-0.00019	PASS
					-10	2.17	0.00256	PASS
					0	0.49	0.00058	PASS
					10	-0.29	-0.00034	PASS
					20	0.39	0.00046	PASS
					30	-0.97	-0.00114	PASS
					40	0.21	0.00025	PASS
					50	-0.76	-0.0009	PASS
		3	LCH	VN	-30	11.03	0.01336	PASS
					-20	1.87	0.00227	PASS
					-10	-8.57	-0.01038	PASS
					0	-7.05	-0.00854	PASS
					10	12.89	0.01561	PASS
					20	-3.39	-0.00411	PASS
					30	-8.88	-0.01076	PASS
					40	13.79	0.01671	PASS
					50	-0.19	-0.00023	PASS
			MCH	VN	-30	-7.57	-0.00905	PASS
					-20	-4.13	-0.00494	PASS
					-10	-1.82	-0.00218	PASS
					0	-3.73	-0.00446	PASS
					10	3.09	0.00369	PASS
					20	6.45	0.00771	PASS
					30	3.45	0.00412	PASS
					40	-1.44	-0.00172	PASS
					50	-1.92	-0.0023	PASS
			HCH	VN	-30	-3.48	-0.00411	PASS
					-20	6.17	0.00728	PASS
					-10	-2.55	-0.00301	PASS
					0	-2.35	-0.00277	PASS
					10	-5.68	-0.0067	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	1.93	0.00228	PASS
					30	-2.62	-0.00309	PASS
					40	3.26	0.00385	PASS
					50	-2.99	-0.00353	PASS
		5	LCH	VN	-30	0.00	0	PASS
					-20	1.16	0.0014	PASS
					-10	0.36	0.00044	PASS
					0	-0.16	-0.00019	PASS
					10	0.50	0.0006	PASS
					20	0.56	0.00068	PASS
					30	-0.24	-0.00029	PASS
					40	-7.48	-0.00929	PASS
					50	1.59	0.00168	PASS
			MCH	VN	-30	-0.37	-0.00069	PASS
					-20	0.25	0.00005	PASS
					-10	-0.12	-0.00039	PASS
					0	3.71	0.00419	PASS
					10	1.65	0.00173	PASS
					20	0.16	-0.00005	PASS
					30	2.87	0.00319	PASS
					40	-2.24	-0.00292	PASS
					50	0.08	-0.00015	PASS
			HCH	VN	-30	2.12	0.00226	PASS
					-20	-3.53	-0.00442	PASS
					-10	-5.5	-0.00675	PASS
					0	2.9	0.00318	PASS
					10	1.11	0.00106	PASS
					20	-4.86	-0.00599	PASS
					30	5.18	0.00587	PASS
					40	7.14	0.00819	PASS
					50	2.48	0.00268	PASS
		10	LCH	VN	-30	-2.55	-0.00332	PASS
					-20	-2.71	-0.00351	PASS
					-10	-0.42	-0.00075	PASS
					0	7.96	0.00936	PASS
					10	-2.63	-0.00341	PASS
					20	-3.6	-0.00458	PASS
					30	6.27	0.00732	PASS
					40	-9.15	-0.01128	PASS