

















APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode	TX Mode
-----------	---------


Ant 0°



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	0.0182	45.61	13.78	59.39	122.40	-63.01	AVG		
2 *	0.0451	39.25	12.55	51.80	114.52	-62.72	AVG		
3	0.0901	28.47	12.66	41.13	108.51	-67.38	AVG		

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.3997	30.57	12.26	42.83	95.57	-52.74	AVG		
2		0.7793	31.64	11.89	43.53	69.77	-26.24	QP		
3	*	2.2250	35.22	11.20	46.42	69.54	-23.12	QP		

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	0.0186	44.13	13.65	57.78	122.21	-64.43	AVG		
2		0.0421	36.72	12.63	49.35	115.12	-65.77	AVG		
3		0.0881	29.03	12.65	41.68	108.71	-67.03	AVG		

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.3133	31.25	12.48	43.73	97.69	-53.96	AVG		
2		0.7550	28.64	11.90	40.54	70.05	-29.51	QP		
3	*	2.1668	29.16	11.22	40.38	69.54	-29.16	QP		

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)


Test Mode	PCS1900_TX CH661_GSM_Main Antenna
-----------	-----------------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		86.2600	-65.03	-6.91	-71.94	-13.00	-58.94	peak	
2	*	176.9550	-62.89	-2.99	-65.88	-13.00	-52.88	peak	
3		205.0850	-65.38	-5.42	-70.80	-13.00	-57.80	peak	
4		313.7250	-77.74	-1.19	-78.93	-13.00	-65.93	peak	
5		625.0950	-77.06	4.78	-72.28	-13.00	-59.28	peak	
6		948.1050	-75.64	9.67	-65.97	-13.00	-52.97	peak	

Test Mode	PCS1900_TX CH661_GSM_Main Antenna
-----------	-----------------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		110.9950	-70.17	-4.49	-74.66	-13.00	-61.66	peak	
2		159.9800	-72.03	-1.08	-73.11	-13.00	-60.11	peak	
3		206.0550	-62.98	-5.47	-68.45	-13.00	-55.45	peak	
4		319.0600	-71.09	-1.11	-72.20	-13.00	-59.20	peak	
5	*	605.6950	-69.92	4.36	-65.56	-13.00	-52.56	peak	
6		948.1050	-75.29	9.67	-65.62	-13.00	-52.62	peak	

Test Mode	PCS1900_TX CH661_GSM_Second Antenna
-----------	-------------------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		103.2350	-63.97	-5.11	-69.08	-13.00	-56.08	peak	
2		160.9500	-68.57	-1.21	-69.78	-13.00	-56.78	peak	
3		181.3200	-67.64	-3.36	-71.00	-13.00	-58.00	peak	
4		205.0850	-65.73	-5.42	-71.15	-13.00	-58.15	peak	
5		625.0950	-76.59	4.78	-71.81	-13.00	-58.81	peak	
6	*	948.1050	-75.58	9.67	-65.91	-13.00	-52.91	peak	

Test Mode	PCS1900_TX CH661_GSM_Second Antenna
-----------	-------------------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		110.0250	-69.85	-4.64	-74.49	-13.00	-61.49	peak	
2		158.0400	-68.83	-1.34	-70.17	-13.00	-57.17	peak	
3		206.0550	-63.80	-5.47	-69.27	-13.00	-56.27	peak	
4		313.7250	-70.90	-1.19	-72.09	-13.00	-59.09	peak	
5		625.0950	-76.72	4.78	-71.94	-13.00	-58.94	peak	
6	*	948.1050	-76.11	9.67	-66.44	-13.00	-53.44	peak	


Test Mode	WCDMA Band II_TX CH9400_Main Antenna
-----------	--------------------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	75.5900	-56.33	-7.37	-63.70	-13.00	-50.70	peak	
2		157.0700	-66.56	-1.46	-68.02	-13.00	-55.02	peak	
3		205.0850	-66.60	-5.42	-72.02	-13.00	-59.02	peak	
4		328.7600	-72.09	-0.95	-73.04	-13.00	-60.04	peak	
5		625.0950	-76.59	4.78	-71.81	-13.00	-58.81	peak	
6		692.0250	-75.27	5.90	-69.37	-13.00	-56.37	peak	


Test Mode	WCDMA Band II_TX CH9400_Main Antenna
-----------	--------------------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		157.5550	-71.31	-1.39	-72.70	-13.00	-59.70	peak	
2		205.0850	-63.27	-5.42	-68.69	-13.00	-55.69	peak	
3		320.0300	-70.53	-1.09	-71.62	-13.00	-58.62	peak	
4		455.8300	-77.94	2.00	-75.94	-13.00	-62.94	peak	
5		625.0950	-77.00	4.78	-72.22	-13.00	-59.22	peak	
6	*	939.3750	-75.21	9.45	-65.76	-13.00	-52.76	peak	

Test Mode	WCDMA Band II_TX CH9400_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		159.9800	-66.72	-1.08	-67.80	-13.00	-54.80	peak	
2		181.3200	-65.36	-3.36	-68.72	-13.00	-55.72	peak	
3		205.0850	-65.80	-5.42	-71.22	-13.00	-58.22	peak	
4		295.2950	-66.34	-1.63	-67.97	-13.00	-54.97	peak	
5		402.9650	-74.68	0.66	-74.02	-13.00	-61.02	peak	
6	*	948.1050	-75.75	9.67	-66.08	-13.00	-53.08	peak	

Test Mode	WCDMA Band II_TX CH9400_Second Antenna
-----------	--

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		158.5250	-70.52	-1.27	-71.79	-13.00	-58.79	peak	
2		206.5400	-63.47	-5.50	-68.97	-13.00	-55.97	peak	
3		320.5150	-71.22	-1.08	-72.30	-13.00	-59.30	peak	
4		625.0950	-76.65	4.78	-71.87	-13.00	-58.87	peak	
5		801.1500	-78.68	7.07	-71.61	-13.00	-58.61	peak	
6	*	948.1050	-74.82	9.67	-65.15	-13.00	-52.15	peak	

Test Mode	LTE Band 2_TX CH18900_1.4M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		74.6200	-57.38	-7.18	-64.56	-13.00	-51.56	peak	
2	*	160.4650	-62.42	-1.15	-63.57	-13.00	-50.57	peak	
3		179.3800	-65.52	-3.16	-68.68	-13.00	-55.68	peak	
4		303.0550	-62.43	-1.36	-63.79	-13.00	-50.79	peak	
5		455.8300	-78.66	2.00	-76.66	-13.00	-63.66	peak	
6		619.7600	-77.74	4.67	-73.07	-13.00	-60.07	peak	

Test Mode	LTE Band 2_TX CH18900_1.4M_Main Antenna
-----------	---

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		71.7100	-66.92	-6.64	-73.56	-13.00	-60.56	peak	
2		111.9650	-65.16	-4.34	-69.50	-13.00	-56.50	peak	
3	*	159.9800	-67.13	-1.08	-68.21	-13.00	-55.21	peak	
4		203.1450	-66.44	-5.35	-71.79	-13.00	-58.79	peak	
5		322.9400	-72.78	-1.04	-73.82	-13.00	-60.82	peak	
6		466.9850	-78.71	2.09	-76.62	-13.00	-63.62	peak	


Test Mode	LTE Band 2_TX CH18900_5M_Main Antenna
-----------	---------------------------------------

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		77.5300	-62.21	-7.70	-69.91	-13.00	-56.91	peak	
2		134.2750	-67.90	-3.08	-70.98	-13.00	-57.98	peak	
3	*	159.4950	-64.19	-1.15	-65.34	-13.00	-52.34	peak	
4		179.8650	-65.11	-3.19	-68.30	-13.00	-55.30	peak	
5		266.6800	-73.30	-2.91	-76.21	-13.00	-63.21	peak	
6		462.1350	-78.51	2.05	-76.46	-13.00	-63.46	peak	

Test Mode	LTE Band 2_TX CH18900_5M_Main Antenna
-----------	---------------------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		111.9650	-64.36	-4.34	-68.70	-13.00	-55.70	peak	
2		159.9800	-67.29	-1.08	-68.37	-13.00	-55.37	peak	
3		196.8400	-64.59	-4.99	-69.58	-13.00	-56.58	peak	
4		262.3150	-71.78	-2.73	-74.51	-13.00	-61.51	peak	
5		313.7250	-73.61	-1.19	-74.80	-13.00	-61.80	peak	
6	*	418.4850	-65.07	1.09	-63.98	-13.00	-50.98	peak	


Test Mode	LTE Band 2_TX CH18900_20M_Main Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		77.5300	-62.23	-7.70	-69.93	-13.00	-56.93	peak	
2	*	159.9800	-63.70	-1.08	-64.78	-13.00	-51.78	peak	
3		179.8650	-63.56	-3.19	-66.75	-13.00	-53.75	peak	
4		263.7700	-73.76	-2.79	-76.55	-13.00	-63.55	peak	
5		458.2550	-78.59	2.02	-76.57	-13.00	-63.57	peak	
6		588.2350	-77.76	3.90	-73.86	-13.00	-60.86	peak	


Test Mode	LTE Band 2_TX CH18900_20M_Main Antenna
-----------	--

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		71.7100	-70.28	-6.64	-76.92	-13.00	-63.92	peak	
2		114.3900	-67.85	-3.99	-71.84	-13.00	-58.84	peak	
3	*	159.9800	-68.63	-1.08	-69.71	-13.00	-56.71	peak	
4		203.6300	-68.53	-5.36	-73.89	-13.00	-60.89	peak	
5		309.8450	-72.47	-1.25	-73.72	-13.00	-60.72	peak	
6		471.8350	-78.40	2.12	-76.28	-13.00	-63.28	peak	


Test Mode	LTE Band 2_TX CH18900_1.4M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		92.5650	-67.55	-5.89	-73.44	-13.00	-60.44	peak	
2		160.4650	-66.50	-1.15	-67.65	-13.00	-54.65	peak	
3		205.5700	-66.04	-5.45	-71.49	-13.00	-58.49	peak	
4		336.0350	-76.45	-0.83	-77.28	-13.00	-64.28	peak	
5		625.0950	-76.93	4.78	-72.15	-13.00	-59.15	peak	
6	*	948.1050	-75.49	9.67	-65.82	-13.00	-52.82	peak	

Test Mode	LTE Band 2_TX CH18900_1.4M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		160.4650	-71.32	-1.15	-72.47	-13.00	-59.47	peak	
2		205.5700	-64.06	-5.45	-69.51	-13.00	-56.51	peak	
3		322.9400	-71.60	-1.04	-72.64	-13.00	-59.64	peak	
4		431.0950	-76.21	1.43	-74.78	-13.00	-61.78	peak	
5		625.0950	-77.13	4.78	-72.35	-13.00	-59.35	peak	
6	*	948.1050	-76.26	9.67	-66.59	-13.00	-53.59	peak	


Test Mode	LTE Band 2_TX CH18900_5M_Second Antenna
-----------	---

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		116.3300	-69.41	-3.69	-73.10	-13.00	-60.10	peak	
2		159.9800	-67.24	-1.08	-68.32	-13.00	-55.32	peak	
3		205.5700	-66.87	-5.45	-72.32	-13.00	-59.32	peak	
4		455.8300	-77.83	2.00	-75.83	-13.00	-62.83	peak	
5		625.0950	-77.46	4.78	-72.68	-13.00	-59.68	peak	
6	*	948.1050	-75.96	9.67	-66.29	-13.00	-53.29	peak	


Test Mode	LTE Band 2_TX CH18900_5M_Second Antenna
-----------	---



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		141.5500	-69.71	-2.87	-72.58	-13.00	-59.58	peak	
2		206.5400	-63.11	-5.50	-68.61	-13.00	-55.61	peak	
3		319.5450	-71.28	-1.10	-72.38	-13.00	-59.38	peak	
4		602.3000	-72.08	4.29	-67.79	-13.00	-54.79	peak	
5		853.5300	-76.25	7.89	-68.36	-13.00	-55.36	peak	
6	*	948.1050	-76.04	9.67	-66.37	-13.00	-53.37	peak	

Test Mode	LTE Band 2_TX CH18900_20M_Second Antenna
-----------	--

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		85.2900	-61.24	-7.10	-68.34	-13.00	-55.34	peak	
2	*	159.9800	-61.78	-1.08	-62.86	-13.00	-49.86	peak	
3		206.0550	-64.48	-5.47	-69.95	-13.00	-56.95	peak	
4		241.4600	-65.11	-3.95	-69.06	-13.00	-56.06	peak	
5		625.0950	-77.55	4.78	-72.77	-13.00	-59.77	peak	
6		948.1050	-76.02	9.67	-66.35	-13.00	-53.35	peak	

Test Mode	LTE Band 2_TX CH18900_20M_Second Antenna
-----------	--

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		111.9650	-63.76	-4.34	-68.10	-13.00	-55.10	peak	
2		157.5550	-64.69	-1.39	-66.08	-13.00	-53.08	peak	
3		207.0250	-61.18	-5.50	-66.68	-13.00	-53.68	peak	
4		316.6350	-71.34	-1.15	-72.49	-13.00	-59.49	peak	
5		625.0950	-76.95	4.78	-72.17	-13.00	-59.17	peak	
6	*	948.1050	-75.71	9.67	-66.04	-13.00	-53.04	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)

Test Mode	PCS1900_TX CH661_GSM_Main Antenna
-----------	-----------------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14374.75	-68.98	29.95	-39.03	-13.00	-26.03	peak	


Test Mode	PCS1900_TX CH661_GSM_Main Antenna
-----------	-----------------------------------

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14336.50	-69.22	29.98	-39.24	-13.00	-26.24	peak	


Test Mode	PCS1900_TX CH661_GSM_Second Antenna
-----------	-------------------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14349.25	-69.56	29.97	-39.59	-13.00	-26.59	peak	

Test Mode	PCS1900_TX CH661_GSM_Second Antenna
-----------	-------------------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14438.50	-68.41	29.90	-38.51	-13.00	-25.51	peak	

Test Mode	WCDMA Band II_TX CH9400_Main Antenna
-----------	--------------------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14489.50	-68.60	29.86	-38.74	-13.00	-25.74	peak	


Test Mode	WCDMA Band II_TX CH9400_Main Antenna
-----------	--------------------------------------

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13852.00	-69.43	29.68	-39.75	-13.00	-26.75	peak	


Test Mode WCDMA Band II_TX CH9400_Second Antenna



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14540.50	-68.50	29.71	-38.79	-13.00	-25.79	peak	

Test Mode	WCDMA Band II_TX CH9400_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14370.50	-68.72	29.95	-38.77	-13.00	-25.77	peak	

Test Mode	LTE Band 2_TX CH18900_1.4M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14464.00	-68.80	29.88	-38.92	-13.00	-25.92	peak	


Test Mode	LTE Band 2_TX CH18900_1.4M_Main Antenna
-----------	---

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14464.00	-69.68	29.88	-39.80	-13.00	-26.80	peak	


Test Mode	LTE Band 2_ TX CH18900_5M_Main Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14362.00	-68.92	29.96	-38.96	-13.00	-25.96	peak	

Test Mode	LTE Band 2_ TX CH18900_5M_Main Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14540.50	-69.46	29.71	-39.75	-13.00	-26.75	peak	

Test Mode	LTE Band 2_TX CH18900_20M_Main Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14336.50	-68.94	29.98	-38.96	-13.00	-25.96	peak	

Test Mode	LTE Band 2_TX CH18900_20M_Main Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14527.75	-69.21	29.76	-39.45	-13.00	-26.45	peak	


Test Mode	LTE Band 2_TX CH18900_1.4M_Second Antenna
-----------	---

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13801.00	-68.78	29.50	-39.28	-13.00	-26.28	peak	


Test Mode	LTE Band 2_TX CH18900_1.4M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14464.00	-69.22	29.88	-39.34	-13.00	-26.34	peak	


Test Mode	LTE Band 2_ TX CH18900_5M_Second Antenna
-----------	--

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14349.25	-69.66	29.97	-39.69	-13.00	-26.69	peak	

Test Mode	LTE Band 2_ TX CH18900_5M_Second Antenna
-----------	--




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14260.00	-69.29	30.03	-39.26	-13.00	-26.26	peak	

Test Mode	LTE Band 2_TX CH18900_20M_Second Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14502.25	-69.18	29.85	-39.33	-13.00	-26.33	peak	


Test Mode	LTE Band 2_TX CH18900_20M_Second Antenna
-----------	--




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14438.50	-68.94	29.90	-39.04	-13.00	-26.04	peak	

APPENDIX G - BAND EDGE


PCS1900_GSM Spectrum Plot




EDGE




WCDMA Band II_WCDMA Spectrum Plot



WCDMA Band II_HSDPA Spectrum Plot



WCDMA Band II_HSUPA Spectrum Plot



LTE Band 2_1.4M Spectrum Plot

1RB#0



1RB#5

Channel

18607

Channel

19193





6RB#0

Channel

18607

Channel

19193



LTE Band 2_3M Spectrum Plot

1RB#0



1RB#14

Channel

18615

Channel

19185





15RB#0

Channel

18615

Channel

19185



LTE Band 2_5M Spectrum Plot

1RB#0



1RB#24

Channel

18625

Channel

19175





25RB#0

Channel

18625

Channel

19175



LTE Band 2_10M Spectrum Plot

1RB#0



1RB#49

Channel

18650

Channel

19150





50RB#0

Channel

18650

Channel

19150



LTE Band 2_15M Spectrum Plot

1RB#0



1RB#74

Channel

18675

Channel

19125





75RB#0

Channel

18675

Channel

19125



LTE Band 2_20M Spectrum Plot

1RB#0



1RB#99

Channel

18700

Channel

19100





100RB#0

Channel

18700

Channel


19100




APPENDIX H - PEAK TO AVERAGE RATIO

PCS1900 Spectrum Plot


GSM-512




GSM-661




GSM-810




EDGE-512



EDGE-661




EDGE-810




WCDMA Band II_WCDMA Spectrum Plot


9262



9400




9538




-

WCDMA Band II_HSDPA Spectrum Plot


9262



9400




9538




WCDMA Band II_HSUPA Spectrum Plot


9262



9400



9538



-

-