



LTE Band 26_3M Spectrum Plot


QPSK-26705




QPSK-26740




QPSK-26775




16QAM-26705



16QAM-26740




16QAM-26775




LTE Band 26_3M Spectrum Plot


64QAM-26705



64QAM-26740




64QAM-26775




LTE Band 26_5M Spectrum Plot


QPSK-26715




QPSK-26740




QPSK-26765




16QAM-26715



16QAM-26740




16QAM-26765




LTE Band 26_5M Spectrum Plot


64QAM-26715



64QAM-26740




64QAM-26765




LTE Band 26_10M Spectrum Plot


QPSK-26740



16QAM-26740



64QAM-26740



APPENDIX I - FREQUENCY STABILITY

Test Mode	LTE Band 26_CH26740_1.4M
-----------	--------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	2.94	0.003589744	± 2.5
-20	1.71	0.002087912	
-10	0.87	0.001062271	
0	3.76	0.004590965	
10	-9.74	0.011892552	
20	0.59	0.000720391	
30	-4.40	0.005372405	
40	-9.33	0.011391941	
50	-0.29	0.00035409	
Max. Deviation (ppm)	-9.74	0.011892552	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-4.22	-0.005152625	± 2.5
3.87	-3.63	-0.004432234	
3.4	-5.93	-0.007240537	
Max. Deviation (ppm)	-5.93	-0.007240537	

Test Mode	LTE Band 26_CH26740_3M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	-9.27	0.011318681	± 2.5
-20	1.87	0.002283272	
-10	-9.72	0.011868132	
0	3.34	0.004078144	
10	4.23	0.005164835	
20	-9.76	0.011916972	
30	1.78	0.002173382	
40	2.57	0.003137973	
50	0.98	0.001196581	
Max. Deviation (ppm)	-9.76	0.011916972	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	5.93	0.007240537	± 2.5
3.87	2.62	0.003199023	
3.4	-2.69	-0.003284493	
Max. Deviation (ppm)	5.93	0.007240537	

Test Mode	LTE Band 26_CH26740_5M
-----------	------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	-6.16	-0.007521368	± 2.5
-20	-0.19	-0.00023199	
-10	8.26	0.01008547	
0	5.48	0.006691087	
10	-3.47	-0.004236874	
20	-8.62	-0.010525031	
30	-0.84	-0.001025641	
40	1.93	0.002356532	
50	4.87	0.005946276	
Max. Deviation (ppm)	-8.62	-0.010525031	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	-4.74	-0.005787546	± 2.5
3.87	-2.85	-0.003479853	
3.4	-1.59	-0.001941392	
Max. Deviation (ppm)	-4.74	-0.005787546	

Test Mode	LTE Band 26_CH26740_10M
-----------	-------------------------

Temperature vs. Frequency Stability

Temperature(°C)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
-30	6.35	0.007753358	± 2.5
-20	-4.69	-0.005726496	
-10	1.65	0.002014652	
0	-1.30	-0.001587302	
10	2.15	0.002625153	
20	4.43	0.005409035	
30	-1.86	-0.002271062	
40	9.42	0.011501832	
50	9.33	0.011391941	
Max. Deviation (ppm)	9.42	0.011501832	

Voltage vs. Frequency Stability

Voltage(Volts)	Frequency Error (Hz)	Frequency Error (ppm)	Limit(ppm)
4.45	1.94	0.002368742	± 2.5
3.87	5.69	0.006947497	
3.4	6.54	0.007985348	
Max. Deviation (ppm)	6.54	0.007985348	

End of Test Report