



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Left	20.98	18.58	20.20
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Right	20.86	18.46	20.08
n25	5	15	1912.5	DFT	64QAM	Outer_Full	21.15	18.75	20.37
n25	5	15	1912.5	DFT	256QAM	Inner_Full	19.14	16.74	18.36
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Left	19.15	16.75	18.37
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Right	18.98	16.58	18.20
n25	5	15	1912.5	DFT	256QAM	Outer_Full	19.10	16.70	18.32
n25	5	15	1912.5	CP	QPSK	Inner_Full	22.21	19.81	21.43
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Left	20.74	18.34	19.96
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Right	20.69	18.29	19.91
n25	5	15	1912.5	CP	QPSK	Outer_Full	20.57	18.17	19.79
n25	5	15	1912.5	CP	16QAM	Inner_Full	21.76	19.36	20.98
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Left	20.53	18.13	19.75
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Right	20.58	18.18	19.80
n25	5	15	1912.5	CP	16QAM	Outer_Full	20.60	18.20	19.82
n25	5	15	1912.5	CP	64QAM	Inner_Full	20.18	17.78	19.40
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Left	20.32	17.92	19.54
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Right	20.21	17.81	19.43
n25	5	15	1912.5	CP	64QAM	Outer_Full	20.11	17.71	19.33
n25	5	15	1912.5	CP	256QAM	Inner_Full	17.07	14.67	16.29
n25	5	15	1912.5	CP	256QAM	Edge_1RB_Left	17.24	14.84	16.46
n25	5	15	1912.5	CP	256QAM	Edge_1RB_Right	17.17	14.77	16.39
n25	5	15	1912.5	CP	256QAM	Outer_Full	17.12	14.72	16.34
n25	10	15	1855	DFT	pi/2 BPSK	Inner_Full	23.50	21.10	22.72
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	23.03	20.63	22.25
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.99	20.59	22.21
n25	10	15	1855	DFT	pi/2 BPSK	Outer_Full	23.02	20.62	22.24
n25	10	15	1855	DFT	QPSK	Inner_Full	23.56	21.16	22.78
n25	10	15	1855	DFT	QPSK	Edge_1RB_Left	22.61	20.21	21.83
n25	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.58	20.18	21.80
n25	10	15	1855	DFT	QPSK	Outer_Full	22.59	20.19	21.81
n25	10	15	1855	DFT	16QAM	Inner_Full	22.65	20.25	21.87
n25	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.62	19.22	20.84
n25	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.59	19.19	20.81
n25	10	15	1855	DFT	16QAM	Outer_Full	21.63	19.23	20.85
n25	10	15	1855	DFT	64QAM	Inner_Full	21.16	18.76	20.38
n25	10	15	1855	DFT	64QAM	Edge_1RB_Left	21.06	18.66	20.28
n25	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.88	18.48	20.10
n25	10	15	1855	DFT	64QAM	Outer_Full	20.98	18.58	20.20



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n25	10	15	1855	DFT	256QAM	Inner_Full	19.15	16.75	18.37
n25	10	15	1855	DFT	256QAM	Edge_1RB_Left	19.09	16.69	18.31
n25	10	15	1855	DFT	256QAM	Edge_1RB_Right	19.02	16.62	18.24
n25	10	15	1855	DFT	256QAM	Outer_Full	19.05	16.65	18.27
n25	10	15	1855	CP	QPSK	Inner_Full	22.04	19.64	21.26
n25	10	15	1855	CP	QPSK	Edge_1RB_Left	20.62	18.22	19.84
n25	10	15	1855	CP	QPSK	Edge_1RB_Right	20.63	18.23	19.85
n25	10	15	1855	CP	QPSK	Outer_Full	20.47	18.07	19.69
n25	10	15	1855	CP	16QAM	Inner_Full	21.64	19.24	20.86
n25	10	15	1855	CP	16QAM	Edge_1RB_Left	20.53	18.13	19.75
n25	10	15	1855	CP	16QAM	Edge_1RB_Right	20.49	18.09	19.71
n25	10	15	1855	CP	16QAM	Outer_Full	20.51	18.11	19.73
n25	10	15	1855	CP	64QAM	Inner_Full	20.04	17.64	19.26
n25	10	15	1855	CP	64QAM	Edge_1RB_Left	20.14	17.74	19.36
n25	10	15	1855	CP	64QAM	Edge_1RB_Right	20.24	17.84	19.46
n25	10	15	1855	CP	64QAM	Outer_Full	19.99	17.59	19.21
n25	10	15	1855	CP	256QAM	Inner_Full	17.00	14.60	16.22
n25	10	15	1855	CP	256QAM	Edge_1RB_Left	17.16	14.76	16.38
n25	10	15	1855	CP	256QAM	Edge_1RB_Right	17.05	14.65	16.27
n25	10	15	1855	CP	256QAM	Outer_Full	16.98	14.58	16.20
n25	10	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.51	21.11	22.73
n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.02	20.62	22.24
n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.05	20.65	22.27
n25	10	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.07	20.67	22.29
n25	10	15	1882.5	DFT	QPSK	Inner_Full	23.59	21.19	22.81
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.62	20.22	21.84
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.66	20.26	21.88
n25	10	15	1882.5	DFT	QPSK	Outer_Full	22.66	20.26	21.88
n25	10	15	1882.5	DFT	16QAM	Inner_Full	22.60	20.20	21.82
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.62	19.22	20.84
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.64	19.24	20.86
n25	10	15	1882.5	DFT	16QAM	Outer_Full	21.64	19.24	20.86
n25	10	15	1882.5	DFT	64QAM	Inner_Full	21.15	18.75	20.37
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.88	18.48	20.10
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.96	18.56	20.18
n25	10	15	1882.5	DFT	64QAM	Outer_Full	21.04	18.64	20.26
n25	10	15	1882.5	DFT	256QAM	Inner_Full	19.18	16.78	18.40
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.12	16.72	18.34
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.15	16.75	18.37



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n25	10	15	1882.5	DFT	256QAM	Outer_Full	19.08	16.68	18.30
n25	10	15	1882.5	CP	QPSK	Inner_Full	22.12	19.72	21.34
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Left	20.61	18.21	19.83
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Right	20.73	18.33	19.95
n25	10	15	1882.5	CP	QPSK	Outer_Full	20.57	18.17	19.79
n25	10	15	1882.5	CP	16QAM	Inner_Full	21.71	19.31	20.93
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Left	20.53	18.13	19.75
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Right	20.62	18.22	19.84
n25	10	15	1882.5	CP	16QAM	Outer_Full	20.54	18.14	19.76
n25	10	15	1882.5	CP	64QAM	Inner_Full	20.07	17.67	19.29
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Left	20.19	17.79	19.41
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Right	20.33	17.93	19.55
n25	10	15	1882.5	CP	64QAM	Outer_Full	20.07	17.67	19.29
n25	10	15	1882.5	CP	256QAM	Inner_Full	17.02	14.62	16.24
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Left	17.14	14.74	16.36
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Right	17.22	14.82	16.44
n25	10	15	1882.5	CP	256QAM	Outer_Full	17.02	14.62	16.24
n25	10	15	1910	DFT	pi/2 BPSK	Inner_Full	23.65	21.25	22.87
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Left	23.15	20.75	22.37
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Right	23.06	20.66	22.28
n25	10	15	1910	DFT	pi/2 BPSK	Outer_Full	23.14	20.74	22.36
n25	10	15	1910	DFT	QPSK	Inner_Full	23.72	21.32	22.94
n25	10	15	1910	DFT	QPSK	Edge_1RB_Left	22.68	20.28	21.90
n25	10	15	1910	DFT	QPSK	Edge_1RB_Right	22.61	20.21	21.83
n25	10	15	1910	DFT	QPSK	Outer_Full	22.68	20.28	21.90
n25	10	15	1910	DFT	16QAM	Inner_Full	22.75	20.35	21.97
n25	10	15	1910	DFT	16QAM	Edge_1RB_Left	21.72	19.32	20.94
n25	10	15	1910	DFT	16QAM	Edge_1RB_Right	21.64	19.24	20.86
n25	10	15	1910	DFT	16QAM	Outer_Full	21.70	19.30	20.92
n25	10	15	1910	DFT	64QAM	Inner_Full	21.25	18.85	20.47
n25	10	15	1910	DFT	64QAM	Edge_1RB_Left	21.02	18.62	20.24
n25	10	15	1910	DFT	64QAM	Edge_1RB_Right	20.93	18.53	20.15
n25	10	15	1910	DFT	64QAM	Outer_Full	21.18	18.78	20.40
n25	10	15	1910	DFT	256QAM	Inner_Full	19.29	16.89	18.51
n25	10	15	1910	DFT	256QAM	Edge_1RB_Left	19.22	16.82	18.44
n25	10	15	1910	DFT	256QAM	Edge_1RB_Right	19.12	16.72	18.34
n25	10	15	1910	DFT	256QAM	Outer_Full	19.15	16.75	18.37
n25	10	15	1910	CP	QPSK	Inner_Full	22.18	19.78	21.40
n25	10	15	1910	CP	QPSK	Edge_1RB_Left	20.74	18.34	19.96



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n25	10	15	1910	CP	QPSK	Edge_1RB_Right	20.72	18.32	19.94
n25	10	15	1910	CP	QPSK	Outer_Full	20.63	18.23	19.85
n25	10	15	1910	CP	16QAM	Inner_Full	21.78	19.38	21.00
n25	10	15	1910	CP	16QAM	Edge_1RB_Left	20.49	18.09	19.71
n25	10	15	1910	CP	16QAM	Edge_1RB_Right	20.56	18.16	19.78
n25	10	15	1910	CP	16QAM	Outer_Full	20.62	18.22	19.84
n25	10	15	1910	CP	64QAM	Inner_Full	20.20	17.80	19.42
n25	10	15	1910	CP	64QAM	Edge_1RB_Left	20.38	17.98	19.60
n25	10	15	1910	CP	64QAM	Edge_1RB_Right	20.29	17.89	19.51
n25	10	15	1910	CP	64QAM	Outer_Full	20.12	17.72	19.34
n25	10	15	1910	CP	256QAM	Inner_Full	17.15	14.75	16.37
n25	10	15	1910	CP	256QAM	Edge_1RB_Left	17.30	14.90	16.52
n25	10	15	1910	CP	256QAM	Edge_1RB_Right	17.26	14.86	16.48
n25	10	15	1910	CP	256QAM	Outer_Full	17.12	14.72	16.34
n25	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.52	21.12	22.74
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.00	20.60	22.22
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.03	20.63	22.25
n25	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	23.01	20.61	22.23
n25	15	15	1857.5	DFT	QPSK	Inner_Full	23.51	21.11	22.73
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.58	20.18	21.80
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.65	20.25	21.87
n25	15	15	1857.5	DFT	QPSK	Outer_Full	22.58	20.18	21.80
n25	15	15	1857.5	DFT	16QAM	Inner_Full	22.58	20.18	21.80
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.62	19.22	20.84
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.65	19.25	20.87
n25	15	15	1857.5	DFT	16QAM	Outer_Full	21.55	19.15	20.77
n25	15	15	1857.5	DFT	64QAM	Inner_Full	21.09	18.69	20.31
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.85	18.45	20.07
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.89	18.49	20.11
n25	15	15	1857.5	DFT	64QAM	Outer_Full	21.03	18.63	20.25
n25	15	15	1857.5	DFT	256QAM	Inner_Full	19.12	16.72	18.34
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	19.10	16.70	18.32
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	19.10	16.70	18.32
n25	15	15	1857.5	DFT	256QAM	Outer_Full	19.03	16.63	18.25
n25	15	15	1857.5	CP	QPSK	Inner_Full	22.03	19.63	21.25
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.62	18.22	19.84
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.59	18.19	19.81
n25	15	15	1857.5	CP	QPSK	Outer_Full	20.50	18.10	19.72
n25	15	15	1857.5	CP	16QAM	Inner_Full	21.58	19.18	20.80



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.59	18.19	19.81
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.53	18.13	19.75
n25	15	15	1857.5	CP	16QAM	Outer_Full	20.50	18.10	19.72
n25	15	15	1857.5	CP	64QAM	Inner_Full	20.06	17.66	19.28
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Left	20.20	17.80	19.42
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Right	20.22	17.82	19.44
n25	15	15	1857.5	CP	64QAM	Outer_Full	19.92	17.52	19.14
n25	15	15	1857.5	CP	256QAM	Inner_Full	17.04	14.64	16.26
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Left	17.09	14.69	16.31
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Right	17.10	14.70	16.32
n25	15	15	1857.5	CP	256QAM	Outer_Full	16.94	14.54	16.16
n25	15	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.60	21.20	22.82
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.02	20.62	22.24
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.10	20.70	22.32
n25	15	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.05	20.65	22.27
n25	15	15	1882.5	DFT	QPSK	Inner_Full	23.61	21.21	22.83
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.59	20.19	21.81
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.77	20.37	21.99
n25	15	15	1882.5	DFT	QPSK	Outer_Full	22.62	20.22	21.84
n25	15	15	1882.5	DFT	16QAM	Inner_Full	22.63	20.23	21.85
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.61	19.21	20.83
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.73	19.33	20.95
n25	15	15	1882.5	DFT	16QAM	Outer_Full	21.59	19.19	20.81
n25	15	15	1882.5	DFT	64QAM	Inner_Full	21.17	18.77	20.39
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.93	18.53	20.15
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.20	18.80	20.42
n25	15	15	1882.5	DFT	64QAM	Outer_Full	21.10	18.70	20.32
n25	15	15	1882.5	DFT	256QAM	Inner_Full	19.17	16.77	18.39
n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.11	16.71	18.33
n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.13	16.73	18.35
n25	15	15	1882.5	DFT	256QAM	Outer_Full	19.14	16.74	18.36
n25	15	15	1882.5	CP	QPSK	Inner_Full	22.12	19.72	21.34
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Left	20.62	18.22	19.84
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Right	20.72	18.32	19.94
n25	15	15	1882.5	CP	QPSK	Outer_Full	20.56	18.16	19.78
n25	15	15	1882.5	CP	16QAM	Inner_Full	21.69	19.29	20.91
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Left	20.62	18.22	19.84
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Right	20.59	18.19	19.81
n25	15	15	1882.5	CP	16QAM	Outer_Full	20.61	18.21	19.83



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n25	15	15	1882.5	CP	64QAM	Inner_Full	20.13	17.73	19.35
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Left	20.32	17.92	19.54
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Right	20.35	17.95	19.57
n25	15	15	1882.5	CP	64QAM	Outer_Full	20.11	17.71	19.33
n25	15	15	1882.5	CP	256QAM	Inner_Full	17.11	14.71	16.33
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Left	17.09	14.69	16.31
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Right	17.30	14.90	16.52
n25	15	15	1882.5	CP	256QAM	Outer_Full	17.09	14.69	16.31
n25	15	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.70	21.30	22.92
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.11	20.71	22.33
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.09	20.69	22.31
n25	15	15	1907.5	DFT	pi/2 BPSK	Outer_Full	23.11	20.71	22.33
n25	15	15	1907.5	DFT	QPSK	Inner_Full	23.73	21.33	22.95
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.73	20.33	21.95
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.68	20.28	21.90
n25	15	15	1907.5	DFT	QPSK	Outer_Full	22.73	20.33	21.95
n25	15	15	1907.5	DFT	16QAM	Inner_Full	22.76	20.36	21.98
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.77	19.37	20.99
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.70	19.30	20.92
n25	15	15	1907.5	DFT	16QAM	Outer_Full	21.71	19.31	20.93
n25	15	15	1907.5	DFT	64QAM	Inner_Full	21.24	18.84	20.46
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Left	21.17	18.77	20.39
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.92	18.52	20.14
n25	15	15	1907.5	DFT	64QAM	Outer_Full	21.18	18.78	20.40
n25	15	15	1907.5	DFT	256QAM	Inner_Full	19.30	16.90	18.52
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Left	19.25	16.85	18.47
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Right	19.16	16.76	18.38
n25	15	15	1907.5	DFT	256QAM	Outer_Full	19.19	16.79	18.41
n25	15	15	1907.5	CP	QPSK	Inner_Full	22.21	19.81	21.43
n25	15	15	1907.5	CP	QPSK	Edge_1RB_Left	20.75	18.35	19.97
n25	15	15	1907.5	CP	QPSK	Edge_1RB_Right	20.67	18.27	19.89
n25	15	15	1907.5	CP	QPSK	Outer_Full	20.69	18.29	19.91
n25	15	15	1907.5	CP	16QAM	Inner_Full	21.76	19.36	20.98
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Left	20.73	18.33	19.95
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Right	20.53	18.13	19.75
n25	15	15	1907.5	CP	16QAM	Outer_Full	20.69	18.29	19.91
n25	15	15	1907.5	CP	64QAM	Inner_Full	20.24	17.84	19.46
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Left	20.37	17.97	19.59
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Right	20.31	17.91	19.53



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n25	15	15	1907.5	CP	64QAM	Outer_Full	20.16	17.76	19.38
n25	15	15	1907.5	CP	256QAM	Inner_Full	17.22	14.82	16.44
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Left	17.24	14.84	16.46
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Right	17.20	14.80	16.42
n25	15	15	1907.5	CP	256QAM	Outer_Full	17.14	14.74	16.36
n25	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.55	21.15	22.77
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	23.03	20.63	22.25
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	23.06	20.66	22.28
n25	20	15	1860	DFT	pi/2 BPSK	Outer_Full	23.03	20.63	22.25
n25	20	15	1860	DFT	QPSK	Inner_Full	23.57	21.17	22.79
n25	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.57	20.17	21.79
n25	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.59	20.19	21.81
n25	20	15	1860	DFT	QPSK	Outer_Full	22.60	20.20	21.82
n25	20	15	1860	DFT	16QAM	Inner_Full	22.65	20.25	21.87
n25	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.63	19.23	20.85
n25	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.66	19.26	20.88
n25	20	15	1860	DFT	16QAM	Outer_Full	21.60	19.20	20.82
n25	20	15	1860	DFT	64QAM	Inner_Full	21.08	18.68	20.30
n25	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.86	18.46	20.08
n25	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.94	18.54	20.16
n25	20	15	1860	DFT	64QAM	Outer_Full	21.07	18.67	20.29
n25	20	15	1860	DFT	256QAM	Inner_Full	19.08	16.68	18.30
n25	20	15	1860	DFT	256QAM	Edge_1RB_Left	19.05	16.65	18.27
n25	20	15	1860	DFT	256QAM	Edge_1RB_Right	19.10	16.70	18.32
n25	20	15	1860	DFT	256QAM	Outer_Full	19.03	16.63	18.25
n25	20	15	1860	CP	QPSK	Inner_Full	22.04	19.64	21.26
n25	20	15	1860	CP	QPSK	Edge_1RB_Left	20.62	18.22	19.84
n25	20	15	1860	CP	QPSK	Edge_1RB_Right	20.69	18.29	19.91
n25	20	15	1860	CP	QPSK	Outer_Full	20.57	18.17	19.79
n25	20	15	1860	CP	16QAM	Inner_Full	21.55	19.15	20.77
n25	20	15	1860	CP	16QAM	Edge_1RB_Left	20.56	18.16	19.78
n25	20	15	1860	CP	16QAM	Edge_1RB_Right	20.61	18.21	19.83
n25	20	15	1860	CP	16QAM	Outer_Full	20.53	18.13	19.75
n25	20	15	1860	CP	64QAM	Inner_Full	19.97	17.57	19.19
n25	20	15	1860	CP	64QAM	Edge_1RB_Left	20.19	17.79	19.41
n25	20	15	1860	CP	64QAM	Edge_1RB_Right	20.30	17.90	19.52
n25	20	15	1860	CP	64QAM	Outer_Full	20.00	17.60	19.22
n25	20	15	1860	CP	256QAM	Inner_Full	17.03	14.63	16.25
n25	20	15	1860	CP	256QAM	Edge_1RB_Left	17.13	14.73	16.35



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n25	20	15	1860	CP	256QAM	Edge_1RB_Right	17.16	14.76	16.38
n25	20	15	1860	CP	256QAM	Outer_Full	17.03	14.63	16.25
n25	20	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.60	21.20	22.82
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.05	20.65	22.27
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.14	20.74	22.36
n25	20	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.11	20.71	22.33
n25	20	15	1882.5	DFT	QPSK	Inner_Full	23.57	21.17	22.79
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.57	20.17	21.79
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.75	20.35	21.97
n25	20	15	1882.5	DFT	QPSK	Outer_Full	22.66	20.26	21.88
n25	20	15	1882.5	DFT	16QAM	Inner_Full	22.69	20.29	21.91
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.59	19.19	20.81
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.77	19.37	20.99
n25	20	15	1882.5	DFT	16QAM	Outer_Full	21.64	19.24	20.86
n25	20	15	1882.5	DFT	64QAM	Inner_Full	21.09	18.69	20.31
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.07	18.67	20.29
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.04	18.64	20.26
n25	20	15	1882.5	DFT	64QAM	Outer_Full	21.17	18.77	20.39
n25	20	15	1882.5	DFT	256QAM	Inner_Full	19.12	16.72	18.34
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.12	16.72	18.34
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.25	16.85	18.47
n25	20	15	1882.5	DFT	256QAM	Outer_Full	19.10	16.70	18.32
n25	20	15	1882.5	CP	QPSK	Inner_Full	22.14	19.74	21.36
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Left	20.60	18.20	19.82
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Right	20.81	18.41	20.03
n25	20	15	1882.5	CP	QPSK	Outer_Full	20.62	18.22	19.84
n25	20	15	1882.5	CP	16QAM	Inner_Full	21.64	19.24	20.86
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Left	20.55	18.15	19.77
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Right	20.65	18.25	19.87
n25	20	15	1882.5	CP	16QAM	Outer_Full	20.62	18.22	19.84
n25	20	15	1882.5	CP	64QAM	Inner_Full	20.06	17.66	19.28
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Left	20.28	17.88	19.50
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Right	20.36	17.96	19.58
n25	20	15	1882.5	CP	64QAM	Outer_Full	20.07	17.67	19.29
n25	20	15	1882.5	CP	256QAM	Inner_Full	17.09	14.69	16.31
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Left	17.10	14.70	16.32
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Right	17.32	14.92	16.54
n25	20	15	1882.5	CP	256QAM	Outer_Full	17.06	14.66	16.28
n25	20	15	1905	DFT	pi/2 BPSK	Inner_Full	23.66	21.26	22.88



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	23.16	20.76	22.38
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	23.09	20.69	22.31
n25	20	15	1905	DFT	pi/2 BPSK	Outer_Full	23.24	20.84	22.46
n25	20	15	1905	DFT	QPSK	Inner_Full	23.73	21.33	22.95
n25	20	15	1905	DFT	QPSK	Edge_1RB_Left	22.77	20.37	21.99
n25	20	15	1905	DFT	QPSK	Edge_1RB_Right	22.68	20.28	21.90
n25	20	15	1905	DFT	QPSK	Outer_Full	22.72	20.32	21.94
n25	20	15	1905	DFT	16QAM	Inner_Full	22.83	20.43	22.05
n25	20	15	1905	DFT	16QAM	Edge_1RB_Left	21.74	19.34	20.96
n25	20	15	1905	DFT	16QAM	Edge_1RB_Right	21.67	19.27	20.89
n25	20	15	1905	DFT	16QAM	Outer_Full	21.74	19.34	20.96
n25	20	15	1905	DFT	64QAM	Inner_Full	21.21	18.81	20.43
n25	20	15	1905	DFT	64QAM	Edge_1RB_Left	21.20	18.80	20.42
n25	20	15	1905	DFT	64QAM	Edge_1RB_Right	21.13	18.73	20.35
n25	20	15	1905	DFT	64QAM	Outer_Full	21.28	18.88	20.50
n25	20	15	1905	DFT	256QAM	Inner_Full	19.27	16.87	18.49
n25	20	15	1905	DFT	256QAM	Edge_1RB_Left	19.23	16.83	18.45
n25	20	15	1905	DFT	256QAM	Edge_1RB_Right	19.12	16.72	18.34
n25	20	15	1905	DFT	256QAM	Outer_Full	19.19	16.79	18.41
n25	20	15	1905	CP	QPSK	Inner_Full	22.21	19.81	21.43
n25	20	15	1905	CP	QPSK	Edge_1RB_Left	20.73	18.33	19.95
n25	20	15	1905	CP	QPSK	Edge_1RB_Right	20.76	18.36	19.98
n25	20	15	1905	CP	QPSK	Outer_Full	20.73	18.33	19.95
n25	20	15	1905	CP	16QAM	Inner_Full	21.70	19.30	20.92
n25	20	15	1905	CP	16QAM	Edge_1RB_Left	20.64	18.24	19.86
n25	20	15	1905	CP	16QAM	Edge_1RB_Right	20.49	18.09	19.71
n25	20	15	1905	CP	16QAM	Outer_Full	20.75	18.35	19.97
n25	20	15	1905	CP	64QAM	Inner_Full	20.21	17.81	19.43
n25	20	15	1905	CP	64QAM	Edge_1RB_Left	20.33	17.93	19.55
n25	20	15	1905	CP	64QAM	Edge_1RB_Right	20.32	17.92	19.54
n25	20	15	1905	CP	64QAM	Outer_Full	20.18	17.78	19.40
n25	20	15	1905	CP	256QAM	Inner_Full	17.23	14.83	16.45
n25	20	15	1905	CP	256QAM	Edge_1RB_Left	17.25	14.85	16.47
n25	20	15	1905	CP	256QAM	Edge_1RB_Right	17.32	14.92	16.54
n25	20	15	1905	CP	256QAM	Outer_Full	17.13	14.73	16.35



n38

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n38	20	30	2580	DFT	pi/2 BPSK	Inner_Full	23.93	22.53	22.73
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Left	23.52	22.12	22.32
n38	20	30	2580	DFT	pi/2 BPSK	Edge_1RB_Right	23.39	21.99	22.19
n38	20	30	2580	DFT	pi/2 BPSK	Outer_Full	23.47	22.07	22.27
n38	20	30	2580	DFT	QPSK	Inner_Full	23.92	22.52	22.72
n38	20	30	2580	DFT	QPSK	Edge_1RB_Left	23.05	21.65	21.85
n38	20	30	2580	DFT	QPSK	Edge_1RB_Right	22.84	21.44	21.64
n38	20	30	2580	DFT	QPSK	Outer_Full	22.98	21.58	21.78
n38	20	30	2580	DFT	16QAM	Inner_Full	22.92	21.52	21.72
n38	20	30	2580	DFT	16QAM	Edge_1RB_Left	22.12	20.72	20.92
n38	20	30	2580	DFT	16QAM	Edge_1RB_Right	21.95	20.55	20.75
n38	20	30	2580	DFT	16QAM	Outer_Full	22.01	20.61	20.81
n38	20	30	2580	DFT	64QAM	Inner_Full	21.38	19.98	20.18
n38	20	30	2580	DFT	64QAM	Edge_1RB_Left	21.77	20.37	20.57
n38	20	30	2580	DFT	64QAM	Edge_1RB_Right	21.36	19.96	20.16
n38	20	30	2580	DFT	64QAM	Outer_Full	21.47	20.07	20.27
n38	20	30	2580	DFT	256QAM	Inner_Full	19.37	17.97	18.17
n38	20	30	2580	DFT	256QAM	Edge_1RB_Left	19.60	18.20	18.40
n38	20	30	2580	DFT	256QAM	Edge_1RB_Right	19.43	18.03	18.23
n38	20	30	2580	DFT	256QAM	Outer_Full	19.42	18.02	18.22
n38	20	30	2580	CP	QPSK	Inner_Full	22.36	20.96	21.16
n38	20	30	2580	CP	QPSK	Edge_1RB_Left	21.16	19.76	19.96
n38	20	30	2580	CP	QPSK	Edge_1RB_Right	21.15	19.75	19.95
n38	20	30	2580	CP	QPSK	Outer_Full	20.95	19.55	19.75
n38	20	30	2580	CP	16QAM	Inner_Full	21.81	20.41	20.61
n38	20	30	2580	CP	16QAM	Edge_1RB_Left	21.07	19.67	19.87
n38	20	30	2580	CP	16QAM	Edge_1RB_Right	20.99	19.59	19.79
n38	20	30	2580	CP	16QAM	Outer_Full	21.00	19.60	19.80
n38	20	30	2580	CP	64QAM	Inner_Full	20.39	18.99	19.19
n38	20	30	2580	CP	64QAM	Edge_1RB_Left	20.54	19.14	19.34
n38	20	30	2580	CP	64QAM	Edge_1RB_Right	20.44	19.04	19.24
n38	20	30	2580	CP	64QAM	Outer_Full	20.42	19.02	19.22
n38	20	30	2580	CP	256QAM	Inner_Full	17.28	15.88	16.08
n38	20	30	2580	CP	256QAM	Edge_1RB_Left	17.69	16.29	16.49
n38	20	30	2580	CP	256QAM	Edge_1RB_Right	17.59	16.19	16.39
n38	20	30	2580	CP	256QAM	Outer_Full	17.52	16.12	16.32
n38	20	30	2595	DFT	pi/2 BPSK	Inner_Full	23.92	22.52	22.72
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.50	22.10	22.30



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n38	20	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.72	22.32	22.52
n38	20	30	2595	DFT	pi/2 BPSK	Outer_Full	23.53	22.13	22.33
n38	20	30	2595	DFT	QPSK	Inner_Full	24.02	22.62	22.82
n38	20	30	2595	DFT	QPSK	Edge_1RB_Left	22.93	21.53	21.73
n38	20	30	2595	DFT	QPSK	Edge_1RB_Right	23.19	21.79	21.99
n38	20	30	2595	DFT	QPSK	Outer_Full	23.00	21.60	21.80
n38	20	30	2595	DFT	16QAM	Inner_Full	23.04	21.64	21.84
n38	20	30	2595	DFT	16QAM	Edge_1RB_Left	21.93	20.53	20.73
n38	20	30	2595	DFT	16QAM	Edge_1RB_Right	22.29	20.89	21.09
n38	20	30	2595	DFT	16QAM	Outer_Full	22.10	20.70	20.90
n38	20	30	2595	DFT	64QAM	Inner_Full	21.47	20.07	20.27
n38	20	30	2595	DFT	64QAM	Edge_1RB_Left	21.63	20.23	20.43
n38	20	30	2595	DFT	64QAM	Edge_1RB_Right	21.89	20.49	20.69
n38	20	30	2595	DFT	64QAM	Outer_Full	21.52	20.12	20.32
n38	20	30	2595	DFT	256QAM	Inner_Full	19.46	18.06	18.26
n38	20	30	2595	DFT	256QAM	Edge_1RB_Left	19.45	18.05	18.25
n38	20	30	2595	DFT	256QAM	Edge_1RB_Right	19.73	18.33	18.53
n38	20	30	2595	DFT	256QAM	Outer_Full	19.52	18.12	18.32
n38	20	30	2595	CP	QPSK	Inner_Full	22.46	21.06	21.26
n38	20	30	2595	CP	QPSK	Edge_1RB_Left	21.07	19.67	19.87
n38	20	30	2595	CP	QPSK	Edge_1RB_Right	21.46	20.06	20.26
n38	20	30	2595	CP	QPSK	Outer_Full	20.99	19.59	19.79
n38	20	30	2595	CP	16QAM	Inner_Full	21.94	20.54	20.74
n38	20	30	2595	CP	16QAM	Edge_1RB_Left	20.89	19.49	19.69
n38	20	30	2595	CP	16QAM	Edge_1RB_Right	21.08	19.68	19.88
n38	20	30	2595	CP	16QAM	Outer_Full	20.99	19.59	19.79
n38	20	30	2595	CP	64QAM	Inner_Full	20.54	19.14	19.34
n38	20	30	2595	CP	64QAM	Edge_1RB_Left	20.37	18.97	19.17
n38	20	30	2595	CP	64QAM	Edge_1RB_Right	20.68	19.28	19.48
n38	20	30	2595	CP	64QAM	Outer_Full	20.50	19.10	19.30
n38	20	30	2595	CP	256QAM	Inner_Full	17.54	16.14	16.34
n38	20	30	2595	CP	256QAM	Edge_1RB_Left	17.56	16.16	16.36
n38	20	30	2595	CP	256QAM	Edge_1RB_Right	17.84	16.44	16.64
n38	20	30	2595	CP	256QAM	Outer_Full	17.58	16.18	16.38
n38	20	30	2610	DFT	pi/2 BPSK	Inner_Full	24.30	22.90	23.10
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Left	23.58	22.18	22.38
n38	20	30	2610	DFT	pi/2 BPSK	Edge_1RB_Right	24.05	22.65	22.85
n38	20	30	2610	DFT	pi/2 BPSK	Outer_Full	23.80	22.40	22.60
n38	20	30	2610	DFT	QPSK	Inner_Full	24.34	22.94	23.14



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n38	20	30	2610	DFT	QPSK	Edge_1RB_Left	23.02	21.62	21.82
n38	20	30	2610	DFT	QPSK	Edge_1RB_Right	23.53	22.13	22.33
n38	20	30	2610	DFT	QPSK	Outer_Full	23.36	21.96	22.16
n38	20	30	2610	DFT	16QAM	Inner_Full	23.36	21.96	22.16
n38	20	30	2610	DFT	16QAM	Edge_1RB_Left	22.12	20.72	20.92
n38	20	30	2610	DFT	16QAM	Edge_1RB_Right	22.67	21.27	21.47
n38	20	30	2610	DFT	16QAM	Outer_Full	22.37	20.97	21.17
n38	20	30	2610	DFT	64QAM	Inner_Full	21.88	20.48	20.68
n38	20	30	2610	DFT	64QAM	Edge_1RB_Left	21.51	20.11	20.31
n38	20	30	2610	DFT	64QAM	Edge_1RB_Right	22.11	20.71	20.91
n38	20	30	2610	DFT	64QAM	Outer_Full	21.78	20.38	20.58
n38	20	30	2610	DFT	256QAM	Inner_Full	19.79	18.39	18.59
n38	20	30	2610	DFT	256QAM	Edge_1RB_Left	19.53	18.13	18.33
n38	20	30	2610	DFT	256QAM	Edge_1RB_Right	20.06	18.66	18.86
n38	20	30	2610	DFT	256QAM	Outer_Full	19.83	18.43	18.63
n38	20	30	2610	CP	QPSK	Inner_Full	22.75	21.35	21.55
n38	20	30	2610	CP	QPSK	Edge_1RB_Left	21.11	19.71	19.91
n38	20	30	2610	CP	QPSK	Edge_1RB_Right	21.86	20.46	20.66
n38	20	30	2610	CP	QPSK	Outer_Full	21.27	19.87	20.07
n38	20	30	2610	CP	16QAM	Inner_Full	22.24	20.84	21.04
n38	20	30	2610	CP	16QAM	Edge_1RB_Left	21.04	19.64	19.84
n38	20	30	2610	CP	16QAM	Edge_1RB_Right	21.53	20.13	20.33
n38	20	30	2610	CP	16QAM	Outer_Full	21.23	19.83	20.03
n38	20	30	2610	CP	64QAM	Inner_Full	20.86	19.46	19.66
n38	20	30	2610	CP	64QAM	Edge_1RB_Left	20.54	19.14	19.34
n38	20	30	2610	CP	64QAM	Edge_1RB_Right	21.10	19.70	19.90
n38	20	30	2610	CP	64QAM	Outer_Full	20.82	19.42	19.62
n38	20	30	2610	CP	256QAM	Inner_Full	17.81	16.41	16.61
n38	20	30	2610	CP	256QAM	Edge_1RB_Left	17.71	16.31	16.51
n38	20	30	2610	CP	256QAM	Edge_1RB_Right	18.13	16.73	16.93
n38	20	30	2610	CP	256QAM	Outer_Full	17.89	16.49	16.69
n38	30	30	2585	DFT	pi/2 BPSK	Inner_Full	23.88	22.48	22.68
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Left	23.58	22.18	22.38
n38	30	30	2585	DFT	pi/2 BPSK	Edge_1RB_Right	23.55	22.15	22.35
n38	30	30	2585	DFT	pi/2 BPSK	Outer_Full	23.45	22.05	22.25
n38	30	30	2585	DFT	QPSK	Inner_Full	23.80	22.40	22.60
n38	30	30	2585	DFT	QPSK	Edge_1RB_Left	23.06	21.66	21.86
n38	30	30	2585	DFT	QPSK	Edge_1RB_Right	23.05	21.65	21.85
n38	30	30	2585	DFT	QPSK	Outer_Full	22.95	21.55	21.75



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n38	30	30	2585	DFT	16QAM	Inner_Full	22.95	21.55	21.75
n38	30	30	2585	DFT	16QAM	Edge_1RB_Left	22.03	20.63	20.83
n38	30	30	2585	DFT	16QAM	Edge_1RB_Right	22.12	20.72	20.92
n38	30	30	2585	DFT	16QAM	Outer_Full	21.92	20.52	20.72
n38	30	30	2585	DFT	64QAM	Inner_Full	21.40	20.00	20.20
n38	30	30	2585	DFT	64QAM	Edge_1RB_Left	21.46	20.06	20.26
n38	30	30	2585	DFT	64QAM	Edge_1RB_Right	21.52	20.12	20.32
n38	30	30	2585	DFT	64QAM	Outer_Full	21.44	20.04	20.24
n38	30	30	2585	DFT	256QAM	Inner_Full	19.44	18.04	18.24
n38	30	30	2585	DFT	256QAM	Edge_1RB_Left	19.58	18.18	18.38
n38	30	30	2585	DFT	256QAM	Edge_1RB_Right	19.60	18.20	18.40
n38	30	30	2585	DFT	256QAM	Outer_Full	19.47	18.07	18.27
n38	30	30	2585	CP	QPSK	Inner_Full	22.29	20.89	21.09
n38	30	30	2585	CP	QPSK	Edge_1RB_Left	21.19	19.79	19.99
n38	30	30	2585	CP	QPSK	Edge_1RB_Right	21.24	19.84	20.04
n38	30	30	2585	CP	QPSK	Outer_Full	20.98	19.58	19.78
n38	30	30	2585	CP	16QAM	Inner_Full	21.88	20.48	20.68
n38	30	30	2585	CP	16QAM	Edge_1RB_Left	21.04	19.64	19.84
n38	30	30	2585	CP	16QAM	Edge_1RB_Right	21.14	19.74	19.94
n38	30	30	2585	CP	16QAM	Outer_Full	20.95	19.55	19.75
n38	30	30	2585	CP	64QAM	Inner_Full	20.31	18.91	19.11
n38	30	30	2585	CP	64QAM	Edge_1RB_Left	20.48	19.08	19.28
n38	30	30	2585	CP	64QAM	Edge_1RB_Right	20.50	19.10	19.30
n38	30	30	2585	CP	64QAM	Outer_Full	20.42	19.02	19.22
n38	30	30	2585	CP	256QAM	Inner_Full	17.47	16.07	16.27
n38	30	30	2585	CP	256QAM	Edge_1RB_Left	17.68	16.28	16.48
n38	30	30	2585	CP	256QAM	Edge_1RB_Right	17.66	16.26	16.46
n38	30	30	2585	CP	256QAM	Outer_Full	17.48	16.08	16.28
n38	30	30	2595	DFT	pi/2 BPSK	Inner_Full	23.91	22.51	22.71
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Left	23.44	22.04	22.24
n38	30	30	2595	DFT	pi/2 BPSK	Edge_1RB_Right	23.82	22.42	22.62
n38	30	30	2595	DFT	pi/2 BPSK	Outer_Full	23.54	22.14	22.34
n38	30	30	2595	DFT	QPSK	Inner_Full	23.94	22.54	22.74
n38	30	30	2595	DFT	QPSK	Edge_1RB_Left	22.90	21.50	21.70
n38	30	30	2595	DFT	QPSK	Edge_1RB_Right	23.20	21.80	22.00
n38	30	30	2595	DFT	QPSK	Outer_Full	22.99	21.59	21.79
n38	30	30	2595	DFT	16QAM	Inner_Full	22.91	21.51	21.71
n38	30	30	2595	DFT	16QAM	Edge_1RB_Left	21.92	20.52	20.72
n38	30	30	2595	DFT	16QAM	Edge_1RB_Right	22.30	20.90	21.10



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n38	30	30	2595	DFT	16QAM	Outer_Full	22.01	20.61	20.81
n38	30	30	2595	DFT	64QAM	Inner_Full	21.41	20.01	20.21
n38	30	30	2595	DFT	64QAM	Edge_1RB_Left	21.53	20.13	20.33
n38	30	30	2595	DFT	64QAM	Edge_1RB_Right	21.70	20.30	20.50
n38	30	30	2595	DFT	64QAM	Outer_Full	21.54	20.14	20.34
n38	30	30	2595	DFT	256QAM	Inner_Full	19.46	18.06	18.26
n38	30	30	2595	DFT	256QAM	Edge_1RB_Left	19.41	18.01	18.21
n38	30	30	2595	DFT	256QAM	Edge_1RB_Right	19.79	18.39	18.59
n38	30	30	2595	DFT	256QAM	Outer_Full	19.54	18.14	18.34
n38	30	30	2595	CP	QPSK	Inner_Full	22.37	20.97	21.17
n38	30	30	2595	CP	QPSK	Edge_1RB_Left	21.03	19.63	19.83
n38	30	30	2595	CP	QPSK	Edge_1RB_Right	21.44	20.04	20.24
n38	30	30	2595	CP	QPSK	Outer_Full	21.02	19.62	19.82
n38	30	30	2595	CP	16QAM	Inner_Full	21.94	20.54	20.74
n38	30	30	2595	CP	16QAM	Edge_1RB_Left	20.85	19.45	19.65
n38	30	30	2595	CP	16QAM	Edge_1RB_Right	21.18	19.78	19.98
n38	30	30	2595	CP	16QAM	Outer_Full	21.02	19.62	19.82
n38	30	30	2595	CP	64QAM	Inner_Full	20.43	19.03	19.23
n38	30	30	2595	CP	64QAM	Edge_1RB_Left	20.40	19.00	19.20
n38	30	30	2595	CP	64QAM	Edge_1RB_Right	20.78	19.38	19.58
n38	30	30	2595	CP	64QAM	Outer_Full	20.49	19.09	19.29
n38	30	30	2595	CP	256QAM	Inner_Full	17.53	16.13	16.33
n38	30	30	2595	CP	256QAM	Edge_1RB_Left	17.53	16.13	16.33
n38	30	30	2595	CP	256QAM	Edge_1RB_Right	17.87	16.47	16.67
n38	30	30	2595	CP	256QAM	Outer_Full	17.52	16.12	16.32
n38	30	30	2605	DFT	pi/2 BPSK	Inner_Full	24.08	22.68	22.88
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Left	23.41	22.01	22.21
n38	30	30	2605	DFT	pi/2 BPSK	Edge_1RB_Right	24.07	22.67	22.87
n38	30	30	2605	DFT	pi/2 BPSK	Outer_Full	23.69	22.29	22.49
n38	30	30	2605	DFT	QPSK	Inner_Full	24.15	22.75	22.95
n38	30	30	2605	DFT	QPSK	Edge_1RB_Left	22.78	21.38	21.58
n38	30	30	2605	DFT	QPSK	Edge_1RB_Right	23.44	22.04	22.24
n38	30	30	2605	DFT	QPSK	Outer_Full	23.17	21.77	21.97
n38	30	30	2605	DFT	16QAM	Inner_Full	23.08	21.68	21.88
n38	30	30	2605	DFT	16QAM	Edge_1RB_Left	22.00	20.60	20.80
n38	30	30	2605	DFT	16QAM	Edge_1RB_Right	22.60	21.20	21.40
n38	30	30	2605	DFT	16QAM	Outer_Full	22.16	20.76	20.96
n38	30	30	2605	DFT	64QAM	Inner_Full	21.67	20.27	20.47
n38	30	30	2605	DFT	64QAM	Edge_1RB_Left	21.27	19.87	20.07



No. I22N02158-RF-NR

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	POWER (dBm)	ERP/EIRP (dBm) (Lower)	ERP/EIRP (dBm) (Upper)
n38	30	30	2605	DFT	64QAM	Edge_1RB_Right	21.96	20.56	20.76
n38	30	30	2605	DFT	64QAM	Outer_Full	21.63	20.23	20.43
n38	30	30	2605	DFT	256QAM	Inner_Full	19.66	18.26	18.46
n38	30	30	2605	DFT	256QAM	Edge_1RB_Left	19.39	17.99	18.19
n38	30	30	2605	DFT	256QAM	Edge_1RB_Right	20.01	18.61	18.81
n38	30	30	2605	DFT	256QAM	Outer_Full	19.63	18.23	18.43
n38	30	30	2605	CP	QPSK	Inner_Full	22.45	21.05	21.25
n38	30	30	2605	CP	QPSK	Edge_1RB_Left	21.07	19.67	19.87
n38	30	30	2605	CP	QPSK	Edge_1RB_Right	21.66	20.26	20.46
n38	30	30	2605	CP	QPSK	Outer_Full	21.33	19.93	20.13
n38	30	30	2605	CP	16QAM	Inner_Full	22.13	20.73	20.93
n38	30	30	2605	CP	16QAM	Edge_1RB_Left	20.77	19.37	19.57
n38	30	30	2605	CP	16QAM	Edge_1RB_Right	21.47	20.07	20.27
n38	30	30	2605	CP	16QAM	Outer_Full	21.25	19.85	20.05
n38	30	30	2605	CP	64QAM	Inner_Full	20.68	19.28	19.48
n38	30	30	2605	CP	64QAM	Edge_1RB_Left	20.49	19.09	19.29
n38	30	30	2605	CP	64QAM	Edge_1RB_Right	21.08	19.68	19.88
n38	30	30	2605	CP	64QAM	Outer_Full	20.66	19.26	19.46
n38	30	30	2605	CP	256QAM	Inner_Full	17.65	16.25	16.45
n38	30	30	2605	CP	256QAM	Edge_1RB_Left	17.38	15.98	16.18
n38	30	30	2605	CP	256QAM	Edge_1RB_Right	18.04	16.64	16.84
n38	30	30	2605	CP	256QAM	Outer_Full	17.72	16.32	16.52
n38	40	30	2590	DFT	pi/2 BPSK	Inner_Full	23.84	22.44	22.64
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Left	23.54	22.14	22.34
n38	40	30	2590	DFT	pi/2 BPSK	Edge_1RB_Right	23.79	22.39	22.59
n38	40	30	2590	DFT	pi/2 BPSK	Outer_Full	23.48	22.08	22.28
n38	40	30	2590	DFT	QPSK	Inner_Full	23.85	22.45	22.65
n38	40	30	2590	DFT	QPSK	Edge_1RB_Left	23.12	21.72	21.92
n38	40	30	2590	DFT	QPSK	Edge_1RB_Right	23.30	21.90	22.10
n38	40	30	2590	DFT	QPSK	Outer_Full	22.96	21.56	21.76
n38	40	30	2590	DFT	16QAM	Inner_Full	22.94	21.54	21.74
n38	40	30	2590	DFT	16QAM	Edge_1RB_Left	22.07	20.67	20.87
n38	40	30	2590	DFT	16QAM	Edge_1RB_Right	22.28	20.88	21.08
n38	40	30	2590	DFT	16QAM	Outer_Full	21.97	20.57	20.77
n38	40	30	2590	DFT	64QAM	Inner_Full	21.39	19.99	20.19
n38	40	30	2590	DFT	64QAM	Edge_1RB_Left	21.85	20.45	20.65
n38	40	30	2590	DFT	64QAM	Edge_1RB_Right	22.03	20.63	20.83
n38	40	30	2590	DFT	64QAM	Outer_Full	21.51	20.11	20.31
n38	40	30	2590	DFT	256QAM	Inner_Full	19.32	17.92	18.12