



6.2.4 30k_SISO_50MHz_NTNV




n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_Pi/2_BPSK_3575.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3244.000	-46.56	-40	Pass
3530	3540	1	/	2	3538.000	-50.25	-25	Pass
3540	3549.01	1	/	3	3541.600	-45.65	-13	Pass
3549.01	3605.01	1	/	/	/	/	/	/
3605.01	3650.01	1	/	4	3624.400	-56.01	-13	Pass
3650.01	3720	1	/	5	3708.400	-55.87	-25	Pass
3720	3720	1	/	6	3719.200	-56.08	-25	Pass
3720	37000	1	/	7	34715.200	-46.60	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_Pi/2_BPSK_3575.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.350	-40.57	-40	Pass
3530	3540	1	CHP	2	3534.910	-40.93	-25	Pass
3540	3549.01	1	CHP	3	3548.350	-39.34	-13	Pass
3549.01	3550.01	0.51	/	4	3549.190	-40.80	-13	Pass
3550.01	3600.01	0.51	/	/	/	/	/	/
3600.01	3601.01	0.51	/	5	3600.430	-39.51	-13	Pass
3601.01	3650.01	1	CHP	6	3619.540	-37.19	-13	Pass
3650.01	3720	1	CHP	7	3653.980	-52.26	-25	Pass
3720	3720	1	CHP	8	3712.570	-64.14	-25	Pass
3720	3730	1	CHP	9	3721.180	-65.16	-40	Pass


n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_P1/2_BPSK_3575.01MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_P1/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3293.200	-46.19	-40	Pass
3530	3540	1	/	2	3535.600	-60.46	-25	Pass
3540	3549.99	1	/	3	3546.400	-59.58	-25	Pass
3549.99	3598.99	1	/	4	3594.400	-46.16	-13	Pass
3598.99	3654.99	1	/	/	/	/	/	/
3654.99	3699.99	1	/	5	3672.400	-56.43	-13	Pass
3699.99	3720	1	/	6	3708.400	-56.41	-25	Pass
3720	3720	1	/	7	3710.800	-55.91	-25	Pass
3720	37000	1	/	8	35803.600	-46.85	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3675MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.915	-56.25	-40	Pass
3530	3540	1	CHP	2	3536.440	-56.14	-25	Pass
3540	3600	1	CHP	3	3545.200	-55.85	-25	Pass
3600	3649	1	CHP	4	3603.790	-52.23	-13	Pass
3649	3650	0.03	/	5	3649.810	-69.57	-13	Pass
3650	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	6	3700.060	-38.05	-13	Pass
3701	3730	1	CHP	7	3701.500	-41.13	-13	Pass
3730	3720	1	CHP	8	3710.695	-51.49	-25	Pass
3720	3730	1	CHP	9	3722.470	-52.96	-40	Pass


n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3675MHz_Edge_1RB_Right_Ant1



n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_PI/2_BPSK_3675MHz_Edge_1RB_Right_Ant1




n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM PI/2 BPSK_3675MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.190	-68.58	-40	Pass
3530	3540	1	CHP	2	3538.060	-67.58	-25	Pass
3540	3600	1	CHP	3	3599.170	-55.03	-25	Pass
3600	3649	1	CHP	4	3644.530	-37.94	-13	Pass
3649	3650	0.51	/	5	3649.150	-43.44	-13	Pass
3650	3700	0.51	/	/	/	/	/	/
3700	3701	0.51	/	6	3700.180	-44.81	-13	Pass
3701	3730	1	CHP	7	3702.280	-43.69	-13	Pass
3730	3720	1	CHP	8	3718.240	-43.36	-25	Pass
3720	3730	1	CHP	9	3722.020	-43.04	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM PI/2 BPSK_3675MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.950	-55.83	-40	Pass
3530	3540	1	CHP	2	3530.335	-56.19	-25	Pass
3540	3600	1	CHP	3	3561.025	-55.67	-25	Pass
3600	3649	1	CHP	4	3604.870	-53.69	-13	Pass
3649	3650	0.03	/	5	3649.030	-69.51	-13	Pass
3650	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	6	3700.150	-45.88	-13	Pass
3701	3730	1	CHP	7	3701.500	-44.48	-13	Pass
3730	3720	1	CHP	8	3710.095	-51.45	-25	Pass
3720	3730	1	CHP	9	3721.585	-53.11	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3575.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.350	-46.71	-40	Pass
3530	3540	1	CHP	2	3537.730	-51.39	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-38.69	-13	Pass
3549.01	3550.01	0.03	/	4	3549.970	-35.48	-13	Pass
3550.01	3600.01	0.03	/	/	/	/	/	/
3600.01	3601.01	0.03	/	5	3600.205	-67.95	-13	Pass
3601.01	3650.01	1	CHP	6	3646.285	-52.23	-13	Pass
3650.01	3720	1	CHP	7	3709.945	-56.77	-25	Pass
3720	3720	1	CHP	8	3719.305	-56.22	-25	Pass
3720	3730	1	CHP	9	3723.880	-56.14	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3575.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.700	-60.55	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3575.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3527.200	-49.39	-40	Pass
3530	3540	1	/	2	3536.800	-52.77	-25	Pass
3540	3549.01	1	/	3	3541.600	-47.97	-13	Pass
3549.01	3605.01	1	/	/	/	/	/	/
3605.01	3650.01	1	/	4	3646.000	-55.12	-13	Pass
3650.01	3720	1	/	5	3703.600	-56.54	-25	Pass
3720	3720	1	/	6	3715.600	-56.47	-25	Pass
3720	37000	1	/	7	35248.000	-46.74	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3575.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.780	-40.99	-40	Pass
3530	3540	1	CHP	2	3539.110	-35.92	-25	Pass
3540	3549.01	1	CHP	3	3542.050	-34.20	-13	Pass
3549.01	3550.01	0.51	/	4	3549.190	-36.30	-13	Pass
3550.01	3600.01	0.51	/	/	/	/	/	/
3600.01	3601.01	0.51	/	5	3600.640	-35.13	-13	Pass
3601.01	3650.01	1	CHP	6	3602.740	-32.03	-13	Pass
3650.01	3720	1	CHP	7	3652.300	-42.64	-25	Pass
3720	3720	1	CHP	8	3712.990	-52.62	-25	Pass
3720	3730	1	CHP	9	3722.440	-53.81	-40	Pass


n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3575.01MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3293.200	-47.01	-40	Pass
3530	3540	1	/	2	3532.000	-61.28	-25	Pass
3540	3549.99	1	/	3	3545.200	-47.20	-25	Pass
3549.99	3598.99	1	/	4	3576.400	-50.15	-13	Pass
3598.99	3654.99	1	/	/	/	/	/	/
3654.99	3699.99	1	/	5	3662.800	-52.49	-13	Pass
3699.99	3720	1	/	6	3703.600	-56.85	-25	Pass
3720	3720	1	/	7	3719.200	-57.08	-25	Pass
3720	37000	1	/	8	34850.800	-47.18	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3675MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.705	-56.10	-40	Pass
3530	3540	1	CHP	2	3538.480	-56.09	-25	Pass
3540	3600	1	CHP	3	3559.420	-55.95	-25	Pass
3600	3649	1	CHP	4	3603.685	-53.78	-13	Pass
3649	3650	0.03	/	5	3649.720	-70.29	-13	Pass
3650	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	6	3700.045	-37.27	-13	Pass
3701	3730	1	CHP	7	3701.500	-41.74	-13	Pass
3730	3720	1	CHP	8	3715.600	-52.41	-25	Pass
3720	3730	1	CHP	9	3722.380	-53.08	-40	Pass


n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3675MHz_Edge_1RB_Right_Ant1



n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3675MHz_Edge_1RB_Right_Ant1




n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3675MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.560	-54.61	-40	Pass
3530	3540	1	CHP	2	3533.650	-55.07	-25	Pass
3540	3600	1	CHP	3	3599.800	-48.79	-25	Pass
3600	3649	1	CHP	4	3648.310	-36.00	-13	Pass
3649	3650	0.51	/	5	3649.990	-37.30	-13	Pass
3650	3700	0.51	/	/	/	/	/	/
3700	3701	0.51	/	6	3700.600	-40.15	-13	Pass
3701	3730	1	CHP	7	3702.280	-38.04	-13	Pass
3730	3720	1	CHP	8	3710.470	-40.39	-25	Pass
3720	3730	1	CHP	9	3720.130	-43.22	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_QPSK_3675MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.850	-55.85	-40	Pass
3530	3540	1	CHP	2	3533.005	-56.11	-25	Pass
3540	3600	1	CHP	3	3554.770	-55.86	-25	Pass
3600	3649	1	CHP	4	3604.885	-52.77	-13	Pass
3649	3650	0.03	/	5	3649.240	-70.48	-13	Pass
3650	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	6	3700.150	-43.90	-13	Pass
3701	3730	1	CHP	7	3701.500	-42.75	-13	Pass
3730	3720	1	CHP	8	3710.440	-51.51	-25	Pass
3720	3730	1	CHP	9	3721.705	-50.53	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3575.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.605	-47.91	-40	Pass
3530	3540	1	CHP	2	3538.495	-52.28	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-41.05	-13	Pass
3549.01	3550.01	0.03	/	4	3549.940	-39.82	-13	Pass
3550.01	3600.01	0.03	/	/	/	/	/	/
3600.01	3601.01	0.03	/	5	3600.595	-69.17	-13	Pass
3601.01	3650.01	1	CHP	6	3646.360	-55.28	-13	Pass
3650.01	3720	1	CHP	7	3708.445	-56.52	-25	Pass
3720	3720	1	CHP	8	3715.345	-56.48	-25	Pass
3720	3730	1	CHP	9	3725.950	-56.28	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3575.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.550	-61.11	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3575.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3244.000	-51.36	-40	Pass
3530	3540	1	/	2	3539.200	-52.93	-25	Pass
3540	3549.01	1	/	3	3544.000	-49.16	-13	Pass
3549.01	3605.01	1	/	/	/	/	/	/
3605.01	3650.01	1	/	4	3646.000	-56.13	-13	Pass
3650.01	3720	1	/	5	3706.000	-56.98	-25	Pass
3720	3720	1	/	6	3716.800	-57.61	-25	Pass
3720	37000	1	/	7	34603.600	-46.89	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3575.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.240	-41.07	-40	Pass
3530	3540	1	CHP	2	3536.590	-40.69	-25	Pass
3540	3549.01	1	CHP	3	3548.350	-38.84	-13	Pass
3549.01	3550.01	0.56	/	4	3549.190	-39.78	-13	Pass
3550.01	3600.01	0.56	/	/	/	/	/	/
3600.01	3601.01	0.56	/	5	3600.430	-36.59	-13	Pass
3601.01	3650.01	1	CHP	6	3603.160	-37.73	-13	Pass
3650.01	3720	1	CHP	7	3652.300	-47.86	-25	Pass
3720	3720	1	CHP	8	3719.710	-58.18	-25	Pass
3720	3730	1	CHP	9	3720.130	-58.76	-40	Pass


n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3575.01MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3293.200	-52.56	-40	Pass
3530	3540	1	/	2	3538.000	-60.19	-25	Pass
3540	3549.99	1	/	3	3544.000	-59.59	-25	Pass
3549.99	3598.99	1	/	4	3576.400	-47.00	-13	Pass
3598.99	3654.99	1	/	/	/	/	/	/
3654.99	3699.99	1	/	5	3696.400	-55.34	-13	Pass
3699.99	3720	1	/	6	3708.400	-56.31	-25	Pass
3720	3720	1	/	7	3715.600	-56.01	-25	Pass
3720	37000	1	/	8	35267.200	-45.04	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3675MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.820	-55.94	-40	Pass
3530	3540	1	CHP	2	3538.555	-55.88	-25	Pass
3540	3600	1	CHP	3	3545.335	-55.91	-25	Pass
3600	3649	1	CHP	4	3603.625	-54.05	-13	Pass
3649	3650	0.03	/	5	3649.300	-68.37	-13	Pass
3650	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	6	3700.015	-39.58	-13	Pass
3701	3730	1	CHP	7	3701.500	-42.95	-13	Pass
3730	3720	1	CHP	8	3710.005	-52.67	-25	Pass
3720	3730	1	CHP	9	3722.395	-52.21	-40	Pass


n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3675MHz_Edge_1RB_Right_Ant1



n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3675MHz_Edge_1RB_Right_Ant1




n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3675MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.980	-57.40	-40	Pass
3530	3540	1	CHP	2	3539.740	-56.61	-25	Pass
3540	3600	1	CHP	3	3597.070	-52.11	-25	Pass
3600	3649	1	CHP	4	3643.270	-40.82	-13	Pass
3649	3650	0.51	/	5	3649.150	-41.46	-13	Pass
3650	3700	0.51	/	/	/	/	/	/
3700	3701	0.51	/	6	3700.180	-41.08	-13	Pass
3701	3730	1	CHP	7	3702.280	-39.35	-13	Pass
3730	3720	1	CHP	8	3711.310	-41.63	-25	Pass
3720	3730	1	CHP	9	3722.230	-44.90	-40	Pass

n78d_30kHz_SISO_NTNV_50MHz_CP-OFDM_QPSK_3675MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.430	-56.03	-40	Pass
3530	3540	1	CHP	2	3531.325	-56.17	-25	Pass
3540	3600	1	CHP	3	3561.055	-55.79	-25	Pass
3600	3649	1	CHP	4	3604.885	-53.64	-13	Pass
3649	3650	0.03	/	5	3649.960	-65.11	-13	Pass
3650	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	6	3700.210	-44.95	-13	Pass
3701	3730	1	CHP	7	3701.500	-42.72	-13	Pass
3730	3720	1	CHP	8	3710.395	-50.88	-25	Pass
3720	3730	1	CHP	9	3721.705	-49.63	-40	Pass

6.2.5 30k_SISO_60MHz_NTNV




n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3580.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3521.200	-49.30	-40	Pass
3530	3540	1	/	2	3536.800	-51.98	-25	Pass
3540	3549.02	1	/	3	3541.600	-46.95	-13	Pass
3549.02	3615.02	1	/	/	/	/	/	/
3615.02	3670.02	1	/	4	3666.400	-57.60	-13	Pass
3670.02	3720	1	/	5	3701.200	-57.01	-25	Pass
3720	3720	1	/	6	3719.200	-58.81	-25	Pass
3720	37000	1	/	7	35233.600	-48.61	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3580.02MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.940	-46.96	-40	Pass
3530	3540	1	CHP	2	3539.950	-49.40	-25	Pass
3540	3549.02	1	CHP	3	3546.250	-39.72	-13	Pass
3549.02	3550.02	0.68	/	4	3549.820	-41.81	-13	Pass
3550.02	3610.02	0.68	/	/	/	/	/	/
3610.02	3611.02	0.68	/	5	3610.090	-31.74	-13	Pass
3611.02	3670.02	1	CHP	6	3612.190	-38.16	-13	Pass
3670.02	3720	1	CHP	7	3672.250	-56.93	-25	Pass
3720	3720	1	CHP	8	3719.290	-59.04	-25	Pass
3720	3730	1	CHP	9	3720.130	-59.78	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_Pi/2_BPSK_3580.02MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.595	-48.46	-40	Pass
3530	3540	1	CHP	2	3539.995	-54.34	-25	Pass
3540	3549.02	1	CHP	3	3548.515	-43.24	-13	Pass
3549.02	3550.02	0.03	/	4	3549.985	-44.04	-13	Pass
3550.02	3610.02	0.03	/	/	/	/	/	/
3610.02	3611.02	0.03	/	5	3610.300	-71.50	-13	Pass
3611.02	3670.02	1	CHP	6	3665.935	-54.26	-13	Pass
3670.02	3720	1	CHP	7	3708.400	-58.39	-25	Pass
3720	3720	1	CHP	8	3713.725	-58.42	-25	Pass
3720	3730	1	CHP	9	3729.340	-57.93	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_Pi/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	913.050	-65.03	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3288.400	-48.55	-40	Pass
3530	3540	1	/	2	3536.800	-62.88	-25	Pass
3540	3593.99	1	/	3	3566.800	-50.86	-13	Pass
3593.99	3659.99	1	/	/	/	/	/	/
3659.99	3714.99	1	/	4	3688.000	-58.12	-13	Pass
3714.99	3720	1	/	5	3712.000	-55.93	-25	Pass
3720	37000	1	/	6	34640.800	-48.43	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3669.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.185	-55.71	-40	Pass
3530	3540	1	CHP	2	3537.280	-56.09	-25	Pass
3540	3579.99	1	CHP	3	3573.175	-55.82	-25	Pass
3579.99	3638.99	1	CHP	4	3583.045	-51.42	-13	Pass
3638.99	3639.99	0.03	/	5	3639.985	-69.74	-13	Pass
3639.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	6	3700.000	-30.36	-13	Pass
3700.99	3730	1	CHP	7	3701.500	-39.57	-13	Pass
3730	3720	1	CHP	8	3710.080	-50.67	-25	Pass
3720	3730	1	CHP	9	3727.600	-53.79	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3669.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	903.350	-63.44	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3669.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.600	-45.45	-40	Pass
3530	3540	1	/	2	3538.000	-60.38	-25	Pass
3540	3579.99	1	/	3	3571.600	-59.39	-25	Pass
3579.99	3638.99	1	/	4	3611.200	-54.66	-13	Pass
3638.99	3704.99	1	/	/	/	/	/	/
3704.99	3759.99	1	/	5	3707.200	-48.24	-13	Pass
3759.99	3720	1	/	6	3710.800	-50.87	-25	Pass
3720	37000	1	/	7	34898.800	-46.10	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3669.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.870	-59.38	-40	Pass
3530	3540	1	CHP	2	3537.430	-54.69	-25	Pass
3540	3579.99	1	CHP	3	3579.640	-53.09	-25	Pass
3579.99	3638.99	1	CHP	4	3637.810	-34.40	-13	Pass
3638.99	3639.99	0.68	/	5	3639.910	-30.73	-13	Pass
3639.99	3699.99	0.68	/	/	/	/	/	/
3699.99	3700.99	0.68	/	6	3700.180	-31.46	-13	Pass
3700.99	3730	1	CHP	7	3701.650	-36.25	-13	Pass
3730	3720	1	CHP	8	3713.410	-39.08	-25	Pass
3720	3730	1	CHP	9	3720.550	-40.30	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_PI/2_BPSK_3669.99MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.870	-56.14	-40	Pass
3530	3540	1	CHP	2	3537.910	-55.70	-25	Pass
3540	3579.99	1	CHP	3	3556.120	-55.63	-25	Pass
3579.99	3638.99	1	CHP	4	3584.140	-51.05	-13	Pass
3638.99	3639.99	0.03	/	5	3639.925	-69.01	-13	Pass
3639.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	6	3700.000	-42.14	-13	Pass
3700.99	3730	1	CHP	7	3701.500	-43.85	-13	Pass
3730	3720	1	CHP	8	3710.485	-50.73	-25	Pass
3720	3730	1	CHP	9	3727.090	-52.46	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3580.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.070	-45.20	-40	Pass
3530	3540	1	CHP	2	3535.045	-52.30	-25	Pass
3540	3549.02	1	CHP	3	3548.515	-38.88	-13	Pass
3549.02	3550.02	0.03	/	4	3549.970	-30.33	-13	Pass
3550.02	3610.02	0.03	/	/	/	/	/	/
3610.02	3611.02	0.03	/	5	3610.510	-68.49	-13	Pass
3611.02	3670.02	1	CHP	6	3666.955	-52.06	-13	Pass
3670.02	3720	1	CHP	7	3701.845	-56.65	-25	Pass
3720	3720	1	CHP	8	3714.760	-56.62	-25	Pass
3720	3730	1	CHP	9	3728.485	-56.16	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3580.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.700	-60.84	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3580.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3242.800	-49.56	-40	Pass
3530	3540	1	/	2	3539.200	-50.97	-25	Pass
3540	3549.02	1	/	3	3541.600	-48.89	-13	Pass
3549.02	3615.02	1	/	/	/	/	/	/
3615.02	3670.02	1	/	4	3666.400	-54.64	-13	Pass
3670.02	3720	1	/	5	3709.600	-57.10	-25	Pass
3720	3720	1	/	6	3719.200	-57.31	-25	Pass
3720	37000	1	/	7	36263.600	-46.87	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3580.02MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.630	-44.24	-40	Pass
3530	3540	1	CHP	2	3535.960	-43.27	-25	Pass
3540	3549.02	1	CHP	3	3548.350	-41.19	-13	Pass
3549.02	3550.02	0.68	/	4	3549.820	-39.01	-13	Pass
3550.02	3610.02	0.68	/	/	/	/	/	/
3610.02	3611.02	0.68	/	5	3610.090	-33.94	-13	Pass
3611.02	3670.02	1	CHP	6	3611.560	-39.72	-13	Pass
3670.02	3720	1	CHP	7	3670.150	-56.30	-25	Pass
3720	3720	1	CHP	8	3713.410	-60.01	-25	Pass
3720	3730	1	CHP	9	3721.390	-63.88	-40	Pass


n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3580.02MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3288.400	-48.88	-40	Pass
3530	3540	1	/	2	3538.000	-58.76	-25	Pass
3540	3593.99	1	/	3	3566.800	-48.25	-13	Pass
3593.99	3659.99	1	/	/	/	/	/	/
3659.99	3714.99	1	/	4	3707.200	-58.78	-13	Pass
3714.99	3720	1	/	5	3712.000	-56.25	-25	Pass
3720	37000	1	/	6	35701.600	-47.73	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3669.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.555	-56.00	-40	Pass
3530	3540	1	CHP	2	3532.840	-55.90	-25	Pass
3540	3579.99	1	CHP	3	3574.885	-55.56	-25	Pass
3579.99	3638.99	1	CHP	4	3583.030	-51.26	-13	Pass
3638.99	3639.99	0.03	/	5	3639.970	-69.16	-13	Pass
3639.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	6	3700.000	-30.07	-13	Pass
3700.99	3730	1	CHP	7	3701.500	-38.44	-13	Pass
3730	3720	1	CHP	8	3710.335	-52.31	-25	Pass
3720	3730	1	CHP	9	3727.900	-50.37	-40	Pass


n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3669.99MHz_Edge_1RB_Right_Ant1



n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3669.99MHz_Edge_1RB_Right_Ant1




n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3669.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.670	-59.59	-40	Pass
3530	3540	1	CHP	2	3535.960	-57.15	-25	Pass
3540	3579.99	1	CHP	3	3579.850	-54.29	-25	Pass
3579.99	3638.99	1	CHP	4	3638.650	-36.06	-13	Pass
3638.99	3639.99	0.68	/	5	3639.910	-31.54	-13	Pass
3639.99	3699.99	0.68	/	/	/	/	/	/
3699.99	3700.99	0.68	/	6	3700.180	-35.79	-13	Pass
3700.99	3730	1	CHP	7	3702.490	-39.52	-13	Pass
3730	3720	1	CHP	8	3710.680	-40.10	-25	Pass
3720	3730	1	CHP	9	3727.690	-42.70	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_QPSK_3669.99MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.665	-55.98	-40	Pass
3530	3540	1	CHP	2	3533.005	-55.85	-25	Pass
3540	3579.99	1	CHP	3	3541.750	-55.49	-25	Pass
3579.99	3638.99	1	CHP	4	3584.110	-50.21	-13	Pass
3638.99	3639.99	0.03	/	5	3639.370	-69.66	-13	Pass
3639.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	6	3700.060	-41.42	-13	Pass
3700.99	3730	1	CHP	7	3701.500	-40.85	-13	Pass
3730	3720	1	CHP	8	3710.560	-50.72	-25	Pass
3720	3730	1	CHP	9	3727.255	-51.06	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3580.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.175	-49.71	-40	Pass
3530	3540	1	CHP	2	3539.590	-51.90	-25	Pass
3540	3549.02	1	CHP	3	3548.515	-38.32	-13	Pass
3549.02	3550.02	0.03	/	4	3549.985	-28.21	-13	Pass
3550.02	3610.02	0.03	/	/	/	/	/	/
3610.02	3611.02	0.03	/	5	3610.225	-68.04	-13	Pass
3611.02	3670.02	1	CHP	6	3667.000	-53.33	-13	Pass
3670.02	3720	1	CHP	7	3696.115	-56.83	-25	Pass
3720	3720	1	CHP	8	3717.805	-56.48	-25	Pass
3720	3730	1	CHP	9	3729.445	-56.03	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3580.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.400	-63.12	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3580.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3521.200	-51.24	-40	Pass
3530	3540	1	/	2	3539.200	-53.60	-25	Pass
3540	3549.02	1	/	3	3541.600	-49.65	-13	Pass
3549.02	3615.02	1	/	/	/	/	/	/
3615.02	3670.02	1	/	4	3616.000	-56.86	-13	Pass
3670.02	3720	1	/	5	3679.600	-55.92	-25	Pass
3720	3720	1	/	6	3715.600	-56.87	-25	Pass
3720	37000	1	/	7	35867.200	-46.09	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3580.02MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.560	-42.46	-40	Pass
3530	3540	1	CHP	2	3534.910	-42.06	-25	Pass
3540	3549.02	1	CHP	3	3548.560	-37.62	-13	Pass
3549.02	3550.02	0.68	/	4	3549.610	-38.57	-13	Pass
3550.02	3610.02	0.68	/	/	/	/	/	/
3610.02	3611.02	0.68	/	5	3610.090	-33.14	-13	Pass
3611.02	3670.02	1	CHP	6	3621.640	-38.67	-13	Pass
3670.02	3720	1	CHP	7	3672.460	-46.92	-25	Pass
3720	3720	1	CHP	8	3710.470	-53.12	-25	Pass
3720	3730	1	CHP	9	3720.340	-53.64	-40	Pass


n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3580.02MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3288.400	-49.57	-40	Pass
3530	3540	1	/	2	3539.200	-60.30	-25	Pass
3540	3593.99	1	/	3	3566.800	-44.93	-13	Pass
3593.99	3659.99	1	/	/	/	/	/	/
3659.99	3714.99	1	/	4	3684.400	-56.24	-13	Pass
3714.99	3720	1	/	5	3712.000	-55.05	-25	Pass
3720	37000	1	/	6	35818.000	-45.98	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3669.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.615	-56.05	-40	Pass
3530	3540	1	CHP	2	3533.155	-55.92	-25	Pass
3540	3579.99	1	CHP	3	3560.500	-55.84	-25	Pass
3579.99	3638.99	1	CHP	4	3583.060	-52.49	-13	Pass
3638.99	3639.99	0.03	/	5	3639.340	-69.88	-13	Pass
3639.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	6	3700.000	-29.22	-13	Pass
3700.99	3730	1	CHP	7	3701.500	-38.94	-13	Pass
3730	3720	1	CHP	8	3711.190	-51.96	-25	Pass
3720	3730	1	CHP	9	3727.900	-52.00	-40	Pass


n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3669.99MHz_Edge_1RB_Right_Ant1



n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3669.99MHz_Edge_1RB_Right_Ant1




n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3669.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.450	-54.02	-40	Pass
3530	3540	1	CHP	2	3538.480	-54.24	-25	Pass
3540	3579.99	1	CHP	3	3569.560	-49.64	-25	Pass
3579.99	3638.99	1	CHP	4	3637.810	-36.63	-13	Pass
3638.99	3639.99	0.62	/	5	3639.910	-34.26	-13	Pass
3639.99	3699.99	0.62	/	/	/	/	/	/
3699.99	3700.99	0.62	/	6	3700.180	-33.77	-13	Pass
3700.99	3730	1	CHP	7	3707.950	-37.46	-13	Pass
3730	3720	1	CHP	8	3711.100	-39.29	-25	Pass
3720	3730	1	CHP	9	3720.130	-41.08	-40	Pass

n78d_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3669.99MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.340	-55.22	-40	Pass
3530	3540	1	CHP	2	3537.775	-55.50	-25	Pass
3540	3579.99	1	CHP	3	3561.940	-55.12	-25	Pass
3579.99	3638.99	1	CHP	4	3584.050	-52.16	-13	Pass
3638.99	3639.99	0.03	/	5	3639.925	-66.30	-13	Pass
3639.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	6	3700.030	-38.60	-13	Pass
3700.99	3730	1	CHP	7	3701.500	-40.12	-13	Pass
3730	3720	1	CHP	8	3710.095	-50.96	-25	Pass
3720	3730	1	CHP	9	3727.210	-47.70	-40	Pass

6.2.6 30k_SISO_70MHz_NTNV




n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3585MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3244.000	-52.19	-40	Pass
3530	3540	1	/	2	3538.000	-52.59	-25	Pass
3540	3549	1	/	3	3542.800	-50.98	-13	Pass
3549	3625	1	/	/	/	/	/	/
3625	3690	1	/	4	3689.200	-56.25	-13	Pass
3690	3720	1	/	5	3707.200	-56.21	-25	Pass
3720	3720	1	/	6	3714.400	-57.53	-25	Pass
3720	37000	1	/	7	36329.200	-46.66	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3585MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.000	-42.09	-40	Pass
3530	3540	1	CHP	2	3539.950	-43.45	-25	Pass
3540	3549	1	CHP	3	3548.980	-40.18	-13	Pass
3549	3550	0.75	/	4	3549.820	-37.23	-13	Pass
3550	3620	0.75	/	/	/	/	/	/
3620	3621	0.75	/	5	3620.170	-40.27	-13	Pass
3621	3690	1	CHP	6	3647.050	-39.34	-13	Pass
3690	3720	1	CHP	7	3703.120	-57.09	-25	Pass
3720	3720	1	CHP	8	3711.520	-60.05	-25	Pass
3720	3730	1	CHP	9	3724.120	-62.54	-40	Pass


n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3585MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3283.600	-47.20	-40	Pass
3530	3540	1	/	2	3538.000	-60.11	-25	Pass
3540	3588.99	1	/	3	3581.200	-47.50	-13	Pass
3588.99	3664.99	1	/	/	/	/	/	/
3664.99	3729.99	1	/	4	3670.000	-54.97	-13	Pass
3729.99	3720	1	/	5	3719.200	-56.19	-25	Pass
3720	37000	1	/	6	36659.200	-47.07	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM PI/2 BPSK_3664.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.670	-57.63	-40	Pass
3530	3540	1	CHP	2	3537.025	-57.80	-25	Pass
3540	3559.98	1	CHP	3	3545.455	-57.24	-25	Pass
3559.98	3628.98	1	CHP	4	3563.410	-53.11	-13	Pass
3628.98	3629.98	0.03	/	5	3629.185	-69.82	-13	Pass
3629.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	6	3700.090	-39.52	-13	Pass
3700.98	3730	1	CHP	7	3701.485	-42.89	-13	Pass
3730	3720	1	CHP	8	3711.100	-53.31	-25	Pass
3720	3730	1	CHP	9	3725.170	-56.23	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3664.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	849.850	-64.44	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3664.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3390.400	-52.22	-40	Pass
3530	3540	1	/	2	3530.800	-63.35	-25	Pass
3540	3559.98	1	/	3	3552.400	-61.59	-25	Pass
3559.98	3628.98	1	/	4	3563.200	-55.71	-13	Pass
3628.98	3704.98	1	/	/	/	/	/	/
3704.98	3769.98	1	/	5	3707.200	-48.02	-13	Pass
3769.98	3720	1	/	6	3712.000	-52.75	-25	Pass
3720	37000	1	/	7	35786.800	-47.43	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3664.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.670	-55.27	-40	Pass
3530	3540	1	CHP	2	3537.850	-54.03	-25	Pass
3540	3550.98	1	CHP	3	3558.430	-48.49	-25	Pass
3550.98	3628.98	1	CHP	4	3601.270	-37.72	-13	Pass
3628.98	3629.98	0.75	/	5	3629.410	-36.08	-13	Pass
3629.98	3699.98	0.75	/	/	/	/	/	/
3699.98	3700.98	0.75	/	6	3700.810	-41.20	-13	Pass
3700.98	3730	1	CHP	7	3701.440	-40.62	-13	Pass
3730	3720	1	CHP	8	3719.080	-44.92	-25	Pass
3720	3730	1	CHP	9	3726.430	-40.60	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_PI/2_BPSK_3664.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.785	-55.83	-40	Pass
3530	3540	1	CHP	2	3538.825	-55.98	-25	Pass
3540	3550.98	1	CHP	3	3551.665	-55.70	-25	Pass
3550.98	3628.98	1	CHP	4	3564.565	-52.93	-13	Pass
3628.98	3629.98	0.03	/	5	3629.140	-69.40	-13	Pass
3629.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	6	3700.270	-47.08	-13	Pass
3700.98	3730	1	CHP	7	3701.485	-41.00	-13	Pass
3730	3720	1	CHP	8	3710.245	-51.19	-25	Pass
3720	3730	1	CHP	9	3720.100	-54.99	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3585MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.570	-54.31	-40	Pass
3530	3540	1	CHP	2	3538.165	-51.80	-25	Pass
3540	3549	1	CHP	3	3548.500	-38.43	-13	Pass
3549	3550	0.03	/	4	3549.955	-34.13	-13	Pass
3550	3620	0.03	/	/	/	/	/	/
3620	3621	0.03	/	5	3620.575	-68.70	-13	Pass
3621	3690	1	CHP	6	3686.605	-53.08	-13	Pass
3690	3720	1	CHP	7	3703.240	-56.69	-25	Pass
3720	3720	1	CHP	8	3713.380	-56.61	-25	Pass
3720	3730	1	CHP	9	3722.410	-56.23	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3585MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.500	-62.92	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3585MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3244.000	-50.49	-40	Pass
3530	3540	1	/	2	3536.800	-50.39	-25	Pass
3540	3549	1	/	3	3541.600	-45.67	-13	Pass
3549	3625	1	/	/	/	/	/	/
3625	3690	1	/	4	3635.200	-56.85	-13	Pass
3690	3720	1	/	5	3709.600	-56.57	-25	Pass
3720	3720	1	/	6	3715.600	-57.31	-25	Pass
3720	37000	1	/	7	35381.200	-46.52	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3585MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.560	-43.12	-40	Pass
3530	3540	1	CHP	2	3534.280	-44.53	-25	Pass
3540	3549	1	CHP	3	3545.830	-43.12	-13	Pass
3549	3550	0.75	/	4	3549.820	-40.28	-13	Pass
3550	3620	0.75	/	/	/	/	/	/
3620	3621	0.75	/	5	3620.590	-36.73	-13	Pass
3621	3690	1	CHP	6	3623.740	-38.77	-13	Pass
3690	3720	1	CHP	7	3691.360	-52.54	-25	Pass
3720	3720	1	CHP	8	3711.520	-54.75	-25	Pass
3720	3730	1	CHP	9	3722.230	-55.24	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3585MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.945	-55.56	-40	Pass
3530	3540	1	CHP	2	3538.585	-53.46	-25	Pass
3540	3549	1	CHP	3	3548.500	-43.13	-13	Pass
3549	3550	0.03	/	4	3549.985	-46.01	-13	Pass
3550	3620	0.03	/	/	/	/	/	/
3620	3621	0.03	/	5	3620.455	-72.03	-13	Pass
3621	3690	1	CHP	6	3685.345	-54.91	-13	Pass
3690	3720	1	CHP	7	3707.395	-57.82	-25	Pass
3720	3720	1	CHP	8	3719.560	-58.13	-25	Pass
3720	3730	1	CHP	9	3720.040	-58.19	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	836.600	-63.25	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3283.600	-46.85	-40	Pass
3530	3540	1	/	2	3536.800	-61.01	-25	Pass
3540	3588.99	1	/	3	3581.200	-48.63	-13	Pass
3588.99	3664.99	1	/	/	/	/	/	/
3664.99	3729.99	1	/	4	3678.400	-56.80	-13	Pass
3729.99	3720	1	/	5	3715.600	-56.35	-25	Pass
3720	37000	1	/	6	35780.800	-46.68	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3664.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.585	-56.10	-40	Pass
3530	3540	1	CHP	2	3539.620	-55.91	-25	Pass
3540	3559.98	1	CHP	3	3540.325	-55.91	-25	Pass
3559.98	3628.98	1	CHP	4	3563.575	-52.24	-13	Pass
3628.98	3629.98	0.03	/	5	3629.170	-70.23	-13	Pass
3629.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	6	3700.015	-33.80	-13	Pass
3700.98	3730	1	CHP	7	3701.485	-40.04	-13	Pass
3730	3720	1	CHP	8	3710.830	-52.40	-25	Pass
3720	3730	1	CHP	9	3720.010	-54.94	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3664.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	886.550	-63.48	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3664.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.600	-47.44	-40	Pass
3530	3540	1	/	2	3533.200	-59.18	-25	Pass
3540	3559.98	1	/	3	3552.400	-60.16	-25	Pass
3559.98	3628.98	1	/	4	3563.200	-54.87	-13	Pass
3628.98	3704.98	1	/	/	/	/	/	/
3704.98	3769.98	1	/	5	3707.200	-47.45	-13	Pass
3769.98	3720	1	/	6	3710.800	-52.14	-25	Pass
3720	37000	1	/	7	35815.600	-46.48	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3664.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.050	-54.35	-40	Pass
3530	3540	1	CHP	2	3538.690	-53.66	-25	Pass
3540	3550.98	1	CHP	3	3558.220	-50.72	-25	Pass
3550.98	3628.98	1	CHP	4	3624.160	-37.25	-13	Pass
3628.98	3629.98	0.75	/	5	3629.830	-37.12	-13	Pass
3629.98	3699.98	0.75	/	/	/	/	/	/
3699.98	3700.98	0.75	/	6	3700.810	-42.14	-13	Pass
3700.98	3730	1	CHP	7	3702.280	-41.35	-13	Pass
3730	3720	1	CHP	8	3710.890	-42.64	-25	Pass
3720	3730	1	CHP	9	3722.230	-43.04	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_QPSK_3664.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.280	-55.83	-40	Pass
3530	3540	1	CHP	2	3538.810	-55.82	-25	Pass
3540	3550.98	1	CHP	3	3556.045	-55.87	-25	Pass
3550.98	3628.98	1	CHP	4	3564.685	-53.22	-13	Pass
3628.98	3629.98	0.03	/	5	3629.890	-69.50	-13	Pass
3629.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	6	3700.120	-45.28	-13	Pass
3700.98	3730	1	CHP	7	3701.485	-40.57	-13	Pass
3730	3720	1	CHP	8	3710.035	-50.94	-25	Pass
3720	3730	1	CHP	9	3720.010	-54.52	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3585MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.990	-54.51	-40	Pass
3530	3540	1	CHP	2	3536.785	-53.21	-25	Pass
3540	3549	1	CHP	3	3548.500	-40.34	-13	Pass
3549	3550	0.03	/	4	3549.970	-32.57	-13	Pass
3550	3620	0.03	/	/	/	/	/	/
3620	3621	0.03	/	5	3620.140	-68.66	-13	Pass
3621	3690	1	CHP	6	3686.815	-54.93	-13	Pass
3690	3720	1	CHP	7	3709.930	-56.69	-25	Pass
3720	3720	1	CHP	8	3716.725	-56.43	-25	Pass
3720	3730	1	CHP	9	3727.405	-56.41	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3585MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.550	-62.32	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3585MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3244.000	-48.95	-40	Pass
3530	3540	1	/	2	3539.200	-51.94	-25	Pass
3540	3549	1	/	3	3544.000	-47.24	-13	Pass
3549	3625	1	/	/	/	/	/	/
3625	3690	1	/	4	3638.800	-56.73	-13	Pass
3690	3720	1	/	5	3698.800	-56.32	-25	Pass
3720	3720	1	/	6	3715.600	-57.34	-25	Pass
3720	37000	1	/	7	35842.000	-46.55	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3585MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.420	-41.00	-40	Pass
3530	3540	1	CHP	2	3537.640	-39.96	-25	Pass
3540	3549	1	CHP	3	3548.350	-41.34	-13	Pass
3549	3550	0.75	/	4	3549.820	-39.53	-13	Pass
3550	3620	0.75	/	/	/	/	/	/
3620	3621	0.75	/	5	3620.170	-33.32	-13	Pass
3621	3690	1	CHP	6	3621.010	-34.07	-13	Pass
3690	3720	1	CHP	7	3692.200	-47.20	-25	Pass
3720	3720	1	CHP	8	3712.570	-50.81	-25	Pass
3720	3730	1	CHP	9	3722.860	-53.91	-40	Pass


n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3585MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3283.600	-47.29	-40	Pass
3530	3540	1	/	2	3536.800	-57.55	-25	Pass
3540	3588.99	1	/	3	3582.400	-48.06	-13	Pass
3588.99	3664.99	1	/	/	/	/	/	/
3664.99	3729.99	1	/	4	3695.200	-57.26	-13	Pass
3729.99	3720	1	/	5	3710.800	-55.44	-25	Pass
3720	37000	1	/	6	34652.800	-45.83	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3664.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.990	-55.85	-40	Pass
3530	3540	1	CHP	2	3538.885	-55.95	-25	Pass
3540	3559.98	1	CHP	3	3558.775	-55.64	-25	Pass
3559.98	3628.98	1	CHP	4	3563.380	-53.93	-13	Pass
3628.98	3629.98	0.03	/	5	3629.545	-69.29	-13	Pass
3629.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	6	3699.985	-35.08	-13	Pass
3700.98	3730	1	CHP	7	3701.485	-40.97	-13	Pass
3730	3720	1	CHP	8	3710.020	-51.61	-25	Pass
3720	3730	1	CHP	9	3720.655	-54.27	-40	Pass


n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3664.98MHz_Edge_1RB_Right_Ant1



n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3664.98MHz_Edge_1RB_Right_Ant1




n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3664.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.720	-58.18	-40	Pass
3530	3540	1	CHP	2	3534.910	-58.09	-25	Pass
3540	3559.98	1	CHP	3	3549.610	-53.78	-25	Pass
3559.98	3628.98	1	CHP	4	3627.100	-38.48	-13	Pass
3628.98	3629.98	0.75	/	5	3629.620	-37.29	-13	Pass
3629.98	3699.98	0.75	/	/	/	/	/	/
3699.98	3700.98	0.75	/	6	3700.180	-38.30	-13	Pass
3700.98	3730	1	CHP	7	3701.020	-36.77	-13	Pass
3730	3720	1	CHP	8	3715.510	-41.12	-25	Pass
3720	3730	1	CHP	9	3722.440	-42.08	-40	Pass

n78d_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3664.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.435	-56.04	-40	Pass
3530	3540	1	CHP	2	3534.955	-55.90	-25	Pass
3540	3559.98	1	CHP	3	3559.630	-55.85	-25	Pass
3559.98	3628.98	1	CHP	4	3564.610	-51.43	-13	Pass
3628.98	3629.98	0.03	/	5	3629.350	-69.17	-13	Pass
3629.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	6	3699.985	-45.74	-13	Pass
3700.98	3730	1	CHP	7	3701.485	-41.36	-13	Pass
3730	3720	1	CHP	8	3710.635	-50.56	-25	Pass
3720	3730	1	CHP	9	3726.430	-54.17	-40	Pass

6.2.7 30k_SISO_80MHz_NTNV




n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3590.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3511.600	-48.75	-40	Pass
3530	3540	1	/	2	3535.600	-50.42	-25	Pass
3540	3549.01	1	/	3	3541.600	-45.98	-13	Pass
3549.01	3635.01	1	/	/	/	/	/	/
3635.01	3710.01	1	/	4	3706.000	-56.14	-13	Pass
3710.01	3720	1	/	5	3715.600	-57.06	-25	Pass
3720	37000	1	/	6	35824.000	-46.77	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3590.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.410	-44.51	-40	Pass
3530	3540	1	CHP	2	3535.120	-44.95	-25	Pass
3540	3549.01	1	CHP	3	3544.570	-44.05	-13	Pass
3549.01	3550.01	0.91	/	4	3549.820	-33.04	-13	Pass
3550.01	3630.01	0.91	/	/	/	/	/	/
3630.01	3631.01	0.91	/	5	3630.670	-39.03	-13	Pass
3631.01	3710.01	1	CHP	6	3631.090	-39.71	-13	Pass
3710.01	3720	1	CHP	7	3712.150	-58.87	-25	Pass
3720	3730	1	CHP	8	3730.000	-57.88	-40	Pass


n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3590.01MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3278.800	-51.14	-40	Pass
3530	3540	1	/	2	3538.000	-59.56	-25	Pass
3540	3583.99	1	/	3	3576.400	-47.46	-13	Pass
3583.99	3669.99	1	/	/	/	/	/	/
3669.99	3744.99	1	/	4	3685.600	-57.65	-13	Pass
3744.99	3720	1	/	5	3714.400	-58.41	-25	Pass
3720	37000	1	/	6	35804.800	-47.41	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3660MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.495	-56.16	-40	Pass
3530	3540	1	CHP	2	3539.290	-55.95	-25	Pass
3540	3619	1	CHP	3	3543.370	-51.21	-13	Pass
3619	3620	0.03	/	4	3619.915	-70.47	-13	Pass
3620	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.015	-31.40	-13	Pass
3701	3730	1	CHP	6	3701.500	-40.04	-13	Pass
3730	3720	1	CHP	7	3711.385	-50.49	-25	Pass
3720	3730	1	CHP	8	3722.245	-54.60	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3660MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	794.700	-63.15	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_PI/2_BPSK_3660MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.600	-48.98	-40	Pass
3530	3540	1	/	2	3530.800	-61.69	-25	Pass
3540	3619	1	/	3	3542.800	-55.67	-13	Pass
3619	3705	1	/	/	/	/	/	/
3705	3780	1	/	4	3707.200	-46.09	-13	Pass
3780	3720	1	/	5	3710.800	-47.69	-25	Pass
3720	37000	1	/	6	35724.400	-47.03	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3660MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.260	-54.58	-40	Pass
3530	3540	1	CHP	2	3538.690	-56.54	-25	Pass
3540	3619	1	CHP	3	3618.700	-38.15	-13	Pass
3619	3620	0.91	/	4	3619.960	-28.02	-13	Pass
3620	3700	0.91	/	/	/	/	/	/
3700	3701	0.91	/	5	3700.180	-36.62	-13	Pass
3701	3730	1	CHP	6	3701.020	-36.72	-13	Pass
3730	3720	1	CHP	7	3717.820	-38.46	-25	Pass
3720	3730	1	CHP	8	3724.120	-40.76	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM PI/2 BPSK_3660MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.765	-55.86	-40	Pass
3530	3540	1	CHP	2	3538.585	-56.12	-25	Pass
3540	3619	1	CHP	3	3544.555	-51.13	-13	Pass
3619	3620	0.03	/	4	3619.135	-69.62	-13	Pass
3620	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.015	-45.90	-13	Pass
3701	3730	1	CHP	6	3701.500	-44.43	-13	Pass
3730	3720	1	CHP	7	3710.620	-50.16	-25	Pass
3720	3730	1	CHP	8	3722.065	-54.94	-40	Pass


n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3590.01MHz_Edge_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3590.01MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3590.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3511.600	-47.64	-40	Pass
3530	3540	1	/	2	3538.000	-51.92	-25	Pass
3540	3549.01	1	/	3	3544.000	-47.16	-13	Pass
3549.01	3635.01	1	/	/	/	/	/	/
3635.01	3710.01	1	/	4	3706.000	-52.76	-13	Pass
3710.01	3720	1	/	5	3710.800	-57.67	-25	Pass
3720	37000	1	/	6	34614.400	-46.37	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3590.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.510	-43.98	-40	Pass
3530	3540	1	CHP	2	3538.900	-42.47	-25	Pass
3540	3549.01	1	CHP	3	3545.620	-42.68	-13	Pass
3549.01	3550.01	0.91	/	4	3549.820	-34.90	-13	Pass
3550.01	3630.01	0.91	/	/	/	/	/	/
3630.01	3631.01	0.91	/	5	3630.040	-37.22	-13	Pass
3631.01	3710.01	1	CHP	6	3631.510	-39.26	-13	Pass
3710.01	3720	1	CHP	7	3714.670	-57.82	-25	Pass
3720	3730	1	CHP	8	3727.060	-55.47	-40	Pass


n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3590.01MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3278.800	-48.88	-40	Pass
3530	3540	1	/	2	3533.200	-61.64	-25	Pass
3540	3583.99	1	/	3	3576.400	-49.18	-13	Pass
3583.99	3669.99	1	/	/	/	/	/	/
3669.99	3744.99	1	/	4	3686.800	-57.67	-13	Pass
3744.99	3720	1	/	5	3715.600	-58.65	-25	Pass
3720	37000	1	/	6	35812.000	-47.90	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3660MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.725	-56.25	-40	Pass
3530	3540	1	CHP	2	3534.700	-55.97	-25	Pass
3540	3619	1	CHP	3	3543.325	-50.27	-13	Pass
3619	3620	0.03	/	4	3619.825	-68.42	-13	Pass
3620	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.015	-33.19	-13	Pass
3701	3730	1	CHP	6	3701.500	-39.53	-13	Pass
3730	3720	1	CHP	7	3711.355	-51.49	-25	Pass
3720	3730	1	CHP	8	3725.800	-55.07	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3660MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	787.900	-63.02	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3660MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.600	-43.12	-40	Pass
3530	3540	1	/	2	3536.800	-60.97	-25	Pass
3540	3619	1	/	3	3542.800	-53.30	-13	Pass
3619	3705	1	/	/	/	/	/	/
3705	3780	1	/	4	3708.400	-53.21	-13	Pass
3780	3720	1	/	5	3712.000	-53.89	-25	Pass
3720	37000	1	/	6	35804.800	-47.14	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3660MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.820	-53.94	-40	Pass
3530	3540	1	CHP	2	3536.590	-53.71	-25	Pass
3540	3619	1	CHP	3	3618.700	-39.70	-13	Pass
3619	3620	0.91	/	4	3619.960	-27.23	-13	Pass
3620	3700	0.91	/	/	/	/	/	/
3700	3701	0.91	/	5	3700.180	-38.76	-13	Pass
3701	3730	1	CHP	6	3701.440	-39.49	-13	Pass
3730	3720	1	CHP	7	3716.980	-40.16	-25	Pass
3720	3730	1	CHP	8	3724.960	-41.84	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_DFT-s-OFDM_QPSK_3660MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.900	-57.82	-40	Pass
3530	3540	1	CHP	2	3533.170	-57.64	-25	Pass
3540	3619	1	CHP	3	3544.510	-53.16	-13	Pass
3619	3620	0.03	/	4	3619.765	-71.18	-13	Pass
3620	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.015	-44.78	-13	Pass
3701	3730	1	CHP	6	3701.500	-42.28	-13	Pass
3730	3720	1	CHP	7	3710.920	-52.28	-25	Pass
3720	3730	1	CHP	8	3726.445	-56.52	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM_QPSK_3590.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.390	-56.49	-40	Pass
3530	3540	1	CHP	2	3539.740	-54.25	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-41.50	-13	Pass
3549.01	3550.01	0.03	/	4	3550.000	-32.53	-13	Pass
3550.01	3630.01	0.03	/	/	/	/	/	/
3630.01	3631.01	0.03	/	5	3630.145	-71.56	-13	Pass
3631.01	3710.01	1	CHP	6	3706.795	-55.62	-13	Pass
3710.01	3720	1	CHP	7	3713.905	-58.35	-25	Pass
3720	3730	1	CHP	8	3727.255	-58.21	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM_QPSK_3590.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.800	-64.51	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM_QPSK_3590.01MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3511.600	-53.83	-40	Pass
3530	3540	1	/	2	3538.000	-52.81	-25	Pass
3540	3549.01	1	/	3	3541.600	-51.00	-13	Pass
3549.01	3635.01	1	/	/	/	/	/	/
3635.01	3710.01	1	/	4	3685.600	-57.15	-13	Pass
3710.01	3720	1	/	5	3715.600	-58.18	-25	Pass
3720	37000	1	/	6	35822.800	-48.92	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM_QPSK_3590.01MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.420	-40.45	-40	Pass
3530	3540	1	CHP	2	3534.070	-41.26	-25	Pass
3540	3549.01	1	CHP	3	3548.980	-41.10	-13	Pass
3549.01	3550.01	0.91	/	4	3549.820	-33.62	-13	Pass
3550.01	3630.01	0.91	/	/	/	/	/	/
3630.01	3631.01	0.91	/	5	3630.040	-26.51	-13	Pass
3631.01	3710.01	1	CHP	6	3635.290	-38.61	-13	Pass
3710.01	3720	1	CHP	7	3715.090	-53.25	-25	Pass
3720	3730	1	CHP	8	3720.130	-55.19	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM_QPSK_3590.01MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.060	-54.68	-40	Pass
3530	3540	1	CHP	2	3539.980	-52.18	-25	Pass
3540	3549.01	1	CHP	3	3548.500	-41.39	-13	Pass
3549.01	3550.01	0.03	/	4	3549.970	-40.80	-13	Pass
3550.01	3630.01	0.03	/	/	/	/	/	/
3630.01	3631.01	0.03	/	5	3630.040	-66.69	-13	Pass
3631.01	3710.01	1	CHP	6	3705.655	-52.75	-13	Pass
3710.01	3720	1	CHP	7	3710.785	-56.42	-25	Pass
3720	3730	1	CHP	8	3724.795	-56.37	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	935.900	-63.65	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3278.800	-47.77	-40	Pass
3530	3540	1	/	2	3539.200	-58.28	-25	Pass
3540	3583.99	1	/	3	3576.400	-45.57	-13	Pass
3583.99	3669.99	1	/	/	/	/	/	/
3669.99	3744.99	1	/	4	3703.600	-56.43	-13	Pass
3744.99	3720	1	/	5	3713.200	-56.79	-25	Pass
3720	37000	1	/	6	35766.400	-46.43	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM_QPSK_3660MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.180	-56.00	-40	Pass
3530	3540	1	CHP	2	3536.095	-55.88	-25	Pass
3540	3619	1	CHP	3	3543.415	-52.63	-13	Pass
3619	3620	0.03	/	4	3619.135	-69.75	-13	Pass
3620	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.015	-34.42	-13	Pass
3701	3730	1	CHP	6	3701.500	-42.58	-13	Pass
3730	3720	1	CHP	7	3711.340	-51.95	-25	Pass
3720	3730	1	CHP	8	3728.170	-55.25	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM_QPSK_3660MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	833.500	-63.40	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM_QPSK_3660MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.600	-49.01	-40	Pass
3530	3540	1	/	2	3533.200	-61.35	-25	Pass
3540	3619	1	/	3	3608.800	-56.85	-13	Pass
3619	3705	1	/	/	/	/	/	/
3705	3780	1	/	4	3707.200	-48.35	-13	Pass
3780	3720	1	/	5	3715.600	-53.30	-25	Pass
3720	37000	1	/	6	34690.000	-46.50	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM QPSK_3660MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3522.940	-53.87	-40	Pass
3530	3540	1	CHP	2	3537.640	-53.92	-25	Pass
3540	3619	1	CHP	3	3618.910	-40.60	-13	Pass
3619	3620	0.91	/	4	3619.960	-28.21	-13	Pass
3620	3700	0.91	/	/	/	/	/	/
3700	3701	0.91	/	5	3700.180	-30.56	-13	Pass
3701	3730	1	CHP	6	3701.440	-41.82	-13	Pass
3730	3720	1	CHP	7	3711.730	-41.72	-25	Pass
3720	3730	1	CHP	8	3729.580	-41.92	-40	Pass

n78d_30kHz_SISO_NTNV_80MHz_CP-OFDM QPSK_3660MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.555	-56.23	-40	Pass
3530	3540	1	CHP	2	3531.670	-55.62	-25	Pass
3540	3619	1	CHP	3	3544.525	-50.66	-13	Pass
3619	3620	0.03	/	4	3619.855	-64.90	-13	Pass
3620	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.015	-43.48	-13	Pass
3701	3730	1	CHP	6	3701.500	-42.28	-13	Pass
3730	3720	1	CHP	7	3710.215	-51.34	-25	Pass
3720	3730	1	CHP	8	3720.010	-54.77	-40	Pass

6.2.8 30k_SISO_90MHz_NTNV




n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_PI/2_BPSK_3595.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3506.800	-48.37	-40	Pass
3530	3540	1	/	2	3539.200	-51.16	-25	Pass
3540	3549.02	1	/	3	3541.600	-49.19	-13	Pass
3549.02	3645.02	1	/	/	/	/	/	/
3645.02	3730.02	1	/	4	3682.000	-56.49	-13	Pass
3730.02	3720	1	/	5	3718.000	-55.82	-25	Pass
3720	37000	1	/	6	35645.200	-47.22	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_PI/2_BPSK_3595.02MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3520.630	-43.73	-40	Pass
3530	3540	1	/	2	3539.530	-42.93	-25	Pass
3540	3549.02	1	/	3	3545.410	-39.70	-13	Pass
3549.02	3550.02	1	/	4	3549.820	-30.30	-13	Pass
3550.02	3640.02	1	/	/	/	/	/	/
3640.02	3641.02	1	/	5	3640.330	-37.80	-13	Pass
3641.02	3730	1	/	6	3674.980	-37.55	-13	Pass
3730	3720	1	/	7	3711.940	-44.32	-25	Pass
3720	3730	1	/	8	3720.130	-49.60	-40	Pass


n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM PI/2 BPSK 3595.02MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM PI/2 BPSK 3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3272.800	-49.56	-40	Pass
3530	3540	1	/	2	3536.800	-50.80	-25	Pass
3540	3578.99	1	/	3	3571.600	-48.40	-13	Pass
3578.99	3674.99	1	/	/	/	/	/	/
3674.99	3759.99	1	/	4	3703.600	-57.64	-13	Pass
3759.99	3720	1	/	5	3714.400	-58.12	-25	Pass
3720	37000	1	/	6	35768.800	-48.68	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM PI/2 BPSK_3654.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.315	-51.07	-40	Pass
3530	3540	1	CHP	2	3531.580	-55.92	-25	Pass
3540	3608.99	1	CHP	3	3567.280	-55.59	-13	Pass
3608.99	3609.99	0.03	/	4	3609.205	-70.68	-13	Pass
3609.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	5	3700.060	-31.21	-13	Pass
3700.99	3730	1	CHP	6	3701.500	-40.16	-13	Pass
3730	3720	1	CHP	7	3711.235	-50.08	-25	Pass
3720	3730	1	CHP	8	3721.780	-55.20	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_PI/2_BPSK_3654.99MHz_Edge_1RB_Right_Ant1




n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_PI/2_BPSK_3654.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.600	-44.73	-40	Pass
3530	3540	1	/	2	3539.200	-60.06	-25	Pass
3540	3608.99	1	/	3	3575.200	-57.14	-13	Pass
3608.99	3704.99	1	/	/	/	/	/	/
3704.99	3789.99	1	/	4	3707.200	-46.65	-13	Pass
3789.99	3720	1	/	5	3710.800	-52.59	-25	Pass
3720	37000	1	/	6	35761.600	-47.14	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_PI/2_BPSK_3654.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3528.400	-52.14	-40	Pass
3530	3540	1	/	2	3537.640	-48.45	-25	Pass
3540	3608.99	1	/	3	3607.570	-39.81	-13	Pass
3608.99	3609.99	1	/	4	3609.880	-28.31	-13	Pass
3609.99	3699.99	1	/	/	/	/	/	/
3699.99	3700.99	1	/	5	3700.180	-39.69	-13	Pass
3700.99	3730	1	/	6	3702.070	-38.41	-13	Pass
3730	3720	1	/	7	3716.770	-42.14	-25	Pass
3720	3730	1	/	8	3728.740	-42.58	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_PI/2_BPSK_3654.99MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.425	-53.90	-40	Pass
3530	3540	1	CHP	2	3531.445	-57.93	-25	Pass
3540	3608.99	1	CHP	3	3567.700	-57.21	-13	Pass
3608.99	3609.99	0.03	/	4	3609.490	-69.79	-13	Pass
3609.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	5	3700.000	-46.81	-13	Pass
3700.99	3730	1	CHP	6	3701.500	-43.91	-13	Pass
3730	3720	1	CHP	7	3710.485	-52.94	-25	Pass
3720	3730	1	CHP	8	3722.980	-56.70	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3595.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.930	-53.58	-40	Pass
3530	3540	1	CHP	2	3539.320	-51.16	-25	Pass
3540	3549.02	1	CHP	3	3548.515	-38.54	-13	Pass
3549.02	3550.02	0.03	/	4	3550.015	-30.13	-13	Pass
3550.02	3640.02	0.03	/	/	/	/	/	/
3640.02	3641.02	0.03	/	5	3640.330	-67.56	-13	Pass
3641.02	3730	1	CHP	6	3682.690	-53.85	-13	Pass
3730	3720	1	CHP	7	3717.460	-55.99	-25	Pass
3720	3730	1	CHP	8	3726.670	-52.52	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3595.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	990.100	-61.84	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3595.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3506.800	-50.10	-40	Pass
3530	3540	1	/	2	3536.800	-50.67	-25	Pass
3540	3549.02	1	/	3	3541.600	-45.87	-13	Pass
3549.02	3645.02	1	/	/	/	/	/	/
3645.02	3730.02	1	/	4	3682.000	-55.00	-13	Pass
3730.02	3720	1	/	5	3712.000	-56.23	-25	Pass
3720	37000	1	/	6	36176.800	-46.28	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3595.02MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3522.730	-43.44	-40	Pass
3530	3540	1	/	2	3531.760	-44.12	-25	Pass
3540	3549.02	1	/	3	3547.090	-41.31	-13	Pass
3549.02	3550.02	1	/	4	3549.820	-35.45	-13	Pass
3550.02	3640.02	1	/	/	/	/	/	/
3640.02	3641.02	1	/	5	3640.330	-39.33	-13	Pass
3641.02	3730	1	/	6	3654.190	-36.24	-13	Pass
3730	3720	1	/	7	3711.520	-43.92	-25	Pass
3720	3730	1	/	8	3720.970	-47.28	-40	Pass


n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3595.02MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3274.000	-48.25	-40	Pass
3530	3540	1	/	2	3536.800	-47.62	-25	Pass
3540	3578.99	1	/	3	3571.600	-45.80	-13	Pass
3578.99	3674.99	1	/	/	/	/	/	/
3674.99	3759.99	1	/	4	3688.000	-55.55	-13	Pass
3759.99	3720	1	/	5	3718.000	-56.44	-25	Pass
3720	37000	1	/	6	35795.200	-46.30	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3654.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.165	-50.32	-40	Pass
3530	3540	1	CHP	2	3530.965	-55.37	-25	Pass
3540	3608.99	1	CHP	3	3567.145	-54.75	-13	Pass
3608.99	3609.99	0.03	/	4	3609.355	-69.72	-13	Pass
3609.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	5	3700.000	-29.52	-13	Pass
3700.99	3730	1	CHP	6	3701.500	-37.54	-13	Pass
3730	3720	1	CHP	7	3711.295	-49.80	-25	Pass
3720	3730	1	CHP	8	3720.610	-54.76	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3654.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	914.750	-62.92	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3654.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.600	-46.28	-40	Pass
3530	3540	1	/	2	3532.000	-58.66	-25	Pass
3540	3608.99	1	/	3	3602.800	-56.50	-13	Pass
3608.99	3704.99	1	/	/	/	/	/	/
3704.99	3789.99	1	/	4	3707.200	-46.35	-13	Pass
3789.99	3720	1	/	5	3710.800	-50.58	-25	Pass
3720	37000	1	/	6	35771.200	-46.31	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3654.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3529.670	-51.04	-40	Pass
3530	3540	1	/	2	3539.950	-48.57	-25	Pass
3540	3608.99	1	/	3	3608.620	-41.92	-13	Pass
3608.99	3609.99	1	/	4	3609.880	-28.57	-13	Pass
3609.99	3699.99	1	/	/	/	/	/	/
3699.99	3700.99	1	/	5	3700.180	-41.89	-13	Pass
3700.99	3730	1	/	6	3701.650	-42.04	-13	Pass
3730	3720	1	/	7	3712.360	-42.24	-25	Pass
3720	3730	1	/	8	3720.760	-42.15	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_DFT-s-OFDM_QPSK_3654.99MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.455	-51.53	-40	Pass
3530	3540	1	CHP	2	3536.185	-55.94	-25	Pass
3540	3608.99	1	CHP	3	3567.955	-54.92	-13	Pass
3608.99	3609.99	0.03	/	4	3609.745	-68.37	-13	Pass
3609.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	5	3700.285	-44.45	-13	Pass
3700.99	3730	1	CHP	6	3701.500	-41.58	-13	Pass
3730	3720	1	CHP	7	3710.815	-50.42	-25	Pass
3720	3730	1	CHP	8	3729.475	-55.10	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3595.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.450	-54.12	-40	Pass
3530	3540	1	CHP	2	3539.635	-52.33	-25	Pass
3540	3549.02	1	CHP	3	3548.515	-38.97	-13	Pass
3549.02	3550.02	0.03	/	4	3550.015	-31.42	-13	Pass
3550.02	3640.02	0.03	/	/	/	/	/	/
3640.02	3641.02	0.03	/	5	3640.975	-68.79	-13	Pass
3641.02	3730	1	CHP	6	3686.215	-55.50	-13	Pass
3730	3720	1	CHP	7	3717.085	-56.34	-25	Pass
3720	3730	1	CHP	8	3726.640	-53.95	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3595.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.950	-61.33	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3595.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3506.800	-49.52	-40	Pass
3530	3540	1	/	2	3538.000	-51.52	-25	Pass
3540	3549.02	1	/	3	3541.600	-46.53	-13	Pass
3549.02	3645.02	1	/	/	/	/	/	/
3645.02	3730.02	1	/	4	3682.000	-56.44	-13	Pass
3730.02	3720	1	/	5	3712.000	-57.15	-25	Pass
3720	37000	1	/	6	35774.800	-46.36	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3595.02MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3527.560	-42.46	-40	Pass
3530	3540	1	/	2	3536.590	-42.24	-25	Pass
3540	3549.02	1	/	3	3542.470	-41.38	-13	Pass
3549.02	3550.02	1	/	4	3549.820	-31.71	-13	Pass
3550.02	3640.02	1	/	/	/	/	/	/
3640.02	3641.02	1	/	5	3640.120	-26.11	-13	Pass
3641.02	3730	1	/	6	3641.380	-38.04	-13	Pass
3730	3720	1	/	7	3710.050	-44.85	-25	Pass
3720	3730	1	/	8	3722.020	-48.07	-40	Pass


n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3595.02MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3272.800	-51.87	-40	Pass
3530	3540	1	/	2	3536.800	-48.06	-25	Pass
3540	3578.99	1	/	3	3571.600	-48.61	-13	Pass
3578.99	3674.99	1	/	/	/	/	/	/
3674.99	3759.99	1	/	4	3707.200	-58.46	-13	Pass
3759.99	3720	1	/	5	3719.200	-58.16	-25	Pass
3720	37000	1	/	6	36643.600	-48.18	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3654.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.180	-52.97	-40	Pass
3530	3540	1	CHP	2	3537.355	-55.93	-25	Pass
3540	3608.99	1	CHP	3	3567.400	-55.89	-13	Pass
3608.99	3609.99	0.03	/	4	3609.505	-69.19	-13	Pass
3609.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	5	3700.060	-31.19	-13	Pass
3700.99	3730	1	CHP	6	3701.500	-39.77	-13	Pass
3730	3720	1	CHP	7	3711.100	-50.68	-25	Pass
3720	3730	1	CHP	8	3721.570	-54.88	-40	Pass


n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3654.99MHz_Edge_1RB_Right_Ant1



n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3654.99MHz_Edge_1RB_Right_Ant1




n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3654.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3525.460	-53.09	-40	Pass
3530	3540	1	/	2	3539.950	-49.97	-25	Pass
3540	3608.99	1	/	3	3603.790	-42.05	-13	Pass
3608.99	3609.99	1	/	4	3609.880	-29.31	-13	Pass
3609.99	3699.99	1	/	/	/	/	/	/
3699.99	3700.99	1	/	5	3700.180	-30.08	-13	Pass
3700.99	3730	1	/	6	3702.070	-40.34	-13	Pass
3730	3720	1	/	7	3718.240	-41.89	-25	Pass
3720	3730	1	/	8	3723.910	-41.79	-40	Pass

n78d_30kHz_SISO_NTNV_90MHz_CP-OFDM_QPSK_3654.99MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.260	-52.52	-40	Pass
3530	3540	1	CHP	2	3536.455	-55.98	-25	Pass
3540	3608.99	1	CHP	3	3575.380	-55.11	-13	Pass
3608.99	3609.99	0.03	/	4	3609.415	-67.25	-13	Pass
3609.99	3699.99	0.03	/	/	/	/	/	/
3699.99	3700.99	0.03	/	5	3700.000	-41.36	-13	Pass
3700.99	3730	1	CHP	6	3701.500	-42.67	-13	Pass
3730	3720	1	CHP	7	3710.365	-50.22	-25	Pass
3720	3730	1	CHP	8	3726.010	-54.71	-40	Pass

6.2.9 30k_SISO_100MHz_NTNV




n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3600MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3502.000	-48.14	-40	Pass
3530	3540	1	/	2	3539.200	-50.25	-25	Pass
3540	3549	1	/	3	3541.600	-45.88	-13	Pass
3549	3655	1	/	/	/	/	/	/
3655	3750	1	/	4	3684.400	-56.61	-13	Pass
3750	3720	1	/	5	3712.000	-56.69	-25	Pass
3720	37000	1	/	6	35810.800	-46.89	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3600MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3520.000	-41.15	-40	Pass
3530	3540	1	/	2	3534.280	-39.43	-25	Pass
3540	3549	1	/	3	3548.770	-36.55	-13	Pass
3549	3550	1	/	4	3549.820	-24.64	-13	Pass
3550	3650	1	/	/	/	/	/	/
3650	3651	1	/	5	3650.200	-35.44	-13	Pass
3651	3730	1	/	6	3651.480	-34.81	-13	Pass
3730	3720	1	/	7	3711.940	-38.69	-25	Pass
3720	3730	1	/	8	3722.650	-42.18	-40	Pass


n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM PI/2 BPSK_3600MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3526.000	-49.90	-40	Pass
3530	3540	1	/	2	3536.800	-59.43	-25	Pass
3540	3573.99	1	/	3	3569.200	-49.55	-13	Pass
3573.99	3679.99	1	/	/	/	/	/	/
3679.99	3774.99	1	/	4	3685.600	-56.03	-13	Pass
3774.99	3720	1	/	5	3710.800	-57.13	-25	Pass
3720	37000	1	/	6	34608.400	-48.01	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3649.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.170	-56.19	-40	Pass
3530	3540	1	CHP	2	3532.795	-55.98	-25	Pass
3540	3598.98	1	CHP	3	3551.845	-54.66	-13	Pass
3598.98	3599.98	0.03	/	4	3599.845	-67.83	-13	Pass
3599.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.045	-33.01	-13	Pass
3700.98	3730	1	CHP	6	3701.485	-39.80	-13	Pass
3730	3720	1	CHP	7	3711.415	-52.54	-25	Pass
3720	3730	1	CHP	8	3720.010	-54.94	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3649.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	873.700	-63.51	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3649.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.600	-45.62	-40	Pass
3530	3540	1	/	2	3535.600	-60.85	-25	Pass
3540	3598.98	1	/	3	3552.400	-57.78	-13	Pass
3598.98	3704.98	1	/	/	/	/	/	/
3704.98	3799.98	1	/	4	3709.600	-51.32	-13	Pass
3799.98	3720	1	/	5	3710.800	-50.83	-25	Pass
3720	37000	1	/	6	35825.200	-46.42	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3649.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3527.140	-46.10	-40	Pass
3530	3540	1	/	2	3535.330	-42.51	-25	Pass
3540	3598.98	1	/	3	3552.970	-39.09	-13	Pass
3598.98	3599.98	1	/	4	3599.800	-26.31	-13	Pass
3599.98	3699.98	1	/	/	/	/	/	/
3699.98	3700.98	1	/	5	3700.180	-39.02	-13	Pass
3700.98	3730	1	/	6	3701.860	-37.96	-13	Pass
3730	3720	1	/	7	3711.100	-40.77	-25	Pass
3720	3730	1	/	8	3720.130	-41.60	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_PI/2_BPSK_3649.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.325	-56.11	-40	Pass
3530	3540	1	CHP	2	3532.360	-55.84	-25	Pass
3540	3598.98	1	CHP	3	3553.015	-54.15	-13	Pass
3598.98	3599.98	0.03	/	4	3599.245	-67.98	-13	Pass
3599.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-41.68	-13	Pass
3700.98	3730	1	CHP	6	3701.485	-42.71	-13	Pass
3730	3720	1	CHP	7	3710.815	-49.09	-25	Pass
3720	3730	1	CHP	8	3720.280	-54.25	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3600MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.930	-54.20	-40	Pass
3530	3540	1	CHP	2	3538.765	-52.50	-25	Pass
3540	3549	1	CHP	3	3548.500	-38.28	-13	Pass
3549	3550	0.03	/	4	3549.985	-30.56	-13	Pass
3550	3650	0.03	/	/	/	/	/	/
3650	3651	0.03	/	5	3650.575	-62.59	-13	Pass
3651	3730	1	CHP	6	3686.230	-54.57	-13	Pass
3730	3720	1	CHP	7	3710.170	-56.55	-25	Pass
3720	3730	1	CHP	8	3725.125	-56.13	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3600MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	990.050	-61.67	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3600MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3502.000	-49.49	-40	Pass
3530	3540	1	/	2	3539.200	-51.80	-25	Pass
3540	3549	1	/	3	3541.600	-47.26	-13	Pass
3549	3655	1	/	/	/	/	/	/
3655	3750	1	/	4	3697.600	-56.46	-13	Pass
3750	3720	1	/	5	3710.800	-57.59	-25	Pass
3720	37000	1	/	6	35724.400	-47.07	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3600MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3522.100	-41.51	-40	Pass
3530	3540	1	/	2	3531.340	-40.39	-25	Pass
3540	3549	1	/	3	3547.930	-40.79	-13	Pass
3549	3550	1	/	4	3549.820	-27.70	-13	Pass
3550	3650	1	/	/	/	/	/	/
3650	3651	1	/	5	3650.410	-42.88	-13	Pass
3651	3730	1	/	6	3666.790	-41.49	-13	Pass
3730	3720	1	/	7	3711.310	-43.76	-25	Pass
3720	3730	1	/	8	3724.540	-46.19	-40	Pass


n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3600MHz_Inner_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3526.000	-46.84	-40	Pass
3530	3540	1	/	2	3536.800	-56.38	-25	Pass
3540	3573.99	1	/	3	3566.800	-44.57	-13	Pass
3573.99	3679.99	1	/	/	/	/	/	/
3679.99	3774.99	1	/	4	3685.600	-53.09	-13	Pass
3774.99	3720	1	/	5	3716.800	-56.92	-25	Pass
3720	37000	1	/	6	35789.200	-46.60	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3649.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.380	-58.00	-40	Pass
3530	3540	1	CHP	2	3532.390	-57.68	-25	Pass
3540	3598.98	1	CHP	3	3551.815	-56.29	-13	Pass
3598.98	3599.98	0.03	/	4	3599.410	-67.54	-13	Pass
3599.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.000	-33.31	-13	Pass
3700.98	3730	1	CHP	6	3701.485	-38.72	-13	Pass
3730	3720	1	CHP	7	3711.430	-51.45	-25	Pass
3720	3730	1	CHP	8	3722.560	-55.90	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3649.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	907.550	-64.46	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3649.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.600	-46.22	-40	Pass
3530	3540	1	/	2	3535.600	-62.93	-25	Pass
3540	3598.98	1	/	3	3551.200	-57.37	-13	Pass
3598.98	3704.98	1	/	/	/	/	/	/
3704.98	3799.98	1	/	4	3707.200	-50.05	-13	Pass
3799.98	3720	1	/	5	3710.800	-53.24	-25	Pass
3720	37000	1	/	6	35748.400	-48.64	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3649.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3523.150	-46.95	-40	Pass
3530	3540	1	/	2	3539.950	-44.69	-25	Pass
3540	3598.98	1	/	3	3597.490	-42.34	-13	Pass
3598.98	3599.98	1	/	4	3599.800	-31.61	-13	Pass
3599.98	3699.98	1	/	/	/	/	/	/
3699.98	3700.98	1	/	5	3700.180	-41.51	-13	Pass
3700.98	3730	1	/	6	3704.800	-40.84	-13	Pass
3730	3720	1	/	7	3714.670	-40.73	-25	Pass
3720	3730	1	/	8	3720.340	-42.36	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_DFT-s-OFDM_QPSK_3649.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.520	-56.01	-40	Pass
3530	3540	1	CHP	2	3536.155	-55.90	-25	Pass
3540	3598.98	1	CHP	3	3595.750	-54.56	-13	Pass
3598.98	3599.98	0.03	/	4	3599.365	-69.23	-13	Pass
3599.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3700.015	-41.84	-13	Pass
3700.98	3730	1	CHP	6	3701.485	-41.18	-13	Pass
3730	3720	1	CHP	7	3710.605	-50.38	-25	Pass
3720	3730	1	CHP	8	3720.025	-54.21	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3600MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3523.030	-54.79	-40	Pass
3530	3540	1	CHP	2	3539.230	-52.39	-25	Pass
3540	3549	1	CHP	3	3548.500	-38.66	-13	Pass
3549	3550	0.03	/	4	3549.970	-28.14	-13	Pass
3550	3650	0.03	/	/	/	/	/	/
3650	3651	0.03	/	5	3650.260	-70.42	-13	Pass
3651	3730	1	CHP	6	3686.665	-54.28	-13	Pass
3730	3720	1	CHP	7	3718.465	-56.32	-25	Pass
3720	3730	1	CHP	8	3726.130	-56.14	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3600MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	989.650	-63.29	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3600MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3502.000	-52.88	-40	Pass
3530	3540	1	/	2	3533.200	-56.28	-25	Pass
3540	3549	1	/	3	3541.600	-50.36	-13	Pass
3549	3655	1	/	/	/	/	/	/
3655	3750	1	/	4	3682.000	-56.29	-13	Pass
3750	3720	1	/	5	3710.800	-56.80	-25	Pass
3720	37000	1	/	6	35761.600	-47.51	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3600MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3528.820	-44.66	-40	Pass
3530	3540	1	/	2	3534.280	-44.89	-25	Pass
3540	3549	1	/	3	3543.940	-45.48	-13	Pass
3549	3550	1	/	4	3549.820	-33.27	-13	Pass
3550	3650	1	/	/	/	/	/	/
3650	3651	1	/	5	3650.200	-35.11	-13	Pass
3651	3730	1	/	6	3656.710	-42.48	-13	Pass
3730	3720	1	/	7	3710.680	-44.22	-25	Pass
3720	3730	1	/	8	3720.760	-48.11	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3600MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.420	-53.88	-40	Pass
3530	3540	1	CHP	2	3539.950	-51.21	-25	Pass
3540	3549	1	CHP	3	3548.500	-39.25	-13	Pass
3549	3550	0.03	/	4	3549.970	-38.50	-13	Pass
3550	3650	0.03	/	/	/	/	/	/
3650	3651	0.03	/	5	3650.140	-68.30	-13	Pass
3651	3730	1	CHP	6	3686.410	-54.16	-13	Pass
3730	3720	1	CHP	7	3718.390	-56.32	-25	Pass
3720	3730	1	CHP	8	3720.220	-56.23	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	893.700	-63.52	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3526.000	-50.43	-40	Pass
3530	3540	1	/	2	3534.400	-59.23	-25	Pass
3540	3573.99	1	/	3	3565.600	-48.29	-13	Pass
3573.99	3679.99	1	/	/	/	/	/	/
3679.99	3774.99	1	/	4	3685.600	-54.77	-13	Pass
3774.99	3720	1	/	5	3719.200	-57.42	-25	Pass
3720	37000	1	/	6	36646.000	-45.49	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3649.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.550	-56.11	-40	Pass
3530	3540	1	CHP	2	3536.020	-56.03	-25	Pass
3540	3598.98	1	CHP	3	3552.265	-54.92	-13	Pass
3598.98	3599.98	0.03	/	4	3599.200	-68.90	-13	Pass
3599.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-29.12	-13	Pass
3700.98	3730	1	CHP	6	3701.485	-38.84	-13	Pass
3730	3720	1	CHP	7	3711.625	-50.50	-25	Pass
3720	3730	1	CHP	8	3720.595	-55.21	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3649.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	882.800	-63.25	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM_QPSK_3649.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3530	1	/	1	3391.600	-45.05	-40	Pass
3530	3540	1	/	2	3535.600	-60.04	-25	Pass
3540	3598.98	1	/	3	3545.200	-59.06	-13	Pass
3598.98	3704.98	1	/	/	/	/	/	/
3704.98	3799.98	1	/	4	3706.000	-54.25	-13	Pass
3799.98	3720	1	/	5	3713.200	-55.85	-25	Pass
3720	37000	1	/	6	35712.400	-46.86	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM QPSK_3649.98MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	/	1	3521.260	-47.43	-40	Pass
3530	3540	1	/	2	3531.550	-45.23	-25	Pass
3540	3598.98	1	/	3	3564.730	-43.90	-13	Pass
3598.98	3599.98	1	/	4	3599.800	-31.48	-13	Pass
3599.98	3699.98	1	/	/	/	/	/	/
3699.98	3700.98	1	/	5	3700.180	-34.12	-13	Pass
3700.98	3730	1	/	6	3702.280	-41.69	-13	Pass
3730	3720	1	/	7	3719.080	-42.45	-25	Pass
3720	3730	1	/	8	3722.440	-43.60	-40	Pass

n78d_30kHz_SISO_NTNV_100MHz_CP-OFDM QPSK_3649.98MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.420	-55.87	-40	Pass
3530	3540	1	CHP	2	3534.145	-55.88	-25	Pass
3540	3598.98	1	CHP	3	3553.060	-54.26	-13	Pass
3598.98	3599.98	0.03	/	4	3599.770	-68.70	-13	Pass
3599.98	3699.98	0.03	/	/	/	/	/	/
3699.98	3700.98	0.03	/	5	3699.985	-42.78	-13	Pass
3700.98	3730	1	CHP	6	3701.485	-40.54	-13	Pass
3730	3720	1	CHP	7	3710.515	-49.43	-25	Pass
3720	3730	1	CHP	8	3722.410	-54.69	-40	Pass

7. Adjacent Channel Leakage Ratio

7.1 Test Result

7.1.1 30k_SISO_20MHz_NTNV

5G NR n78d SCS=30kHz SISO 20MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 64 QAM	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 256 QAM	3560.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3690	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
CP-OFDM QPSK	3560.01	Outer_Full	Refer To Test Graph		Pass

		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3690	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
CP-OFDM 16 QAM	3560.01	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3690	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 64 QAM	3560.01	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3690	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 256 QAM	3560.01	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3690	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

7.1.2 30k_SISO_30MHz_NTNV

5G NR n78d SCS=30kHz SISO 30MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3565.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3684.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3565.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
	3684.99	Edge_1RB_Right	Refer To Test Graph		Pass
		Outer_Full	Refer To Test Graph		Pass

[illegible]

	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3684.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

7.1.3 30k_SISO_40MHz_NTNV

5G NR n78d SCS=30kHz SISO 40MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 64 QAM	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 256 QAM	3570	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3679.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass

CP-OFDM QPSK	3570	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 16 QAM	3570	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 64 QAM	3570	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 256 QAM	3570	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3679.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

7.1.4 30k_SISO_50MHz_NTNV

5G NR n78d SCS=30kHz SISO 50MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3575.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3675	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3575.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass

[illegible]

	3624.99	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3675	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

7.1.5 30k_SISO_60MHz_NTNV

5G NR n78d SCS=30kHz SISO 60MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3580.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3669.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3580.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3669.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3580.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3669.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 64 QAM	3580.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3669.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 256 QAM	3580.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3669.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass

		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM QPSK	3580.02	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3669.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 16 QAM	3580.02	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3669.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 64 QAM	3580.02	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3669.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 256 QAM	3580.02	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3669.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

7.1.6 30k_SISO_70MHz_NTNV

5G NR n78d SCS=30kHz SISO 70MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3585	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3664.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3585	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass

[illegible]

		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3664.98	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

7.1.7 30k_SISO_80MHz_NTNV

5G NR n78d SCS=30kHz SISO 80MHz NTNv					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3590.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3660	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3590.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3660	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3590.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3660	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 64 QAM	3590.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3660	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 256 QAM	3590.01	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3660	Outer_Full	Refer To Test Graph		Pass

CP-OFDM QPSK	3590.01	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3624.99	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	3660	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
CP-OFDM 16 QAM	3590.01	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3660	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 64 QAM	3590.01	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3660	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 256 QAM	3590.01	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3660	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

7.1.8 30k_SISO_90MHz_NTNV

5G NR n78d SCS=30kHz SISO 90MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3595.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3654.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3595.02	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass

[illegible]

CP-OFDM 256 QAM	3595.02	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3654.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass


7.1.9 30k_SISO_100MHz_NTNV

5G NR n78d SCS=30kHz SISO 100MHz NTN					
Modulation	Frequency (MHz)	RB Allocation	Adjacent Channel Leakage Ratio		Verdict
			Result	Limit	
DFT-s-OFDM PI/2 BPSK	3600	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3649.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM QPSK	3600	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3649.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 16 QAM	3600	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3649.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 64 QAM	3600	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3649.98	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
DFT-s-OFDM 256 QAM	3600	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass
	3624.99	Outer_Full	Refer To Test Graph		Pass
		Edge_1RB_Left	Refer To Test Graph		Pass
		Edge_1RB_Right	Refer To Test Graph		Pass


	3649.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM QPSK	3600	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3649.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 16 QAM	3600	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3649.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 64 QAM	3600	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3649.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
CP-OFDM 256 QAM	3600	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3624.99	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	3649.98	Outer_Full	Refer To Test Graph	Pass
		Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass

7.2 Test Graph

7.2.1 30k_SISO_20MHz_NTNV




n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3560.01MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.71	/	/	/	/
Adjacent	-20	20.00	-31.35	-52.06	-30	22.06	Pass
Adjacent	20	20.00	-24.35	-45.06	-30	15.06	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.20	/	/	/	/
Adjacent	-20	20.00	-21.81	-43.01	-30	13.01	Pass
Adjacent	20	20.00	-21.55	-42.75	-30	12.75	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.23	/	/	/	/
Adjacent	-20	20.00	-22.37	-43.60	-30	13.60	Pass
Adjacent	20	20.00	-30.90	-52.13	-30	22.13	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.56	/	/	/	/
Adjacent	-20	20.00	-30.81	-52.37	-30	22.37	Pass
Adjacent	20	20.00	-20.45	-42.01	-30	12.01	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3690MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.47	/	/	/	/
Adjacent	-20	20.00	-21.02	-41.49	-30	11.49	Pass
Adjacent	20	20.00	-21.56	-42.03	-30	12.03	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3690MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.69	/	/	/	/
Adjacent	-20	20.00	-19.62	-41.31	-30	11.31	Pass
Adjacent	20	20.00	-31.28	-52.97	-30	22.97	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3690MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.54	/	/	/	/
Adjacent	-20	20.00	-30.95	-51.49	-30	21.49	Pass
Adjacent	20	20.00	-23.55	-44.09	-30	14.09	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_3560.01MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.27	/	/	/	/
Adjacent	-20	20.00	-20.52	-41.79	-30	11.79	Pass
Adjacent	20	20.00	-19.24	-40.51	-30	10.51	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.94	/	/	/	/
Adjacent	-20	20.00	-20.29	-41.23	-30	11.23	Pass
Adjacent	20	20.00	-31.02	-51.96	-30	21.96	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3560.01MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.39	/	/	/	/
Adjacent	-20	20.00	-31.32	-51.71	-30	21.71	Pass
Adjacent	20	20.00	-22.15	-42.54	-30	12.54	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3624.99MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.43	/	/	/	/
Adjacent	-20	20.00	-20.23	-40.66	-30	10.66	Pass
Adjacent	20	20.00	-19.48	-39.91	-30	9.91	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	21.17	/	/	/	/
Adjacent	-20	20.00	-21.68	-42.85	-30	12.85	Pass
Adjacent	20	20.00	-30.88	-52.05	-30	22.05	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.59	/	/	/	/
Adjacent	-20	20.00	-30.89	-51.48	-30	21.48	Pass
Adjacent	20	20.00	-23.13	-43.72	-30	13.72	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3690MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.61	/	/	/	/
Adjacent	-20	20.00	-18.55	-39.16	-30	9.16	Pass
Adjacent	20	20.00	-18.81	-39.42	-30	9.42	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3690MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.96	/	/	/	/
Adjacent	-20	20.00	-23.10	-44.06	-30	14.06	Pass
Adjacent	20	20.00	-31.27	-52.23	-30	22.23	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3690MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.68	/	/	/	/
Adjacent	-20	20.00	-30.96	-51.64	-30	21.64	Pass
Adjacent	20	20.00	-21.49	-42.17	-30	12.17	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3560.01MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.51	/	/	/	/
Adjacent	-20	20.00	-20.66	-40.17	-30	10.17	Pass
Adjacent	20	20.00	-19.79	-39.30	-30	9.30	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3560.01MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.55	/	/	/	/
Adjacent	-20	20.00	-23.28	-42.83	-30	12.83	Pass
Adjacent	20	20.00	-30.98	-50.53	-30	20.53	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3560.01MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.89	/	/	/	/
Adjacent	-20	20.00	-31.39	-52.28	-30	22.28	Pass
Adjacent	20	20.00	-21.26	-42.15	-30	12.15	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3624.99MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.38	/	/	/	/
Adjacent	-20	20.00	-20.69	-40.07	-30	10.07	Pass
Adjacent	20	20.00	-20.79	-40.17	-30	10.17	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3624.99MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.33	/	/	/	/
Adjacent	-20	20.00	-19.24	-39.57	-30	9.57	Pass
Adjacent	20	20.00	-30.89	-51.22	-30	21.22	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3624.99MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.89	/	/	/	/
Adjacent	-20	20.00	-30.90	-50.79	-30	20.79	Pass
Adjacent	20	20.00	-22.02	-41.91	-30	11.91	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_3690MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.03	/	/	/	/
Adjacent	-20	20.00	-20.18	-39.21	-30	9.21	Pass
Adjacent	20	20.00	-20.64	-39.67	-30	9.67	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_3690MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.65	/	/	/	/
Adjacent	-20	20.00	-22.08	-41.73	-30	11.73	Pass
Adjacent	20	20.00	-31.40	-51.05	-30	21.05	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM 3690MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.37	/	/	/	/
Adjacent	-20	20.00	-30.98	-49.35	-30	19.35	Pass
Adjacent	20	20.00	-22.45	-40.82	-30	10.82	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM 3560.01MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	20.21	/	/	/	/
Adjacent	-20	20.00	-22.26	-42.47	-30	12.47	Pass
Adjacent	20	20.00	-19.99	-40.20	-30	10.20	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3560.01MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.71	/	/	/	/
Adjacent	-20	20.00	-22.37	-40.08	-30	10.08	Pass
Adjacent	20	20.00	-31.05	-48.76	-30	18.76	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3560.01MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.35	/	/	/	/
Adjacent	-20	20.00	-31.39	-50.74	-30	20.74	Pass
Adjacent	20	20.00	-23.54	-42.89	-30	12.89	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3624.99MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.22	/	/	/	/
Adjacent	-20	20.00	-21.56	-40.78	-30	10.78	Pass
Adjacent	20	20.00	-21.31	-40.53	-30	10.53	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3624.99MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	19.11	/	/	/	/
Adjacent	-20	20.00	-21.40	-40.51	-30	10.51	Pass
Adjacent	20	20.00	-30.99	-50.10	-30	20.10	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3624.99MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.68	/	/	/	/
Adjacent	-20	20.00	-30.90	-49.58	-30	19.58	Pass
Adjacent	20	20.00	-26.38	-45.06	-30	15.06	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3690MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.77	/	/	/	/
Adjacent	-20	20.00	-21.74	-40.51	-30	10.51	Pass
Adjacent	20	20.00	-21.21	-39.98	-30	9.98	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3690MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.90	/	/	/	/
Adjacent	-20	20.00	-22.29	-41.19	-30	11.19	Pass
Adjacent	20	20.00	-31.40	-50.30	-30	20.30	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3690MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.82	/	/	/	/
Adjacent	-20	20.00	-30.95	-49.77	-30	19.77	Pass
Adjacent	20	20.00	-26.49	-45.31	-30	15.31	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3560.01MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.25	/	/	/	/
Adjacent	-20	20.00	-24.27	-39.52	-30	9.52	Pass
Adjacent	20	20.00	-23.08	-38.33	-30	8.33	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3560.01MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.94	/	/	/	/
Adjacent	-20	20.00	-24.83	-41.77	-30	11.77	Pass
Adjacent	20	20.00	-31.05	-47.99	-30	17.99	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3560.01MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.61	/	/	/	/
Adjacent	-20	20.00	-31.46	-49.07	-30	19.07	Pass
Adjacent	20	20.00	-25.89	-43.50	-30	13.50	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3624.99MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.73	/	/	/	/
Adjacent	-20	20.00	-24.45	-41.18	-30	11.18	Pass
Adjacent	20	20.00	-23.85	-40.58	-30	10.58	Pass


n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3624.99MHz_Edge_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3624.99MHz_Edge_1RB_Right_Ant1




n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3690MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.74	/	/	/	/
Adjacent	-20	20.00	-24.69	-41.43	-30	11.43	Pass
Adjacent	20	20.00	-24.85	-41.59	-30	11.59	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3690MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.96	/	/	/	/
Adjacent	-20	20.00	-24.51	-41.47	-30	11.47	Pass
Adjacent	20	20.00	-31.39	-48.35	-30	18.35	Pass

n78d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_3690MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.01	/	/	/	/
Adjacent	-20	20.00	-30.95	-47.96	-30	17.96	Pass
Adjacent	20	20.00	-25.09	-42.10	-30	12.10	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3560.01MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	16.85	/	/	/	/
Adjacent	-20	20.00	-20.99	-37.84	-30	7.84	Pass
Adjacent	20	20.00	-18.48	-35.33	-30	5.33	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3560.01MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.81	/	/	/	/
Adjacent	-20	20.00	-21.49	-40.30	-30	10.30	Pass
Adjacent	20	20.00	-31.09	-49.90	-30	19.90	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3560.01MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.37	/	/	/	/
Adjacent	-20	20.00	-31.46	-48.83	-30	18.83	Pass
Adjacent	20	20.00	-25.46	-42.83	-30	12.83	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3624.99MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.10	/	/	/	/
Adjacent	-20	20.00	-20.26	-38.36	-30	8.36	Pass
Adjacent	20	20.00	-19.41	-37.51	-30	7.51	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.89	/	/	/	/
Adjacent	-20	20.00	-24.33	-43.22	-30	13.22	Pass
Adjacent	20	20.00	-30.96	-49.85	-30	19.85	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3624.99MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.81	/	/	/	/
Adjacent	-20	20.00	-30.95	-48.76	-30	18.76	Pass
Adjacent	20	20.00	-24.02	-41.83	-30	11.83	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3690MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.88	/	/	/	/
Adjacent	-20	20.00	-19.68	-37.56	-30	7.56	Pass
Adjacent	20	20.00	-19.05	-36.93	-30	6.93	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3690MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.28	/	/	/	/
Adjacent	-20	20.00	-23.67	-41.95	-30	11.95	Pass
Adjacent	20	20.00	-31.27	-49.55	-30	19.55	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3690MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.21	/	/	/	/
Adjacent	-20	20.00	-30.96	-49.17	-30	19.17	Pass
Adjacent	20	20.00	-26.57	-44.78	-30	14.78	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 3560.01MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.92	/	/	/	/
Adjacent	-20	20.00	-19.72	-38.64	-30	8.64	Pass
Adjacent	20	20.00	-20.26	-39.18	-30	9.18	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 3560.01MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.51	/	/	/	/
Adjacent	-20	20.00	-22.48	-39.99	-30	9.99	Pass
Adjacent	20	20.00	-31.12	-48.63	-30	18.63	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_16_QAM_3560.01MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.17	/	/	/	/
Adjacent	-20	20.00	-31.38	-49.55	-30	19.55	Pass
Adjacent	20	20.00	-24.97	-43.14	-30	13.14	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_16_QAM_3624.99MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.56	/	/	/	/
Adjacent	-20	20.00	-20.45	-39.01	-30	9.01	Pass
Adjacent	20	20.00	-19.15	-37.71	-30	7.71	Pass


n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_16_QAM_3624.99MHz_Edge_1RB_Left_Ant1



n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_16_QAM_3624.99MHz_Edge_1RB_Right_Ant1




n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 3690MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.54	/	/	/	/
Adjacent	-20	20.00	-19.98	-38.52	-30	8.52	Pass
Adjacent	20	20.00	-19.05	-37.59	-30	7.59	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 3690MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.21	/	/	/	/
Adjacent	-20	20.00	-26.38	-43.59	-30	13.59	Pass
Adjacent	20	20.00	-31.29	-48.50	-30	18.50	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 3690MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.84	/	/	/	/
Adjacent	-20	20.00	-31.04	-48.88	-30	18.88	Pass
Adjacent	20	20.00	-24.10	-41.94	-30	11.94	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM 3560.01MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.62	/	/	/	/
Adjacent	-20	20.00	-20.69	-38.31	-30	8.31	Pass
Adjacent	20	20.00	-20.68	-38.30	-30	8.30	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3560.01MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.26	/	/	/	/
Adjacent	-20	20.00	-24.89	-43.15	-30	13.15	Pass
Adjacent	20	20.00	-31.06	-49.32	-30	19.32	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3560.01MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.66	/	/	/	/
Adjacent	-20	20.00	-31.46	-50.12	-30	20.12	Pass
Adjacent	20	20.00	-21.53	-40.19	-30	10.19	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM 3624.99MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.00	/	/	/	/
Adjacent	-20	20.00	-20.78	-38.78	-30	8.78	Pass
Adjacent	20	20.00	-20.13	-38.13	-30	8.13	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM 3624.99MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	18.38	/	/	/	/
Adjacent	-20	20.00	-22.16	-40.54	-30	10.54	Pass
Adjacent	20	20.00	-30.92	-49.30	-30	19.30	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3624.99MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.53	/	/	/	/
Adjacent	-20	20.00	-30.93	-48.46	-30	18.46	Pass
Adjacent	20	20.00	-24.58	-42.11	-30	12.11	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3690MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.59	/	/	/	/
Adjacent	-20	20.00	-21.44	-39.03	-30	9.03	Pass
Adjacent	20	20.00	-20.40	-37.99	-30	7.99	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_64_QAM_3690MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.96	/	/	/	/
Adjacent	-20	20.00	-22.26	-40.22	-30	10.22	Pass
Adjacent	20	20.00	-31.37	-49.33	-30	19.33	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_64_QAM_3690MHz_Edge_1RB_Right_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	17.66	/	/	/	/
Adjacent	-20	20.00	-31.00	-48.66	-30	18.66	Pass
Adjacent	20	20.00	-25.82	-43.48	-30	13.48	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_256_QAM_3560.01MHz_Outer_Full_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.46	/	/	/	/
Adjacent	-20	20.00	-24.08	-39.54	-30	9.54	Pass
Adjacent	20	20.00	-24.44	-39.90	-30	9.90	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM_256_QAM_3560.01MHz_Edge_1RB_Left_Ant1




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.18	/	/	/	/
Adjacent	-20	20.00	-27.76	-42.94	-30	12.94	Pass
Adjacent	20	20.00	-31.12	-46.30	-30	16.30	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM 3560.01MHz_Edge_1RB_Right_Ant1



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	15.62	/	/	/	/
Adjacent	-20	20.00	-31.47	-47.09	-30	17.09	Pass
Adjacent	20	20.00	-21.56	-37.18	-30	7.18	Pass

n78d_30kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM 3624.99MHz_Outer_Full_Ant1



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	20.00	14.94	/	/	/	/
Adjacent	-20	20.00	-25.57	-40.51	-30	10.51	Pass
Adjacent	20	20.00	-24.49	-39.43	-30	9.43	Pass