Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH100 5500MHz	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH140 5700MHz	
7	CSE	Fundamental
Peak		

Band 2 - 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
7	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - R	
7	CSE	Fundamental
Peak		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - R	
7	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
7	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - R	
7	CSE	Fundamental
Peak		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - R	
7	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE20 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - R	
7	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE40 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - R	
7	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE80 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
7	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE20 CH64 5320MHz	
8	CSE	Fundamental
Peak		
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH100 5500MHz	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH140 5700MHz	
8	CSE	Fundamental
Peak		

Band 2 - 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
8	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - R	
8	CSE	Fundamental
Peak		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - R	
8	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
8	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - R	
8	CSE	Fundamental
Peak		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - R	
8	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE20 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - R	
8	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE40 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - R	
8	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE80 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
8	CSE	Fundamental
Peak		Left blank

<Middle Unmodulated>

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE20 CH64 5320MHz	
1	CSE	Fundamental
Peak		
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH100 5500MHz	
1	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH140 5700MHz	
1	CSE	Fundamental
Peak		

Band 2 - 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - L	
1	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
1	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - L	
1	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
1	CSE	Fundamental
Peak		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - L	
1	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - R	
1	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - L	
1	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
1	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - L	
1	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
1	CSE	Fundamental
Peak		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - L	
1	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - R	
1	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE20 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - L	
1	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - R	
1	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE40 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - L	
1	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - R	
1	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE80 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
1	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
1	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE20 CH64 5320MHz	
2	CSE	Fundamental
Peak		
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH100 5500MHz	
2	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH140 5700MHz	
2	CSE	Fundamental
Peak		

Band 2 - 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - L	
2	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
2	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - L	
2	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
2	CSE	Fundamental
Peak		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - L	
2	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - R	
2	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - L	
2	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
2	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz – L	
2	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - R	
2	CSE	Fundamental
Peak		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - L	
2	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - R	
2	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE20 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - L	
2	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - R	
2	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE40 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - L	
2	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - R	
2	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE80 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - L	
2	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
2	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE20 CH64 5320MHz	
3	CSE	Fundamental
Peak		
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH100 5500MHz	
3	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH140 5700MHz	
3	CSE	Fundamental
Peak		

Band 2 - 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - L	
3	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
3	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz – L	
3	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - R	
3	CSE	Fundamental
Peak		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - L	
3	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - R	
3	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - L	
3	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
3	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - L	
3	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - R	
3	CSE	Fundamental
Peak		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - L	
3	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - R	
3	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE20 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - L	
3	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - R	
3	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE40 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - L	
3	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - R	
3	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE80 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - L	
3	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
3	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE20 CH64 5320MHz	
4	CSE	Fundamental
Peak		
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH100 5500MHz	
4	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH140 5700MHz	
4	CSE	Fundamental
Peak		

Band 2 - 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - L	
4	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
4	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - L	
4	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - R	
4	CSE	Fundamental
Peak		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - L	
4	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - R	
4	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - L	
4	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
4	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - L	
4	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - R	
4	CSE	Fundamental
Peak		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - L	
4	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - R	
4	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE20 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - L	
4	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - R	
4	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE40 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - L	
4	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - R	
4	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE80 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - L	
4	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
4	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE20 CH64 5320MHz	
5	CSE	Fundamental
Peak		
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH100 5500MHz	
5	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH140 5700MHz	
5	CSE	Fundamental
Peak		

Band 2 - 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - L	
5	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
5	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - L	
5	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - R	
5	CSE	Fundamental
Peak		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - L	
5	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - R	
5	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - L	
5	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
5	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - L	
5	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - R	
5	CSE	Fundamental
Peak		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - L	
5	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - R	
5	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE20 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - L	
5	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - R	
5	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE40 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - L	
5	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - R	
5	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE80 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - L	
5	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
5	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE20 CH64 5320MHz	
6	CSE	Fundamental
Peak		
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH100 5500MHz	
6	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH140 5700MHz	
6	CSE	Fundamental
Peak		

Band 2 - 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - L	
6	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
6	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - L	
6	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - R	
6	CSE	Fundamental
Peak		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - L	
6	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - R	
6	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - L	
6	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
6	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - L	
6	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - R	
6	CSE	Fundamental
Peak		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - L	
6	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - R	
6	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE20 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - L	
6	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - R	
6	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE40 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - L	
6	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - R	
6	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE80 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - L	
6	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
6	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE20 CH64 5320MHz	
7	CSE	Fundamental
Peak		
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH100 5500MHz	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH140 5700MHz	
7	CSE	Fundamental
Peak		

Band 2 - 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
7	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - R	
7	CSE	Fundamental
Peak		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - R	
7	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
7	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - R	
7	CSE	Fundamental
Peak		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - R	
7	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE20 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - R	
7	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE40 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - R	
7	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE80 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - L	
7	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
7	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE20 CH64 5320MHz	
8	CSE	Fundamental
Peak		
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH100 5500MHz	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE20 CH140 5700MHz	
8	CSE	Fundamental
Peak		

Band 2 - 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE40 CH62 5310MHz - R	
8	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH102 5510MHz - R	
8	CSE	Fundamental
Peak		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE40 CH134 5670MHz - R	
8	CSE	Fundamental
Peak		Left blank

Band 2 - 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 2 5250~5350MHz Band Edge	
ANT	802.11ax HE80 CH58 5290MHz - R	
8	CSE	Fundamental
Peak		Left blank
Avg.		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH106 5530MHz - R	
8	CSE	Fundamental
Peak		Left blank

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge)

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Band 3 5470~5725MHz Band Edge	
ANT	802.11ax HE80 CH122 5610MHz - R	
8	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE20 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE20 CH144 5720MHz - R	
8	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE40 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE40 CH142 5710MHz - R	
8	CSE	Fundamental
Peak		Left blank

Straddle Channel

WIFI 802.11ax HE80 (Band Edge)

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - L	
8	CSE	Fundamental
Peak		
Avg.		Left blank

WIFI	Straddle Channel Band Edge	
ANT	802.11ax HE80 CH138 5690MHz - R	
8	CSE	Fundamental
Peak		Left blank

Appendix E. Radiated Spurious Emission

Test Engineer :	JC Liang, Leo Luo and Jacky Hong	Temperature :	18~21°C
		Relative Humidity :	38~42%

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 CH 64 5320MHz	*	5320	118.7	-	-	106.36	31.43	10.76	29.85	251	73	P	H
	*	5320	106.11	-	-	93.77	31.43	10.76	29.85	251	73	A	H
		5421.92	55.18	-18.82	74	42.45	31.7	10.9	29.87	251	73	P	H
		5350.08	44.35	-9.65	54	31.9	31.51	10.8	29.86	251	73	A	H
													H
													H
	*	5320	122.95	-	-	110.54	31.5	10.76	29.85	257	63	P	V
	*	5320	110.55	-	-	98.14	31.5	10.76	29.85	257	63	A	V
		5352	57.28	-16.72	74	44.78	31.56	10.8	29.86	257	63	P	V
		5350.56	44.76	-9.24	54	32.27	31.55	10.8	29.86	257	63	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 2 5250~5350MHz

WIFI 802.11ax HE20 (Harmonic @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 CH 64 5320MHz		10640	48.26	-25.74	74	52.08	39.81	15.51	59.14	100	0	P	H
		15960	45.05	-28.95	74	50.04	37.62	18.21	60.82	100	0	P	H
													H
													H
		10640	49.89	-24.11	74	53.75	39.77	15.51	59.14	100	0	P	V
		15960	45.47	-28.53	74	50.14	37.94	18.21	60.82	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 CH 102 5510MHz		5439.76	57.42	-16.58	74	44.58	31.78	10.92	29.86	259	77	P	H
		5469.76	56.35	-11.85	68.2	43.4	31.85	10.96	29.86	259	77	P	H
		5457.28	44.98	-9.02	54	32.07	31.83	10.94	29.86	259	77	A	H
	*	5510	116.88	-	-	103.81	31.91	11.01	29.85	259	77	P	H
	*	5510	104.11	-	-	91.04	31.91	11.01	29.85	259	77	A	H
		5756.495	56.08	-12.12	68.2	42.44	32.21	11.34	29.91	259	77	P	H
		5458.48	59.15	-14.85	74	46.16	31.91	10.94	29.86	263	60	P	V
		5468.56	66.26	-1.94	68.2	53.22	31.94	10.96	29.86	263	60	P	V
		5459.92	46.28	-7.72	54	33.28	31.91	10.95	29.86	263	60	A	V
	*	5510	121.37	-	-	108.17	32.04	11.01	29.85	263	60	P	V
	*	5510	107.91	-	-	94.71	32.04	11.01	29.85	263	60	A	V
		5728.46	55.8	-12.4	68.2	42.25	32.13	11.31	29.89	263	60	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Harmonic @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 CH 102 5510MHz		11020	47.86	-26.14	74	51.34	40.24	15.71	59.43	100	0	P	H
		16530	46.24	-21.96	68.2	48.91	38.94	18.5	60.11	100	0	P	H
													H
													H
		11020	48.08	-25.92	74	51.54	40.26	15.71	59.43	100	0	P	V
		16530	46.47	-21.73	68.2	48.93	39.15	18.5	60.11	100	0		V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Emission below 1GHz

WIFI 802.11ax HE40 Full (LF @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full LF		105.66	19.77	-23.73	43.5	33.79	16.57	1.8	32.39	-	-	P	H
		264.74	23.21	-22.79	46	32.52	20.19	2.94	32.44	-	-	P	H
		584.84	30.89	-15.11	46	34.03	25.8	3.91	32.85	-	-	P	H
		624.61	34.87	-11.13	46	37.75	25.88	4.09	32.85	-	-	P	H
		845.77	35.35	-10.65	46	33.88	28.93	4.86	32.32	-	-	P	H
		874.87	37.13	-8.87	46	35.11	29.3	4.89	32.17	100	0	P	H
													H
													H
													H
													H
													H
													H
		36.79	23.09	-16.91	40	32.9	21.28	1.33	32.42	-	-	P	V
		159.98	21.76	-21.74	43.5	35.46	16.6	2.09	32.39	-	-	P	V
		565.44	28.34	-17.66	46	31.28	26.09	3.78	32.81	-	-	P	V
		600.36	36.89	-9.11	46	40.04	25.7	4.01	32.86	100	0	P	V
		790.48	35.1	-10.9	46	34.77	28.39	4.54	32.6	-	-	P	V
		955.38	32.71	-13.29	46	28.04	31.01	5.1	31.44	-	-	P	V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against limit line.												

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge @ 3m)

WIFI Ant. 8*8	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 CH 64 5320MHz	*	5320	120.65	-	-	108.31	31.43	10.76	29.85	307	115	P	H
	*	5320	107.43	-	-	95.09	31.43	10.76	29.85	307	115	A	H
		5359.36	56.07	-17.93	74	43.59	31.53	10.81	29.86	307	115	P	H
		5424.32	44.06	-9.94	54	31.32	31.71	10.9	29.87	307	115	A	H
													H
													H
	*	5320	119.35	-	-	106.94	31.5	10.76	29.85	180	136	P	V
	*	5320	106.54	-	-	94.13	31.5	10.76	29.85	180	136	A	V
		5444.32	55.51	-18.49	74	42.57	31.87	10.93	29.86	180	136	P	V
		5420.48	44.02	-9.98	54	31.2	31.8	10.89	29.87	180	136	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 2 5250~5350MHz

WIFI 802.11ax HE20 (Harmonic @ 3m)

WIFI Ant. 8*8	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 CH 64 5320MHz		10640	48.44	-25.56	74	52.26	39.81	15.51	59.14	100	0	P	H
		15960	45.36	-28.64	74	50.35	37.62	18.21	60.82	100	0	P	H
													H
													H
		10640	49.65	-24.35	74	53.51	39.77	15.51	59.14	100	0	P	V
		15960	44.52	-29.48	74	49.19	37.94	18.21	60.82	100	0	P	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge @ 3m)

WIFI Ant. 8*8	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 CH 100 5500MHz		5396.4	55.27	-18.73	74	42.69	31.6	10.86	29.88	314	120	P	H
		5466.8	56.73	-11.47	68.2	43.78	31.85	10.96	29.86	314	120	P	H
		5397.36	44.47	-9.53	54	31.89	31.6	10.86	29.88	314	120	A	H
	*	5500	123.85	-	-	110.8	31.9	11	29.85	314	120	P	H
	*	5500	110.55	-	-	97.5	31.9	11	29.85	314	120	A	H
													H
		5409.68	55.73	-18.27	74	42.95	31.78	10.88	29.88	100	140	P	V
		5466.32	55.62	-12.58	68.2	42.6	31.93	10.95	29.86	100	140	P	V
		5397.52	44.09	-9.91	54	31.37	31.74	10.86	29.88	100	140	A	V
	*	5500	120.55	-	-	107.36	32.04	11	29.85	100	140	P	V
	*	5500	108.07	-	-	94.88	32.04	11	29.85	100	140	A	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Harmonic @ 3m)

WIFI Ant. 8*8	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 CH 100 5500MHz		11000	49.92	-24.08	74	53.38	40.22	15.7	59.38	100	0	P	H
		16650	47.13	-21.07	68.2	49.39	39.34	18.56	60.16	100	0	P	H
													H
													H
		11000	54.45	-19.55	74	57.83	40.3	15.7	59.38	228	339	P	V
		11000	49.38	-4.62	54	52.76	40.3	15.7	59.38	228	339	A	V
		16650	47.07	-21.13	68.2	49.16	39.51	18.56	60.16	100	0	P	V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

<Band-edge Unmodulated>

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4*4		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 CH 64 5320MHz	*	5320	112.8	-	-	105.72	31.49	10.76	35.17	189	134	P	H
	*	5320	102.11	-	-	95.03	31.49	10.76	35.17	189	134	A	H
		5456.32	55.03	-18.97	74	47.45	31.81	10.94	35.17	189	134	P	H
		5445.92	43.51	-10.49	54	35.94	31.81	10.93	35.17	189	134	A	H
													H
													H
	*	5320	112.54	-	-	105.5	31.45	10.76	35.17	283	202	P	V
	*	5320	101.14	-	-	94.1	31.45	10.76	35.17	283	202	A	V
		5354.56	55.4	-18.6	74	48.28	31.48	10.81	35.17	283	202	P	V
		5450.24	43.47	-10.53	54	35.82	31.89	10.93	35.17	283	202	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 2 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 CH 62 5310MHz		5117.64	61.2	-12.8	74	48.49	32.12	10.49	29.9	297	109	P	H
		5111.52	48.99	-5.01	54	36.27	32.14	10.48	29.9	297	109	A	H
	*	5310	119.66	-	-	107.35	31.41	10.75	29.85	297	109	P	H
	*	5310	108.35	-	-	96.04	31.41	10.75	29.85	297	109	A	H
		5351.76	72.92	-1.08	74	60.47	31.51	10.8	29.86	297	109	P	H
		5353.2	49.73	-4.27	54	37.28	31.51	10.8	29.86	297	109	A	H
		5121.38	60.79	-13.21	74	48.12	32.08	10.49	29.9	100	158	P	V
		5133.96	48.75	-5.25	54	36.07	32.08	10.51	29.91	100	158	A	V
	*	5310	119.73	-	-	107.34	31.49	10.75	29.85	100	158	P	V
	*	5310	107.76	-	-	95.37	31.49	10.75	29.85	100	158	A	V
		5352.24	73.6	-0.4	74	61.1	31.56	10.8	29.86	100	158	P	V
		5352	51.84	-2.16	54	39.34	31.56	10.8	29.86	100	158	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 2 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 CH 58 5290MHz		5087.38	60.68	-13.32	74	48.06	32.08	10.45	29.91	219	137	P	H
		5107.78	49.02	-4.98	54	36.3	32.15	10.47	29.9	219	137	A	H
	*	5290	112.2	-	-	99.94	31.4	10.72	29.86	219	137	P	H
	*	5290	101.3	-	-	89.04	31.4	10.72	29.86	219	137	A	H
		5354.16	71.84	-2.16	74	59.38	31.52	10.8	29.86	219	137	P	H
		5353.68	49.83	-4.17	54	37.37	31.52	10.8	29.86	219	137	A	H
		5146.2	61.01	-12.99	74	48.31	32.08	10.53	29.91	271	205	P	V
		5133.28	48.73	-5.27	54	36.05	32.08	10.51	29.91	271	205	A	V
	*	5290	110.9	-	-	98.53	31.51	10.72	29.86	271	205	P	V
	*	5290	99.74	-	-	87.37	31.51	10.72	29.86	271	205	A	V
		5358.96	65.66	-8.34	74	53.12	31.59	10.81	29.86	271	205	P	V
		5443.2	48.84	-5.16	54	35.92	31.86	10.92	29.86	271	205	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 CH 100 5500MHz		5408.88	52.52	-21.48	74	45.16	31.65	10.88	35.17	141	244	P	H
		5461.84	50.5	-17.7	68.2	42.88	31.84	10.95	35.17	141	244	P	H
		5399.76	40.74	-13.26	54	33.43	31.61	10.87	35.17	141	244	A	H
	*	5500	115.66	-	-	107.93	31.9	11	35.17	141	244	P	H
	*	5500	103.92	-	-	96.19	31.9	11	35.17	141	244	A	H
													H
		5405.84	51.45	-22.55	74	43.98	31.77	10.87	35.17	102	135	P	V
		5468.56	51.41	-16.79	68.2	43.68	31.94	10.96	35.17	102	135	P	V
		5405.04	40.51	-13.49	54	33.05	31.76	10.87	35.17	102	135	A	V
	*	5500	115.38	-	-	107.51	32.04	11	35.17	102	135	P	V
	*	5500	103.4	-	-	95.53	32.04	11	35.17	102	135	A	V
													V
802.11ax HE20 CH 140 5700MHz	*	5700	115.04	-	-	107.11	31.96	11.27	35.3	228	247	P	H
	*	5700	103.89	-	-	95.96	31.96	11.27	35.3	228	247	A	H
		5759.32	57.01	-11.19	68.2	48.78	32.22	11.35	35.34	228	247	P	H
													H
													H
													H
	*	5700	114.38	-	-	106.4	32.01	11.27	35.3	249	126	P	V
	*	5700	102.59	-	-	94.61	32.01	11.27	35.3	249	126	A	V
		5742.68	56.92	-11.28	68.2	48.73	32.19	11.33	35.33	249	126	P	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 CH 102 5510MHz		5459.2	59.54	-14.46	74	46.62	31.83	10.95	29.86	284	226	P	H
		5461.36	65.54	-2.66	68.2	52.61	31.84	10.95	29.86	284	226	P	H
		5416.72	44.16	-9.84	54	31.46	31.68	10.89	29.87	284	226	A	H
	*	5510	114.08	-	-	101.01	31.91	11.01	29.85	284	226	P	H
	*	5510	103.14	-	-	90.07	31.91	11.01	29.85	284	226	A	H
		5727.83	56.03	-12.17	68.2	42.53	32.08	11.31	29.89	284	226	P	H
		5450.8	58.01	-15.99	74	45.06	31.88	10.93	29.86	224	131	P	V
		5467.12	67.88	-0.32	68.2	54.85	31.93	10.96	29.86	224	131	P	V
		5410.96	44.1	-9.9	54	31.32	31.78	10.88	29.88	224	131	A	V
	*	5510	114.1	-	-	100.9	32.04	11.01	29.85	224	131	P	V
	*	5510	103.1	-	-	89.9	32.04	11.01	29.85	224	131	A	V
		5728.145	56.46	-11.74	68.2	42.91	32.13	11.31	29.89	224	131	P	V
802.11ax HE40 CH 134 5670MHz		5415.45	61.01	-12.99	74	48.32	31.67	10.89	29.87	144	236	P	H
		5465.15	60.94	-7.26	68.2	48.01	31.84	10.95	29.86	144	236	P	H
		5458.85	49.26	-4.74	54	36.35	31.83	10.94	29.86	144	236	A	H
	*	5670	121.1	-	-	107.88	31.88	11.23	29.89	144	236	P	H
	*	5670	109.88	-	-	96.66	31.88	11.23	29.89	144	236	A	H
		5732.8	65.66	-2.54	68.2	52.13	32.11	11.31	29.89	144	236	P	H
		5408.1	60.25	-13.75	74	47.48	31.77	10.88	29.88	118	148	P	V
		5468.3	60.08	-8.12	68.2	47.04	31.94	10.96	29.86	118	148	P	V
		5448.35	49.22	-4.78	54	36.27	31.88	10.93	29.86	118	148	A	V
	*	5670	119.53	-	-	106.22	31.97	11.23	29.89	118	148	P	V
	*	5670	108.45	-	-	95.14	31.97	11.23	29.89	118	148	A	V
		5726.15	65.67	-2.53	68.2	52.14	32.12	11.3	29.89	118	148	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 CH 106 5530MHz		5453.44	62.09	-11.91	74	49.18	31.83	10.94	29.86	233	130	P	H
		5470	60.88	-7.32	68.2	47.93	31.85	10.96	29.86	233	130	P	H
		5456.32	49.11	-4.89	54	36.2	31.83	10.94	29.86	233	130	A	H
	*	5530	111.29	-	-	98.18	31.93	11.04	29.86	233	130	P	H
	*	5530	99.7	-	-	86.59	31.93	11.04	29.86	233	130	A	H
		5741.06	61.02	-7.18	68.2	47.45	32.15	11.32	29.9	233	130	P	H
		5407.6	61.78	-12.22	74	49.01	31.77	10.88	29.88	213	127	P	V
		5468.32	66.98	-1.22	68.2	53.94	31.94	10.96	29.86	213	127	P	V
		5459.68	49.08	-4.92	54	36.08	31.91	10.95	29.86	213	127	A	V
	*	5530	111.73	-	-	98.51	32.04	11.04	29.86	213	127	P	V
	*	5530	100.3	-	-	87.08	32.04	11.04	29.86	213	127	A	V
		5761.22	60.96	-7.24	68.2	47.26	32.26	11.35	29.91	213	127	P	V
802.11ax HE80 CH 122 5610MHz		5440.48	65.86	-8.14	74	53.02	31.78	10.92	29.86	305	115	P	H
		5460.64	66.78	-1.42	68.2	53.85	31.84	10.95	29.86	305	115	P	H
		5451.04	46.81	-7.19	54	33.92	31.82	10.93	29.86	305	115	A	H
	*	5610	117.22	-	-	104.06	31.89	11.15	29.88	305	115	P	H
	*	5610	106.2	-	-	93.04	31.89	11.15	29.88	305	115	A	H
		5730.35	66.18	-2.02	68.2	52.66	32.1	11.31	29.89	305	115	P	H
		5452.48	63.47	-10.53	74	50.5	31.89	10.94	29.86	100	141	P	V
		5464.24	62.9	-5.3	68.2	49.88	31.93	10.95	29.86	100	141	P	V
		5454.64	46.14	-7.86	54	33.17	31.89	10.94	29.86	100	141	A	V
	*	5610	115.57	-	-	102.32	31.98	11.15	29.88	100	141	P	V
	*	5610	104.63	-	-	91.38	31.98	11.15	29.88	100	141	A	V
		5732.555	64.57	-3.63	68.2	51	32.15	11.31	29.89	100	141	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - Straddle Channel

WIFI 802.11ax HE20 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 CH 144 5720MHz		5394.46	55.54	-18.46	74	48.22	31.63	10.86	35.17	136	232	P	H
		5470	54.94	-13.26	68.2	47.3	31.85	10.96	35.17	136	232	P	H
		5413.18	43.61	-10.39	54	36.18	31.72	10.88	35.17	136	232	A	H
	*	5720	117.01	-	-	108.91	32.12	11.29	35.31	136	232	P	H
	*	5720	104.96	-	-	96.86	32.12	11.29	35.31	136	232	A	H
		5910.5	56.53	-11.67	68.2	47.91	32.5	11.55	35.43	136	232	P	H
		5458.03	55.37	-18.63	74	47.71	31.89	10.94	35.17	137	163	P	V
		5462.32	54.63	-13.57	68.2	46.96	31.89	10.95	35.17	137	163	P	V
		5420.59	43.42	-10.58	54	35.97	31.73	10.89	35.17	137	163	A	V
	*	5720	114.67	-	-	106.61	32.08	11.29	35.31	137	163	P	V
	*	5720	102.44	-	-	94.38	32.08	11.29	35.31	137	163	A	V
		5899.5	56.37	-11.83	68.2	47.77	32.49	11.54	35.43	137	163	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - Straddle Channel

WIFI 802.11ax HE40 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 CH 142 5710MHz		5397.58	52.58	-21.42	74	45.22	31.67	10.86	35.17	131	230	P	H
		5468.95	52.36	-15.84	68.2	44.72	31.85	10.96	35.17	131	230	P	H
		5376.13	41.54	-12.46	54	34.29	31.59	10.83	35.17	131	230	A	H
	*	5710	116.29	-	-	108.26	32.05	11.28	35.3	131	230	P	H
	*	5710	105.06	-	-	97.03	32.05	11.28	35.3	131	230	A	H
		5861	53.95	-14.25	68.2	45.47	32.4	11.48	35.4	131	230	P	H
		5443.6	51.84	-22.16	74	44.28	31.81	10.92	35.17	117	128	P	V
		5460.76	51.98	-16.22	68.2	44.31	31.89	10.95	35.17	117	128	P	V
		5452.18	40.49	-13.51	54	32.83	31.89	10.94	35.17	117	128	A	V
	*	5710	114.46	-	-	106.44	32.04	11.28	35.3	117	128	P	V
	*	5710	103.22	-	-	95.2	32.04	11.28	35.3	117	128	A	V
		5867.5	52.94	-15.26	68.2	44.41	32.45	11.49	35.41	117	128	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - Straddle Channel

WIFI 802.11ax HE80 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 CH 138 5690MHz		5444.77	53	-21	74	45.48	31.76	10.93	35.17	118	236	P	H
		5470	52.7	-15.5	68.2	45.06	31.85	10.96	35.17	118	236	P	H
		5375.74	42.03	-11.97	54	34.78	31.59	10.83	35.17	118	236	A	H
	*	5690	112.13	-	-	104.19	31.98	11.25	35.29	118	236	P	H
	*	5690	100.49	-	-	92.55	31.98	11.25	35.29	118	236	A	H
		5850	55.37	-12.83	68.2	46.92	32.37	11.47	35.39	118	236	P	H
		5376.52	52.15	-21.85	74	44.96	31.53	10.83	35.17	100	144	P	V
		5460.37	51.53	-16.67	68.2	43.86	31.89	10.95	35.17	100	144	P	V
		5447.89	40.39	-13.61	54	32.74	31.89	10.93	35.17	100	144	A	V
	*	5690	109.05	-	-	101.1	31.99	11.25	35.29	100	144	P	V
	*	5690	98.05	-	-	90.1	31.99	11.25	35.29	100	144	A	V
		5937.25	53.08	-15.12	68.2	44.41	32.53	11.59	35.45	100	144	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

<Middle Unmodulated>

Band 2 - 5250~5350MHz

WIFI 802.11ax HE20 (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
4*4		(MHz)	(dBµV/m)	(dB)	(dBµV/m)	(dBµV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 CH 64 5320MHz	*	5320	115.28	-	-	102.94	31.43	10.76	29.85	303	86	P	H
	*	5320	103.82	-	-	91.48	31.43	10.76	29.85	303	86	A	H
		5351.04	68.2	-5.8	74	55.75	31.51	10.8	29.86	303	86	P	H
		5353.28	48.9	-5.1	54	36.45	31.51	10.8	29.86	303	86	A	H
													H
													H
	*	5320	118.39	-	-	105.98	31.5	10.76	29.85	284	64	P	V
	*	5320	107.83	-	-	95.42	31.5	10.76	29.85	284	64	A	V
		5352.96	73.58	-0.42	74	61.08	31.56	10.8	29.86	284	64	P	V
		5354.88	50.61	-3.39	54	38.09	31.57	10.81	29.86	284	64	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 2 5250~5350MHz

WIFI 802.11ax HE40 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 CH 62 5310MHz		5079.22	60.25	-13.75	74	47.69	32.03	10.44	29.91	393	110	P	H
		5138.04	48.16	-5.84	54	35.5	32.06	10.51	29.91	393	110	A	H
	*	5310	113.74	-	-	101.43	31.41	10.75	29.85	393	110	P	H
	*	5310	102.05	-	-	89.74	31.41	10.75	29.85	393	110	A	H
		5351.52	67.75	-6.25	74	55.3	31.51	10.8	29.86	393	110	P	H
		5351.52	48.81	-5.19	54	36.36	31.51	10.8	29.86	393	110	A	H
		5132.94	60.73	-13.27	74	48.05	32.08	10.51	29.91	276	66	P	V
		5149.94	48.25	-5.75	54	35.55	32.08	10.53	29.91	276	66	A	V
	*	5310	118.45	-	-	106.06	31.49	10.75	29.85	276	66	P	V
	*	5310	107.14	-	-	94.75	31.49	10.75	29.85	276	66	A	V
		5356.8	73.58	-0.42	74	61.05	31.58	10.81	29.86	276	66	P	V
		5357.28	51.29	-2.71	54	38.76	31.58	10.81	29.86	276	66	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 2 5250~5350MHz

WIFI 802.11ax HE80 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 CH 58 5290MHz		5110.84	55.91	-18.09	74	43.19	32.14	10.48	29.9	293	352	P	H
		5093.84	44.57	-9.43	54	31.88	32.13	10.46	29.9	293	352	A	H
	*	5290	110.48	-	-	98.22	31.4	10.72	29.86	293	352	P	H
	*	5290	99.88	-	-	87.62	31.4	10.72	29.86	293	352	A	H
		5371.68	68.04	-5.96	74	55.53	31.55	10.83	29.87	293	352	P	H
		5373.84	48.73	-5.27	54	36.21	31.56	10.83	29.87	293	352	A	H
		5137.02	58.51	-15.49	74	45.83	32.08	10.51	29.91	284	337	P	V
		5136.68	45.09	-8.91	54	32.41	32.08	10.51	29.91	284	337	A	V
	*	5290	114.72	-	-	102.35	31.51	10.72	29.86	284	337	P	V
	*	5290	104.4	-	-	92.03	31.51	10.72	29.86	284	337	A	V
		5364	71.88	-2.12	74	59.32	31.61	10.82	29.87	284	337	P	V
		5378.4	51.93	-2.07	54	39.3	31.66	10.84	29.87	284	337	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - 5470~5725MHz

WIFI 802.11ax HE20 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 CH 100 5500MHz		5409.68	61.68	-12.32	74	49.03	31.65	10.88	29.88	356	102	P	H
		5467.44	63.93	-4.27	68.2	50.98	31.85	10.96	29.86	356	102	P	H
		5450.32	48.87	-5.13	54	35.98	31.82	10.93	29.86	356	102	A	H
	*	5500	114.81	-	-	101.76	31.9	11	29.85	356	102	P	H
	*	5500	103.26	-	-	90.21	31.9	11	29.85	356	102	A	H
													H
		5458.64	61.56	-12.44	74	48.57	31.91	10.94	29.86	256	57	P	V
		5468.56	67.5	-0.7	68.2	54.46	31.94	10.96	29.86	256	57	P	V
		5400.08	49.81	-4.19	54	37.07	31.75	10.87	29.88	256	57	A	V
	*	5500	120.79	-	-	107.6	32.04	11	29.85	256	57	P	V
	*	5500	108.85	-	-	95.66	32.04	11	29.85	256	57	A	V
													V
802.11ax HE20 CH 140 5700MHz	*	5700	113	-	-	99.65	31.96	11.27	29.88	361	104	P	H
	*	5700	101.83	-	-	88.48	31.96	11.27	29.88	361	104	A	H
		5726.6	65.23	-2.97	68.2	51.74	32.08	11.3	29.89	361	104	P	H
													H
													H
													H
	*	5700	118.2	-	-	104.8	32.01	11.27	29.88	246	125	P	V
	*	5700	106.58	-	-	93.18	32.01	11.27	29.88	246	125	A	V
		5730.44	66.36	-1.84	68.2	52.8	32.14	11.31	29.89	246	125	P	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - 5470~5725MHz

WIFI 802.11ax HE40 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 CH 102 5510MHz		5434.24	63.39	-10.61	74	50.6	31.75	10.91	29.87	249	80	P	H
		5469.52	61.75	-6.45	68.2	48.8	31.85	10.96	29.86	249	80	P	H
		5455.36	48.46	-5.54	54	35.55	31.83	10.94	29.86	249	80	A	H
	*	5510	113.62	-	-	100.55	31.91	11.01	29.85	249	80	P	H
	*	5510	102.37	-	-	89.3	31.91	11.01	29.85	249	80	A	H
		5763.11	61.11	-7.09	68.2	47.44	32.23	11.35	29.91	249	80	P	H
		5439.76	67.55	-6.45	74	54.64	31.85	10.92	29.86	256	63	P	V
		5462.08	67.9	-0.3	68.2	54.89	31.92	10.95	29.86	256	63	P	V
		5459.68	50.69	-3.31	54	37.69	31.91	10.95	29.86	256	63	A	V
	*	5510	118.3	-	-	105.1	32.04	11.01	29.85	256	63	P	V
	*	5510	106.51	-	-	93.31	32.04	11.01	29.85	256	63	A	V
		5735.705	61.47	-6.73	68.2	47.88	32.16	11.32	29.89	256	63	P	V
802.11ax HE40 CH 134 5670MHz		5457.8	60.74	-13.26	74	47.83	31.83	10.94	29.86	250	81	P	H
		5462.7	60.05	-8.15	68.2	47.12	31.84	10.95	29.86	250	81	P	H
		5455.35	48.28	-5.72	54	35.37	31.83	10.94	29.86	250	81	A	H
	*	5670	113.34	-	-	100.12	31.88	11.23	29.89	250	81	P	H
	*	5670	102.07	-	-	88.85	31.88	11.23	29.89	250	81	A	H
		5734.725	64.81	-3.39	68.2	51.27	32.12	11.31	29.89	250	81	P	H
		5439.6	60.72	-13.28	74	47.81	31.85	10.92	29.86	287	69	P	V
		5465.15	60.73	-7.47	68.2	47.71	31.93	10.95	29.86	287	69	P	V
		5436.1	48.6	-5.4	54	35.72	31.84	10.91	29.87	287	69	A	V
	*	5670	118.92	-	-	105.61	31.97	11.23	29.89	287	69	P	V
	*	5670	107.54	-	-	94.23	31.97	11.23	29.89	287	69	A	V
		5741.375	66.45	-1.75	68.2	52.85	32.18	11.32	29.9	287	69	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - 5470~5725MHz

WIFI 802.11ax HE80 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 CH 106 5530MHz		5437.84	60.55	-13.45	74	47.72	31.77	10.92	29.86	400	356	P	H
		5463.52	59.08	-9.12	68.2	46.15	31.84	10.95	29.86	400	356	P	H
		5436.4	48.24	-5.76	54	35.44	31.76	10.91	29.87	400	356	A	H
	*	5530	109.03	-	-	95.92	31.93	11.04	29.86	400	356	P	H
	*	5530	98.25	-	-	85.14	31.93	11.04	29.86	400	356	A	H
		5752.715	56.15	-12.05	68.2	42.51	32.2	11.34	29.9	400	356	P	H
		5446.24	65.23	-8.77	74	52.29	31.87	10.93	29.86	269	338	P	V
		5467.84	67.06	-1.14	68.2	54.02	31.94	10.96	29.86	269	338	P	V
		5446.96	52.3	-1.7	54	39.36	31.87	10.93	29.86	269	338	A	V
	*	5530	114.34	-	-	101.12	32.04	11.04	29.86	269	338	P	V
	*	5530	103.47	-	-	90.25	32.04	11.04	29.86	269	338	A	V
		5749.88	56.41	-11.79	68.2	42.76	32.22	11.33	29.9	269	338	P	V
802.11ax HE80 CH 122 5610MHz		5452.48	64.9	-9.1	74	52	31.82	10.94	29.86	386	348	P	H
		5469.76	63.83	-4.37	68.2	50.88	31.85	10.96	29.86	386	348	P	H
		5452.48	49.27	-4.73	54	36.37	31.82	10.94	29.86	386	348	A	H
	*	5610	115.18	-	-	102.02	31.89	11.15	29.88	386	348	P	H
	*	5610	103.97	-	-	90.81	31.89	11.15	29.88	386	348	A	H
		5751.77	66.93	-1.27	68.2	53.3	32.19	11.34	29.9	386	348	P	H
		5456.8	69.83	-4.17	74	56.85	31.9	10.94	29.86	312	274	P	V
		5460.16	63.92	-4.28	68.2	50.92	31.91	10.95	29.86	312	274	P	V
		5456.8	52.47	-1.53	54	39.49	31.9	10.94	29.86	312	274	A	V
	*	5610	119.53	-	-	106.28	31.98	11.15	29.88	312	274	P	V
	*	5610	107.49	-	-	94.24	31.98	11.15	29.88	312	274	A	V
		5758.07	66.45	-1.75	68.2	52.76	32.25	11.35	29.91	312	274	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - Straddle Channel

WIFI 802.11ax HE20 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 CH 144 5720MHz		5444.77	60.23	-13.77	74	47.36	31.8	10.93	29.86	319	77	P	H
		5461.54	60.27	-7.93	68.2	47.34	31.84	10.95	29.86	319	77	P	H
		5367.16	48.79	-5.21	54	36.3	31.54	10.82	29.87	319	77	A	H
	*	5720	118.75	-	-	105.3	32.05	11.29	29.89	319	77	P	H
	*	5720	107.15	-	-	93.7	32.05	11.29	29.89	319	77	A	H
		5877.5	63.16	-5.04	68.2	49.17	32.44	11.51	29.96	319	77	P	H
		5451.01	61.54	-12.46	74	48.59	31.88	10.93	29.86	267	53	P	V
		5470	60.9	-7.3	68.2	47.86	31.94	10.96	29.86	267	53	P	V
		5449.06	49.17	-4.83	54	36.22	31.88	10.93	29.86	267	53	A	V
	*	5720	121.25	-	-	107.76	32.09	11.29	29.89	267	53	P	V
	*	5720	110.45	-	-	96.96	32.09	11.29	29.89	267	53	A	V
		5914.75	62.51	-5.69	68.2	48.33	32.58	11.56	29.96	267	53	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - Straddle Channel

WIFI 802.11ax HE40 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 CH 142 5710MHz		5456.86	60.64	-13.36	74	47.73	31.83	10.94	29.86	251	79	P	H
		5463.88	60.06	-8.14	68.2	47.13	31.84	10.95	29.86	251	79	P	H
		5441.26	48.84	-5.16	54	36	31.78	10.92	29.86	251	79	A	H
	*	5710	117.46	-	-	104.06	32	11.28	29.88	251	79	P	H
	*	5710	106.21	-	-	92.81	32	11.28	29.88	251	79	A	H
		5883.25	61.98	-6.22	68.2	47.98	32.45	11.51	29.96	251	79	P	H
		5413.96	61.25	-12.75	74	48.45	31.79	10.88	29.87	281	68	P	V
		5465.44	60.57	-7.63	68.2	47.55	31.93	10.95	29.86	281	68	P	V
		5432.68	49.42	-4.58	54	36.55	31.83	10.91	29.87	281	68	A	V
	*	5710	122.24	-	-	108.79	32.05	11.28	29.88	281	68	P	V
	*	5710	111.24	-	-	97.79	32.05	11.28	29.88	281	68	A	V
		5937	62.11	-6.09	68.2	47.93	32.58	11.59	29.99	281	68	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 3 - Straddle Channel

WIFI 802.11ax HE80 (Band Edge @ 3m)

WIFI Ant. 4*4	Note	Frequency (MHz)	Level (dBµV/m)	Over Limit (dB)	Limit Line (dBµV/m)	Read Level (dBµV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 CH 138 5690MHz		5404.6	55.69	-18.31	74	43.07	31.63	10.87	29.88	400	0	P	H
		5469.34	56.66	-11.54	68.2	43.71	31.85	10.96	29.86	400	0	P	H
		5456.86	45.24	-8.76	54	32.33	31.83	10.94	29.86	400	0	A	H
	*	5690	113.33	-	-	100.03	31.93	11.25	29.88	400	0	P	H
	*	5690	102.78	-	-	89.48	31.93	11.25	29.88	400	0	A	H
		5850.5	64.14	-4.06	68.2	50.24	32.4	11.47	29.97	400	0	P	H
		5451.79	58.1	-15.9	74	45.13	31.89	10.94	29.86	300	51	P	V
		5464.27	57.36	-10.84	68.2	44.34	31.93	10.95	29.86	300	51	P	V
		5459.2	46.63	-7.37	54	33.63	31.91	10.95	29.86	300	51	A	V
	*	5690	118.75	-	-	105.38	32	11.25	29.88	300	51	P	V
	*	5690	107.58	-	-	94.21	32	11.25	29.88	300	51	A	V
		5858	62.9	-5.3	68.2	48.86	32.53	11.48	29.97	300	51	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Note symbol

*	**Fundamental Frequency** which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is **over limit** line.
P/A	**P**eak or **A**verage
H/V	**H**orizontal or **V**ertical