

Internal Photograph Exhibit Prepared By:

**Electronics Test Centre
MPB Technologies Inc.**
Unit 100
302 Legget Drive
Kanata Ontario K2K 1Y5

Internal Photograph Exhibit

ON

**Tripmaster "ranger 802.11b"
also known as
Aztech "LEX Gateway 802.11b"**

MPBT Report No.: A76R3105

Customer P.O. No.: 041129A1

Personnel: Scott Drysdale

Prepared for:
Aztech Associates Inc.
805 Bayridge Dr.
Kingston, Ontario
K7P 1T5

Date: February 18, 2005

Dan Zanette
Lab Manager
Electronic Test Centre
Kanata, Ontario
Authorized Signatory

Reviewed By



TABLE OF CONTENTS

1.0	INTRODUCTION.....	3
1.1	SCOPE	3
1.2	APPLICANT.....	3
1.3	APPLICABILITY	3
1.4	TEST SAMPLE DESCRIPTION.....	3
1.5	PHOTOGRAPH DETAILS	3
2.0	PHOTOGRAPHS.....	4
2.1	COMPONENT PLACEMENT.....	4
2.1.1	ANTENNA.....	5
2.1.2	EUT IN CHASSIS.....	6
2.1.3	TOP.....	7
2.1.4	BOTTOM.....	8
2.1.5	SIDE	9
2.1.6	DC INLET.....	10
2.1.7	CHASSIS ASSEMBLY INSIDE VIEW	11

1.0 **INTRODUCTION**

1.1 **SCOPE**

The purpose of this report is to present the Photograph exhibit to meet the filing requirements.

1.2 **APPLICANT**

This test report has been prepared for Aztech Associates Inc.

1.3 **APPLICABILITY**

All photographs in this document apply to the Tripmaster “ranger 802.11b” which shall be referred to herein as the Equipment Under Test (**EUT**).

The results contained in this report relate only to the item(s) tested.

This report does not imply product endorsement by NVLAP or the Canadian or US governments.

1.4 **TEST SAMPLE DESCRIPTION**

The test sample provided for testing is as described below.

Product Type:	Pre-production unit
Serial Number:	2624450014
Model Number:	Wireless 802.11b
Part Number:	S 000-0271 (Aztech) S 000-0264 (OEM)
Cables:	See appendix A
Power Requirements:	12VDC@500mA (or provided by external 115Vac adaptor)
Peripheral Equipment:	See appendix A

1.5 **PHOTOGRAPH DETAILS**

All photographs were taken with a digital camera at 2816x2112 resolution and are presented below at 7.5x10 inches mounted on 8.5x11 inches paper size. JPEG mode was utilized and to minimize the effects of compression, the minimum compression mode was utilized.

A metric measurement instrument such as a ruler has been included in the photographs for relative size comparisons.

2.0 PHOTOGRAPHS

2.1 COMPONENT PLACEMENT

- 2.1.1 PCB IN CHASSIS, TOP REMOVED**
- 2.1.2 PCB TOP**
- 2.1.3 PCB BOTTOM**
- 2.1.4 PCB SIDE**
- 2.1.5 DATA CONNECTION PCB, SEPERATED**
- 2.1.6 CHASSIS ASSEMBLY BOTTOM**
- 2.1.7 CHASSIS ASSEMBLY TOP**













