

Model: B30 LTE

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE

Contains FCC ID: N7NMC7455

Contains IC: 2417C-MC7455

CAN ICES- 3(A)/NMB-3(A)

Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Made in PRC



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: B30 LTE

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: Balance 30 LTE

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Made in PRC



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: Balance 30 LTE

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Balance 30 LTEA

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE

Contains FCC ID: N7NMC7455

Contains IC: 2417C-MC7455

CAN ICES- 3(A)/NMB-3(A)

Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Made in PRC



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: Balance 30 LTEA

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: BPL-031-LTE-US-T

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE

Contains FCC ID: N7NMC7455

Contains IC: 2417C-MC7455

CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: BPL-031-LTE-US-T

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: Peplink Balance 30 LTE

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



Default Access
<https://192.168.1.1>

Username: admin
Password: admin

FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Made in PRC



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Peplink Balance 30 LTE

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE

Contains FCC ID: N7NMC7455

Contains IC: 2417C-MC7455

CAN ICES- 3(A)/NMB-3(A)

Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Made in PRC



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Peplink Balance 30

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE

Contains FCC ID: N7NMC7455

Contains IC: 2417C-MC7455

CAN ICES- 3(A)/NMB-3(A)

Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Made in PRC



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: Peplink Balance 30

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

M8 HW1

Model: Pismo 811AC

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE

Contains FCC ID: N7NMC7455

Contains IC: 2417C-MC7455

CAN ICES- 3(A)/NMB-3(A)

Default Access

Username: admin

<https://192.168.1.1>

Password: admin

Made in PRC



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Model: Pismo 811AC

Product Code: BPL-031-LTE-US-T

Serial No.: 1925-58C5-42B4

LAN MAC: 10-56-CA-0F-79-3C



FCC ID: U8G-P1811ACLTE
Contains FCC ID: N7NMC7455
Contains IC: 2417C-MC7455
CAN ICES- 3(A)/NMB-3(A)

Default Access	Username: admin
https://192.168.1.1	Password: admin

Made in PRC



M8 HW1

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.