


802.11ac VHT40_Nss1,(MCS0)_4TX

03/12/2018

5670MHz_TX




EUT Y_4TX
Setting 87
02-R-4
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.3427G	54.13	74.00	-19.87	14.42	3	Vertical	219	1.90	-
AV	11.33892G	41.09	54.00	-12.91	14.42	3	Vertical	219	1.90	-

802.11ac VHT40_Nss1,(MCS0)_4TX

03/12/2018

5670MHz_TX




EUT Y_4TX
Setting 87
02-R-4
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.34786G	54.08	74.00	-19.92	14.43	3	Horizontal	317	2.03	-
AV	11.35266G	41.19	54.00	-12.81	14.44	3	Horizontal	317	2.03	-

802.11ac VHT40_Nss1,(MCS0)_4TX

03/12/2018

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-R-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7164G	122.93	Inf	-Inf	9.21	3	Vertical	231	1.49	-
AV	5.706G	113.31	Inf	-Inf	9.21	3	Vertical	231	1.49	-
PK	5.8532G	67.97	68.20	-0.23	9.28	3	Vertical	231	1.49	-

802.11ac VHT40_Nss1,(MCS0)_4TX

03/12/2018

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-R-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7252G	118.93	Inf	-Inf	9.22	3	Horizontal	101	1.46	-
AV	5.7052G	109.20	Inf	-Inf	9.21	3	Horizontal	101	1.46	-
PK	5.854G	65.08	68.20	-3.12	9.28	3	Horizontal	101	1.46	-

802.11ac VHT40_Nss1,(MCS0)_4TX

03/12/2018

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 108
02-R-4
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.42144G	54.36	74.00	-19.64	14.52	3	Vertical	249	1.47	-
AV	11.4384G	41.55	54.00	-12.45	14.54	3	Vertical	249	1.47	-

802.11ac VHT40_Nss1,(MCS0)_4TX

03/12/2018

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 108
02-R-4
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.43752G	53.94	74.00	-20.06	14.54	3	Horizontal	155	1.88	-
AV	11.43912G	41.83	54.00	-12.17	14.54	3	Horizontal	155	1.88	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5530MHz_TX




EUT Y_4TX
Setting 78
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.285G	59.56	68.20	-8.64	8.75	3	Vertical	21	1.78	-
PK	5.459995G	65.15	74.00	-8.85	9.03	3	Vertical	21	1.78	-
AV	5.459995G	53.46	54.00	-0.54	9.03	3	Vertical	21	1.78	-
PK	5.468G	67.50	68.20	-0.70	9.05	3	Vertical	21	1.78	-
PK	5.52G	116.38	Inf	-Inf	9.13	3	Vertical	21	1.78	-
AV	5.525G	103.89	Inf	-Inf	9.14	3	Vertical	21	1.78	-
PK	5.731G	61.21	68.20	-6.99	9.22	3	Vertical	21	1.78	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5530MHz_TX




EUT Y_4TX
Setting 78
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.334G	59.97	68.20	-8.23	8.81	3	Horizontal	256	1.31	-
PK	5.459G	63.82	74.00	-10.18	9.03	3	Horizontal	256	1.31	-
AV	5.459G	51.74	54.00	-2.26	9.03	3	Horizontal	256	1.31	-
PK	5.463G	65.38	68.20	-2.82	9.03	3	Horizontal	256	1.31	-
PK	5.519G	109.27	Inf	-Inf	9.13	3	Horizontal	256	1.31	-
AV	5.519G	99.48	Inf	-Inf	9.13	3	Horizontal	256	1.31	-
PK	5.734G	60.23	68.20	-7.97	9.22	3	Horizontal	256	1.31	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5530MHz_TX




EUT Y_4TX
Setting 78
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.06482G	53.09	74.00	-20.91	14.10	3	Vertical	105	2.78	-
AV	11.0561G	40.31	54.00	-13.69	14.09	3	Vertical	105	2.78	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5530MHz_TX




EUT Y_4TX
Setting 78
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.06436G	53.74	74.00	-20.26	14.10	3	Horizontal	237	2.39	-
AV	11.0647G	40.38	54.00	-13.62	14.10	3	Horizontal	237	2.39	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5610MHz_TX




EUT Y_4TX
Setting 87
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4564G	62.41	74.00	-11.59	9.02	3	Vertical	19	1.75	-
AV	5.4596G	50.74	54.00	-3.26	9.03	3	Vertical	19	1.75	-
PK	5.469995G	63.42	74.00	-10.58	9.05	3	Vertical	19	1.75	-
AV	5.469995G	51.52	54.00	-2.48	9.05	3	Vertical	19	1.75	-
PK	5.5956G	115.47	Inf	-Inf	9.19	3	Vertical	19	1.75	-
AV	5.5956G	106.00	Inf	-Inf	9.19	3	Vertical	19	1.75	-
PK	5.726G	67.50	74.00	-6.50	9.22	3	Vertical	19	1.75	-
AV	5.726G	53.31	54.00	-0.69	9.22	3	Vertical	19	1.75	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5610MHz_TX




EUT Y_4TX
Setting 87
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4324G	59.36	74.00	-14.64	8.96	3	Horizontal	99	1.66	-
AV	5.4452G	47.71	54.00	-6.29	8.99	3	Horizontal	99	1.66	-
PK	5.466G	60.89	74.00	-13.11	9.04	3	Horizontal	99	1.66	-
AV	5.469995G	47.97	54.00	-6.03	9.05	3	Horizontal	99	1.66	-
PK	5.6204G	111.06	Inf	-Inf	9.19	3	Horizontal	99	1.66	-
AV	5.6196G	101.38	Inf	-Inf	9.19	3	Horizontal	99	1.66	-
PK	5.7252G	63.70	74.00	-10.30	9.22	3	Horizontal	99	1.66	-
AV	5.7252G	50.80	54.00	-3.20	9.22	3	Horizontal	99	1.66	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5610MHz_TX




EUT Y_4TX
Setting 87
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.2198G	53.56	74.00	-20.44	14.28	3	Vertical	278	1.50	-
AV	11.21512G	40.58	54.00	-13.42	14.27	3	Vertical	278	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5610MHz_TX




EUT Y_4TX
Setting 87
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.2224G	53.98	74.00	-20.02	14.28	3	Horizontal	265	1.50	-
AV	11.22484G	40.64	54.00	-13.36	14.29	3	Horizontal	265	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 98
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6828G	117.39	Inf	-Inf	9.21	3	Vertical	15	1.41	-
AV	5.6828G	108.34	Inf	-Inf	9.21	3	Vertical	15	1.41	-
PK	5.8588G	68.03	68.20	-0.17	9.29	3	Vertical	15	1.41	-
AV	5.8532G	53.31	Inf	-Inf	9.28	3	Vertical	15	1.41	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 98
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7052G	113.58	Inf	-Inf	9.21	3	Horizontal	95	1.33	-
AV	5.6996G	103.88	Inf	-Inf	9.21	3	Horizontal	95	1.33	-
PK	5.8636G	66.04	68.20	-2.16	9.28	3	Horizontal	95	1.33	-
AV	5.8524G	53.02	Inf	-Inf	9.28	3	Horizontal	95	1.33	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 98
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.3824G	53.70	74.00	-20.30	14.47	3	Vertical	40	1.50	-
AV	11.37682G	41.01	54.00	-12.99	14.46	3	Vertical	40	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX

03/12/2018

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 98
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.38174G	53.81	74.00	-20.19	14.47	3	Horizontal	153	1.49	-
AV	11.37614G	41.15	54.00	-12.85	14.46	3	Horizontal	153	1.49	-

802.11ac VHT160_Nss1,(MCS0)_4TX

03/12/2018

5570MHz_TX




EUT Y_4TX
Setting 57
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2756G	59.14	68.20	-9.06	8.74	3	Vertical	18	1.06	-
PK	5.458G	64.44	74.00	-9.56	9.02	3	Vertical	18	1.06	-
AV	5.4596G	53.96	54.00	-0.04	9.03	3	Vertical	18	1.06	-
PK	5.4676G	61.24	68.20	-6.96	9.05	3	Vertical	18	1.06	-
PK	5.5956G	107.17	Inf	-Inf	9.19	3	Vertical	18	1.06	-
AV	5.5988G	98.08	Inf	-Inf	9.19	3	Vertical	18	1.06	-
PK	5.7348G	61.88	68.20	-6.32	9.22	3	Vertical	18	1.06	-

802.11ac VHT160_Nss1,(MCS0)_4TX

03/12/2018

5570MHz_TX




EUT Y_4TX
Setting 57
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3348G	58.69	68.20	-9.51	8.81	3	Horizontal	281	1.53	-
PK	5.4548G	63.75	74.00	-10.25	9.02	3	Horizontal	281	1.53	-
AV	5.4564G	53.03	54.00	-0.97	9.02	3	Horizontal	281	1.53	-
PK	5.4628G	62.84	68.20	-5.36	9.03	3	Horizontal	281	1.53	-
PK	5.5844G	102.68	Inf	-Inf	9.18	3	Horizontal	281	1.53	-
AV	5.5988G	93.94	Inf	-Inf	9.19	3	Horizontal	281	1.53	-
PK	5.7252G	62.62	68.20	-5.58	9.22	3	Horizontal	281	1.53	-

802.11ac VHT160_Nss1,(MCS0)_4TX

03/12/2018

5570MHz_TX




EUT Y_4TX
Setting 57
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.14442G	53.23	74.00	-20.77	14.19	3	Vertical	97	1.35	-
AV	11.14258G	41.88	54.00	-12.12	14.19	3	Vertical	97	1.35	-

802.11ac VHT160_Nss1,(MCS0)_4TX

03/12/2018

5570MHz_TX



EUT Y_4TX
Setting 57
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.14G	52.92	74.00	-21.08	14.19	3	Horizontal	298	1.20	-
AV	11.1444G	41.99	54.00	-12.01	14.19	3	Horizontal	298	1.20	-


**For 802.11ax, 5GHz Band 1~2:****Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_4TX	Pass	AV	5.149995G	53.96	54.00	-0.04	4.90	3	Vertical	205	2.14	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5180MHz_TX




EUT Y_4TX
Setting 82
01-E-3-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	73.78	74.00	-0.22	4.90	3	Vertical	192	2.35	-
AV	5.1476G	53.23	54.00	-0.77	4.90	3	Vertical	192	2.35	-
PK	5.1772G	121.12	Inf	-Inf	4.93	3	Vertical	192	2.35	-
AV	5.1776G	108.68	Inf	-Inf	4.93	3	Vertical	192	2.35	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5180MHz_TX




EUT Y_4TX
Setting 82
01-E-3-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	68.51	74.00	-5.49	4.90	3	Horizontal	159	2.18	-
AV	5.149995G	50.28	54.00	-3.72	4.90	3	Horizontal	159	2.18	-
PK	5.1732G	118.85	Inf	-Inf	4.93	3	Horizontal	159	2.18	-
AV	5.1828G	106.02	Inf	-Inf	4.94	3	Horizontal	159	2.18	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5180MHz_TX




EUT Y_4TX
Setting 82
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.5417G	61.01	74.00	-12.99	15.93	3	Vertical	0	2.33	-
AV	15.53744G	47.12	54.00	-6.88	15.94	3	Vertical	0	2.33	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5180MHz_TX




EUT Y_4TX
Setting 82
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.53542G	61.79	74.00	-12.21	15.94	3	Horizontal	113	1.50	-
AV	15.5381G	47.19	54.00	-6.81	15.93	3	Horizontal	113	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5200MHz_TX




EUT Y_4TX
Setting 96
01-E-3-13
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.1472G	69.75	74.00	-4.25	4.90	3	Vertical	192	2.21	-
AV	5.1472G	53.87	54.00	-0.13	4.90	3	Vertical	192	2.21	-
PK	5.1968G	125.23	Inf	-Inf	4.96	3	Vertical	192	2.21	-
AV	5.1976G	112.35	Inf	-Inf	4.96	3	Vertical	192	2.21	-
PK	5.3608G	62.50	74.00	-11.50	5.64	3	Vertical	192	2.21	-
AV	5.3584G	49.06	54.00	-4.94	5.63	3	Vertical	192	2.21	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5200MHz_TX




EUT Y_4TX
Setting 96
01-E-3-13
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.1472G	64.18	74.00	-9.82	4.90	3	Horizontal	160	1.51	-
AV	5.148G	48.68	54.00	-5.32	4.90	3	Horizontal	160	1.51	-
PK	5.1928G	119.78	Inf	-Inf	4.95	3	Horizontal	160	1.51	-
AV	5.2032G	107.04	Inf	-Inf	4.97	3	Horizontal	160	1.51	-
PK	5.3792G	59.50	74.00	-14.50	5.71	3	Horizontal	160	1.51	-
AV	5.3656G	46.10	54.00	-7.90	5.65	3	Horizontal	160	1.51	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5200MHz_TX




EUT Y_4TX
Setting 96
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.5877G	61.81	74.00	-12.19	15.86	3	Vertical	162	1.61	-
AV	15.59766G	47.98	54.00	-6.02	15.84	3	Vertical	162	1.61	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5200MHz_TX




EUT Y_4TX
Setting 96
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.60252G	61.07	74.00	-12.93	15.83	3	Horizontal	147	1.52	-
AV	15.59742G	47.90	54.00	-6.10	15.84	3	Horizontal	147	1.52	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5240MHz_TX




EUT Y_4TX
Setting 107
01-E-3-13
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.148G	68.95	74.00	-5.05	4.90	3	Vertical	205	2.43	-
AV	5.148G	53.16	54.00	-0.84	4.90	3	Vertical	205	2.43	-
PK	5.2368G	128.02	Inf	-Inf	5.13	3	Vertical	205	2.43	-
AV	5.2368G	114.43	Inf	-Inf	5.13	3	Vertical	205	2.43	-
PK	5.3536G	64.04	74.00	-9.96	5.62	3	Vertical	205	2.43	-
AV	5.3504G	50.39	54.00	-3.61	5.60	3	Vertical	205	2.43	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5240MHz_TX




EUT Y_4TX
Setting 107
01-E-3-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	67.18	74.00	-6.82	4.90	3	Horizontal	161	1.44	-
AV	5.1496G	51.79	54.00	-2.21	4.90	3	Horizontal	161	1.44	-
PK	5.2384G	126.09	Inf	-Inf	5.13	3	Horizontal	161	1.44	-
AV	5.2432G	113.76	Inf	-Inf	5.15	3	Horizontal	161	1.44	-
PK	5.3536G	64.68	74.00	-9.32	5.62	3	Horizontal	161	1.44	-
AV	5.352G	50.16	54.00	-3.84	5.60	3	Horizontal	161	1.44	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5240MHz_TX




EUT Y_4TX
Setting 107
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	15.7124G	64.33	74.00	-9.67	15.66	3	Vertical	150	1.60	-						
AV	15.72248G	50.51	54.00	-3.49	15.64	3	Vertical	150	1.60	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5240MHz_TX




EUT Y_4TX
Setting 107
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.71736G	64.49	74.00	-9.51	15.65	3	Horizontal	161	1.83	-
AV	15.7224G	50.11	54.00	-3.89	15.64	3	Horizontal	161	1.83	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5260MHz_TX




EUT Y_4TX
Setting 109
01-E-3-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1464G	66.52	74.00	-7.48	4.90	3	Vertical	206	2.53	-
AV	5.1464G	51.72	54.00	-2.28	4.90	3	Vertical	206	2.53	-
PK	5.2568G	127.85	Inf	-Inf	5.22	3	Vertical	206	2.53	-
AV	5.2624G	114.60	Inf	-Inf	5.24	3	Vertical	206	2.53	-
PK	5.3512G	69.79	74.00	-4.21	5.60	3	Vertical	206	2.53	-
AV	5.3504G	53.82	54.00	-0.18	5.60	3	Vertical	206	2.53	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5260MHz_TX




EUT Y_4TX
Setting 109
01-E-3-13
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.148G	65.54	74.00	-8.46	4.90	3	Horizontal	158	1.50	-
AV	5.148G	50.25	54.00	-3.75	4.90	3	Horizontal	158	1.50	-
PK	5.2584G	125.61	Inf	-Inf	5.22	3	Horizontal	158	1.50	-
AV	5.2632G	113.71	Inf	-Inf	5.24	3	Horizontal	158	1.50	-
PK	5.3512G	66.24	74.00	-7.76	5.60	3	Horizontal	158	1.50	-
AV	5.3512G	51.61	54.00	-2.39	5.60	3	Horizontal	158	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5260MHz_TX




EUT Y_4TX
Setting 109
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.77256G	63.16	74.00	-10.84	15.56	3	Vertical	153	1.61	-
AV	15.77752G	50.09	54.00	-3.91	15.55	3	Vertical	153	1.61	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5260MHz_TX




EUT Y_4TX
Setting 109
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.77792G	64.72	74.00	-9.28	15.55	3	Horizontal	144	1.39	-
AV	15.77752G	51.00	54.00	-3.00	15.55	3	Horizontal	144	1.39	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5300MHz_TX




EUT Y_4TX
Setting 97
01-E-3-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2968G	125.95	Inf	-Inf	5.40	3	Vertical	204	2.23	-
AV	5.2916G	111.25	Inf	-Inf	5.37	3	Vertical	204	2.23	-
PK	5.3528G	72.13	74.00	-1.87	5.61	3	Vertical	204	2.23	-
AV	5.3528G	53.76	54.00	-0.24	5.61	3	Vertical	204	2.23	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5300MHz_TX




EUT Y_4TX
Setting 97
01-E-3-13
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.2932G	123.88	Inf	-Inf	5.38	3	Horizontal	158	1.47	-
AV	5.2932G	110.45	Inf	-Inf	5.38	3	Horizontal	158	1.47	-
PK	5.350005G	69.47	74.00	-4.53	5.60	3	Horizontal	158	1.47	-
AV	5.3504G	51.98	54.00	-2.02	5.60	3	Horizontal	158	1.47	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5300MHz_TX




EUT Y_4TX
Setting 97
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.8926G	62.85	74.00	-11.15	15.37	3	Vertical	154	1.59	-
AV	15.8974G	48.66	54.00	-5.34	15.36	3	Vertical	154	1.59	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5300MHz_TX




EUT Y_4TX
Setting 97
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.8968G	61.60	74.00	-12.40	15.36	3	Horizontal	212	1.63	-
AV	15.8972G	49.08	54.00	-4.92	15.36	3	Horizontal	212	1.63	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5320MHz_TX




EUT Y_4TX
Setting 85
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3168G	122.60	Inf	-Inf	5.47	3	Vertical	205	2.16	-
AV	5.322G	108.13	Inf	-Inf	5.49	3	Vertical	205	2.16	-
PK	5.352G	73.79	74.00	-0.21	5.61	3	Vertical	205	2.16	-
AV	5.352G	53.39	54.00	-0.61	5.61	3	Vertical	205	2.16	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5320MHz_TX




EUT Y_4TX
Setting 85
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3132G	120.93	Inf	-Inf	5.46	3	Horizontal	158	1.35	-
AV	5.3184G	106.99	Inf	-Inf	5.48	3	Horizontal	158	1.35	-
PK	5.3528G	72.21	74.00	-1.79	5.61	3	Horizontal	158	1.35	-
AV	5.3532G	51.86	54.00	-2.14	5.62	3	Horizontal	158	1.35	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5320MHz_TX




EUT Y_4TX
Setting 85
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.96984G	60.14	74.00	-13.86	15.25	3	Vertical	77	1.50	-
AV	15.96112G	46.32	54.00	-7.68	15.26	3	Vertical	77	1.50	-

802.11ax HEW20_Nss1,(MCS0)_4TX

03/12/2018

5320MHz_TX




EUT Y_4TX
Setting 85
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.96268G	60.33	74.00	-13.67	15.26	3	Horizontal	15	2.59	-
AV	15.96108G	46.11	54.00	-7.89	15.26	3	Horizontal	15	2.59	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5190MHz_TX




EUT Y_4TX
Setting 70
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	65.96	74.00	-8.04	4.90	3	Vertical	188	2.34	-
AV	5.148G	53.92	54.00	-0.08	4.90	3	Vertical	188	2.34	-
PK	5.1828G	115.01	Inf	-Inf	4.94	3	Vertical	188	2.34	-
AV	5.1876G	103.39	Inf	-Inf	4.95	3	Vertical	188	2.34	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5190MHz_TX




EUT Y_4TX
Setting 70
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.148G	64.31	74.00	-9.69	4.90	3	Horizontal	159	1.53	-
AV	5.148G	52.08	54.00	-1.92	4.90	3	Horizontal	159	1.53	-
PK	5.1984G	112.78	Inf	-Inf	4.96	3	Horizontal	159	1.53	-
AV	5.193G	101.52	Inf	-Inf	4.95	3	Horizontal	159	1.53	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5190MHz_TX




EUT Y_4TX
Setting 70
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.57318G	61.25	74.00	-12.75	15.88	3	Vertical	221	1.53	-
AV	15.57394G	47.22	54.00	-6.78	15.88	3	Vertical	221	1.53	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5190MHz_TX




EUT Y_4TX
Setting 70
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.57558G	60.95	74.00	-13.05	15.87	3	Horizontal	110	1.43	-
AV	15.57906G	47.15	54.00	-6.85	15.87	3	Horizontal	110	1.43	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5230MHz_TX




EUT Y_4TX
Setting 91
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	69.14	74.00	-4.86	4.90	3	Vertical	205	2.14	-
AV	5.149995G	53.96	54.00	-0.04	4.90	3	Vertical	205	2.14	-
PK	5.222G	121.93	Inf	-Inf	5.06	3	Vertical	205	2.14	-
AV	5.222G	109.60	Inf	-Inf	5.06	3	Vertical	205	2.14	-
PK	5.3756G	60.94	74.00	-13.06	5.70	3	Vertical	205	2.14	-
AV	5.3692G	49.12	54.00	-4.88	5.67	3	Vertical	205	2.14	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5230MHz_TX




EUT Y_4TX
Setting 91
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.146G	65.87	74.00	-8.13	4.89	3	Horizontal	159	1.49	-
AV	5.146G	52.13	54.00	-1.87	4.89	3	Horizontal	159	1.49	-
PK	5.238G	118.60	Inf	-Inf	5.13	3	Horizontal	159	1.49	-
AV	5.236G	107.81	Inf	-Inf	5.07	3	Horizontal	159	1.49	-
PK	5.386G	60.69	74.00	-13.31	5.74	3	Horizontal	159	1.49	-
AV	5.350G	48.43	54.00	-5.57	5.60	3	Horizontal	159	1.49	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5230MHz_TX




EUT Y_4TX
Setting 91
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.67088G	60.72	74.00	-13.28	15.72	3	Vertical	153	1.65	-
AV	15.67744G	47.07	54.00	-6.93	15.71	3	Vertical	153	1.65	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5230MHz_TX




EUT Y_4TX
Setting 91
01-E-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	15.68392G	60.41	74.00	-13.59	15.70	3	Horizontal	164	1.97	-
AV	15.67744G	46.94	54.00	-7.06	15.71	3	Horizontal	164	1.97	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5270MHz_TX




EUT Y_4TX
Setting 92
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1476G	63.16	74.00	-10.84	4.90	3	Vertical	204	2.08	-
AV	5.1482G	51.43	54.00	-2.57	4.90	3	Vertical	204	2.08	-
PK	5.2622G	123.09	Inf	-Inf	5.24	3	Vertical	204	2.08	-
AV	5.2772G	110.92	Inf	-Inf	5.31	3	Vertical	204	2.08	-
PK	5.357G	65.70	74.00	-8.30	5.63	3	Vertical	204	2.08	-
AV	5.3516G	53.78	54.00	-0.22	5.61	3	Vertical	204	2.08	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5270MHz_TX




EUT Y_4TX
Setting 92
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.138G	60.20	74.00	-13.80	4.88	3	Horizontal	158	1.43	-
AV	5.1404G	48.29	54.00	-5.71	4.88	3	Horizontal	158	1.43	-
PK	5.2778G	117.59	Inf	-Inf	5.31	3	Horizontal	158	1.43	-
AV	5.2736G	106.53	Inf	-Inf	5.29	3	Horizontal	158	1.43	-
PK	5.351G	61.47	74.00	-12.53	5.60	3	Horizontal	158	1.43	-
AV	5.3534G	50.07	54.00	-3.93	5.62	3	Horizontal	158	1.43	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5270MHz_TX




EUT Y_4TX
Setting 92
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.79796G	60.78	74.00	-13.22	15.52	3	Vertical	148	1.50	-
AV	15.8128G	47.45	54.00	-6.55	15.50	3	Vertical	148	1.50	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5270MHz_TX




EUT Y_4TX
Setting 92
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.80244G	61.20	74.00	-12.80	15.51	3	Horizontal	159	1.77	-
AV	15.81252G	47.64	54.00	-6.36	15.50	3	Horizontal	159	1.77	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5310MHz_TX




EUT Y_4TX
Setting 78
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.3022G	116.65	Inf	-Inf	5.42	3	Vertical	207	2.14	-
AV	5.3118G	105.02	Inf	-Inf	5.45	3	Vertical	207	2.14	-
PK	5.3514G	70.04	74.00	-3.96	5.61	3	Vertical	207	2.14	-
AV	5.3526G	53.76	54.00	-0.24	5.61	3	Vertical	207	2.14	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5310MHz_TX




EUT Y_4TX
Setting 78
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.298G	114.60	Inf	-Inf	5.40	3	Horizontal	161	1.42	-
AV	5.2986G	103.75	Inf	-Inf	5.40	3	Horizontal	161	1.42	-
PK	5.3532G	69.19	74.00	-4.81	5.62	3	Horizontal	161	1.42	-
AV	5.3526G	52.21	54.00	-1.79	5.61	3	Horizontal	161	1.42	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5310MHz_TX




EUT Y_4TX
Setting 78
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.93054G	60.13	74.00	-13.87	15.31	3	Vertical	60	2.33	-
AV	15.9174G	46.27	54.00	-7.73	15.33	3	Vertical	60	2.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX

03/12/2018

5310MHz_TX




EUT Y_4TX
Setting 78
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments						
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)							
PK	15.9189G	60.30	74.00	-13.70	15.33	3	Horizontal	129	1.66	-						
AV	15.93078G	46.31	54.00	-7.69	15.31	3	Horizontal	129	1.66	-						

802.11ax HEW80_Nss1,(MCS0)_4TX

03/12/2018

5210MHz_TX




EUT Y_4TX
Setting 66
01-E-3-10
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.143G	65.87	74.00	-8.13	4.89	3	Vertical	195	2.21	-
AV	5.148G	53.76	54.00	-0.24	4.90	3	Vertical	195	2.21	-
PK	5.187G	111.49	Inf	-Inf	4.94	3	Vertical	195	2.21	-
AV	5.198G	100.08	Inf	-Inf	4.96	3	Vertical	195	2.21	-
PK	5.377G	59.43	74.00	-14.57	5.70	3	Vertical	195	2.21	-
AV	5.37G	47.60	54.00	-6.40	5.68	3	Vertical	195	2.21	-

802.11ax HEW80_Nss1,(MCS0)_4TX

03/12/2018

5210MHz_TX




EUT Y_4TX
Setting 66
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.147G	62.82	74.00	-11.18	4.90	3	Horizontal	161	1.50	-
AV	5.146G	51.71	54.00	-2.29	4.89	3	Horizontal	161	1.50	-
PK	5.223G	109.52	Inf	-Inf	5.06	3	Horizontal	161	1.50	-
AV	5.223G	98.80	Inf	-Inf	5.06	3	Horizontal	161	1.50	-
PK	5.39G	59.22	74.00	-14.78	5.75	3	Horizontal	161	1.50	-
AV	5.445G	47.69	54.00	-6.31	5.89	3	Horizontal	161	1.50	-

802.11ax HEW80_Nss1,(MCS0)_4TX

03/12/2018

5210MHz_TX




EUT Y_4TX
Setting 66
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.63636G	60.88	74.00	-13.12	15.78	3	Vertical	246	1.50	-
AV	15.62328G	47.94	54.00	-6.06	15.80	3	Vertical	246	1.50	-

802.11ax HEW80_Nss1,(MCS0)_4TX

03/12/2018

5210MHz_TX




EUT Y_4TX
Setting 66
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.62544G	61.15	74.00	-12.85	15.80	3	Horizontal	74	1.59	-
AV	15.62916G	48.29	54.00	-5.71	15.79	3	Horizontal	74	1.59	-

802.11ax HEW80_Nss1,(MCS0)_4TX

03/12/2018

5290MHz_TX




EUT Y_4TX
Setting 75
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1492G	59.89	74.00	-14.11	4.90	3	Vertical	205	2.08	-
AV	5.142G	48.68	54.00	-5.32	4.89	3	Vertical	205	2.08	-
PK	5.282G	112.12	Inf	-Inf	5.33	3	Vertical	205	2.08	-
AV	5.2772G	101.89	Inf	-Inf	5.31	3	Vertical	205	2.08	-
PK	5.3524G	66.98	74.00	-7.02	5.61	3	Vertical	205	2.08	-
AV	5.3524G	53.78	54.00	-0.22	5.61	3	Vertical	205	2.08	-
PK	5.4796G	58.62	68.20	-9.58	5.96	3	Vertical	205	2.08	-

802.11ax HEW80_Nss1,(MCS0)_4TX

03/12/2018

5290MHz_TX




EUT Y_4TX
Setting 75
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1412G	60.10	74.00	-13.90	4.89	3	Horizontal	162	1.45	-
AV	5.1412G	48.00	54.00	-6.00	4.89	3	Horizontal	162	1.45	-
PK	5.2884G	111.78	Inf	-Inf	5.36	3	Horizontal	162	1.45	-
AV	5.2836G	100.81	Inf	-Inf	5.34	3	Horizontal	162	1.45	-
PK	5.3532G	64.20	74.00	-9.80	5.61	3	Horizontal	162	1.45	-
AV	5.354G	51.36	54.00	-2.64	5.62	3	Horizontal	162	1.45	-
PK	5.4748G	58.93	68.20	-9.27	5.94	3	Horizontal	162	1.45	-

802.11ax HEW80_Nss1,(MCS0)_4TX

03/12/2018

5290MHz_TX




EUT Y_4TX
Setting 75
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.88088G	60.54	74.00	-13.46	15.39	3	Vertical	254	2.34	-
AV	15.88792G	48.17	54.00	-5.83	15.38	3	Vertical	254	2.34	-

802.11ax HEW80_Nss1,(MCS0)_4TX

03/12/2018

5290MHz_TX




EUT Y_4TX
Setting 75
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.87232G	60.69	74.00	-13.31	15.40	3	Horizontal	343	1.67	-
AV	15.8896G	48.10	54.00	-5.90	15.38	3	Horizontal	343	1.67	-

802.11ax HEW160_Nss1,(MCS0)_4TX

03/12/2018

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 57
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	5.1364G	63.45	74.00	-10.55	4.89	3	Vertical	197	2.05	-								
AV	5.1364G	53.87	54.00	-0.13	4.89	3	Vertical	197	2.05	-								
PK	5.2324G	109.24	Inf	-Inf	5.11	3	Vertical	197	2.05	-								
AV	5.2324G	98.01	Inf	-Inf	5.11	3	Vertical	197	2.05	-								
PK	5.3604G	60.07	74.00	-13.93	5.64	3	Vertical	197	2.05	-								
AV	5.3572G	50.47	54.00	-3.53	5.63	3	Vertical	197	2.05	-								

802.11ax HEW160_Nss1,(MCS0)_4TX

03/12/2018

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 57
01-E-3-10
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1364G	63.17	74.00	-10.83	4.89	3	Horizontal	161	1.50	-
AV	5.1364G	53.05	54.00	-0.95	4.89	3	Horizontal	161	1.50	-
PK	5.2324G	109.91	Inf	-Inf	5.11	3	Horizontal	161	1.50	-
AV	5.2628G	97.50	Inf	-Inf	5.24	3	Horizontal	161	1.50	-
PK	5.3572G	59.97	74.00	-14.03	5.63	3	Horizontal	161	1.50	-
AV	5.3508G	50.26	54.00	-3.74	5.60	3	Horizontal	161	1.50	-

802.11ax HEW160_Nss1,(MCS0)_4TX

03/12/2018

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 57
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.75076G	60.42	74.00	-13.58	15.60	3	Vertical	160	1.66	-
AV	15.74832G	49.35	54.00	-4.65	15.60	3	Vertical	160	1.66	-

802.11ax HEW160_Nss1,(MCS0)_4TX

03/12/2018

5250MHz Straddle 5.25-5.35GHz_TX



EUT Y_4TX
Setting 57
01-E-3
FSP

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	15.75044G	60.64	74.00	-13.36	15.60	3	Horizontal	110	1.48	-
AV	15.75416G	49.92	54.00	-4.08	15.59	3	Horizontal	110	1.48	-


**For 802.11ax, 5GHz Band 3~4:****Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1_4TX	Pass	AV	5.4564G	53.99	54.00	-0.01	9.02	3	Vertical	22	1.66	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5500MHz_TX




EUT Y_4TX
Setting 83
02-R-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4516G	64.22	74.00	-9.78	9.01	3	Vertical	234	2.71	-
AV	5.4564G	49.86	54.00	-4.14	9.02	3	Vertical	234	2.71	-
PK	5.4664G	73.44	74.00	-0.56	9.05	3	Vertical	234	2.71	-
AV	5.4664G	53.93	54.00	-0.07	9.05	3	Vertical	234	2.71	-
PK	5.5008G	124.14	Inf	-Inf	9.12	3	Vertical	234	2.71	-
AV	5.5008G	110.64	Inf	-Inf	9.12	3	Vertical	234	2.71	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5500MHz_TX




EUT Y_4TX
Setting 83
02-R-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4584G	62.74	74.00	-11.26	9.02	3	Horizontal	290	1.42	-
AV	5.4584G	48.49	54.00	-5.51	9.02	3	Horizontal	290	1.42	-
PK	5.4684G	70.48	74.00	-3.52	9.05	3	Horizontal	290	1.42	-
AV	5.4688G	50.83	54.00	-3.17	9.05	3	Horizontal	290	1.42	-
PK	5.4968G	119.28	Inf	-Inf	9.11	3	Horizontal	290	1.42	-
AV	5.5012G	105.24	Inf	-Inf	9.12	3	Horizontal	290	1.42	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5500MHz_TX




EUT Y_4TX
Setting 83
02-R-4
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.00912G	53.61	74.00	-20.39	14.03	3	Vertical	19	1.50	-
AV	11.00036G	39.52	54.00	-14.48	14.02	3	Vertical	19	1.50	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5500MHz_TX




EUT Y_4TX
Setting 83
02-R-4
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.00588G	53.84	74.00	-20.16	14.03	3	Horizontal	127	2.46	-
AV	11.00212G	39.45	54.00	-14.55	14.02	3	Horizontal	127	2.46	-

802.11ax HEW20_Nss1_4TX

5580MHz_TX

30/07/2018




EUT Y_4TX
Setting 120
02-R-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4592G	64.47	74.00	-9.53	9.03	3	Vertical	22	1.65	-
AV	5.459995G	50.25	54.00	-3.75	9.03	3	Vertical	22	1.65	-
PK	5.4672G	66.79	74.00	-7.21	9.04	3	Vertical	22	1.65	-
AV	5.4696G	51.69	54.00	-2.31	9.05	3	Vertical	22	1.65	-
PK	5.5856G	128.67	Inf	-Inf	9.18	3	Vertical	22	1.65	-
AV	5.5752G	116.07	Inf	-Inf	9.17	3	Vertical	22	1.65	-
PK	5.7264G	65.30	74.00	-8.70	9.22	3	Vertical	22	1.65	-
AV	5.7272G	50.54	54.00	-3.46	9.22	3	Vertical	22	1.65	-

802.11ax HEW20_Nss1_4TX

5580MHz_TX

30/07/2018




EUT Y_4TX
Setting 120
02-R-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4168G	59.73	74.00	-14.27	8.93	3	Horizontal	104	2.26	-
AV	5.459995G	47.08	54.00	-6.92	9.03	3	Horizontal	104	2.26	-
PK	5.4632G	59.49	74.00	-14.51	9.03	3	Horizontal	104	2.26	-
AV	5.4624G	47.18	54.00	-6.82	9.03	3	Horizontal	104	2.26	-
PK	5.5856G	123.00	Inf	-Inf	9.18	3	Horizontal	104	2.26	-
AV	5.5752G	110.96	Inf	-Inf	9.17	3	Horizontal	104	2.26	-
PK	5.7264G	61.83	74.00	-12.17	9.22	3	Horizontal	104	2.26	-
AV	5.7264G	48.22	54.00	-5.78	9.22	3	Horizontal	104	2.26	-

802.11ax HEW20_Nss1_4TX

5580MHz_TX

30/07/2018




EUT Y_4TX
Setting 120
02-R-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.15872G	53.56	74.00	-20.44	14.21	3	Vertical	205	2.01	-
AV	11.16216G	39.81	54.00	-14.19	14.21	3	Vertical	205	2.01	-

802.11ax HEW20_Nss1_4TX

5580MHz_TX

30/07/2018




EUT Y_4TX
Setting 120
02-R-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.16656G	53.43	74.00	-20.57	14.22	3	Horizontal	24	1.50	-
AV	11.16416G	39.00	54.00	-15.00	14.21	3	Horizontal	24	1.50	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5700MHz_TX




EUT Y_4TX
Setting 71
02-R-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6928G	120.28	Inf	-Inf	9.21	3	Vertical	18	1.32	-
AV	5.7028G	107.39	Inf	-Inf	9.21	3	Vertical	18	1.32	-
PK	5.7256G	73.76	74.00	-0.24	9.22	3	Vertical	18	1.32	-
AV	5.7292G	50.02	54.00	-3.98	9.22	3	Vertical	18	1.32	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5700MHz_TX




EUT Y_4TX
Setting 71
02-R-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7088G	113.94	Inf	-Inf	9.21	3	Horizontal	274	1.15	-
AV	5.6984G	101.48	Inf	-Inf	9.21	3	Horizontal	274	1.15	-
PK	5.7292G	68.69	74.00	-5.31	9.22	3	Horizontal	274	1.15	-
AV	5.7292G	47.90	54.00	-6.10	9.22	3	Horizontal	274	1.15	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5700MHz_TX




EUT Y_4TX
Setting 71
02-R-4
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.3908G	54.90	74.00	-19.10	14.48	3	Vertical	103	1.50	-
AV	11.39184G	40.21	54.00	-13.79	14.48	3	Vertical	103	1.50	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5700MHz_TX




EUT Y_4TX
Setting 71
02-R-4
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.39416G	54.21	74.00	-19.79	14.49	3	Horizontal	344	1.50	-
AV	11.40988G	40.08	54.00	-13.92	14.50	3	Horizontal	344	1.50	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 112
02-R-4-13
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.7136G	129.57	Inf	-Inf	9.21	3	Vertical	251	1.23	-
AV	5.7136G	116.76	Inf	-Inf	9.21	3	Vertical	251	1.23	-
PK	5.8672G	67.82	68.20	-0.38	9.29	3	Vertical	251	1.23	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 112
02-R-4-13
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7184G	124.63	Inf	-Inf	9.22	3	Horizontal	281	1.44	-
AV	5.7184G	111.90	Inf	-Inf	9.22	3	Horizontal	281	1.44	-
PK	5.8568G	64.55	68.20	-3.65	9.29	3	Horizontal	281	1.44	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 112
02-R-4
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.4356G	54.48	74.00	-19.52	14.53	3	Vertical	313	2.74	-
AV	11.43648G	39.96	54.00	-14.04	14.54	3	Vertical	313	2.74	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 112
02-R-4
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.4364G	54.35	74.00	-19.65	14.53	3	Horizontal	64	1.29	-
AV	11.43636G	39.90	54.00	-14.10	14.53	3	Horizontal	64	1.29	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5745MHz_TX




EUT Y_4TX
Setting 109
02-R-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.643G	67.98	68.20	-0.22	9.20	3	Vertical	250	1.50	-
PK	5.744G	127.90	Inf	-Inf	9.22	3	Vertical	250	1.50	-
AV	5.739G	115.69	Inf	-Inf	9.22	3	Vertical	250	1.50	-
PK	5.957G	61.04	68.20	-7.16	9.37	3	Vertical	250	1.50	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5745MHz_TX




EUT Y_4TX
Setting 109
02-R-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.638G	61.52	68.20	-6.68	9.20	3	Horizontal	142	1.61	-
PK	5.749G	122.48	Inf	-Inf	9.22	3	Horizontal	142	1.61	-
AV	5.75G	110.02	Inf	-Inf	9.22	3	Horizontal	142	1.61	-
PK	5.924994G	60.27	68.20	-7.93	9.33	3	Horizontal	142	1.61	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5745MHz_TX




EUT Y_4TX
Setting 109
02-R-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.48204G	53.76	74.00	-20.24	14.59	3	Vertical	275	1.19	-
AV	11.48376G	39.31	54.00	-14.69	14.59	3	Vertical	275	1.19	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5745MHz_TX




EUT Y_4TX
Setting 109
02-R-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.48172G	53.26	74.00	-20.74	14.59	3	Horizontal	219	1.49	-
AV	11.48372G	39.35	54.00	-14.65	14.59	3	Horizontal	219	1.49	-

802.11ax HEW20_Nss1_4TX

5785MHz_TX

30/07/2018




EUT Y_4TX
Setting 120
02-R-4-13
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.652G	67.88	69.68	-1.80	9.20	3	Vertical	247	1.98	-
PK	5.789G	129.05	Inf	-Inf	9.24	3	Vertical	247	1.98	-
AV	5.789G	116.58	Inf	-Inf	9.24	3	Vertical	247	1.98	-
PK	5.928G	65.96	68.20	-2.24	9.35	3	Vertical	247	1.98	-

802.11ax HEW20_Nss1_4TX

5785MHz_TX

30/07/2018




EUT Y_4TX
Setting 120
02-R-4-13
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.561G	63.69	68.20	-4.51	9.16	3	Horizontal	139	1.53	-
PK	5.789G	124.54	Inf	-Inf	9.24	3	Horizontal	139	1.53	-
AV	5.79G	111.86	Inf	-Inf	9.24	3	Horizontal	139	1.53	-
PK	5.927G	63.98	68.20	-4.22	9.35	3	Horizontal	139	1.53	-

802.11ax HEW20_Nss1_4TX

5785MHz_TX

30/07/2018




EUT Y_4TX
Setting 120
02-R-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.56208G	53.56	74.00	-20.44	14.68	3	Vertical	34	2.28	-
AV	11.56668G	38.94	54.00	-15.06	14.69	3	Vertical	34	2.28	-

802.11ax HEW20_Nss1_4TX

5785MHz_TX

30/07/2018




EUT Y_4TX
Setting 120
02-R-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.56996G	53.80	74.00	-20.20	14.69	3	Horizontal	344	2.00	-
AV	11.56256G	38.98	54.00	-15.02	14.68	3	Horizontal	344	2.00	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5825MHz_TX




EUT Y_4TX
Setting 111
02-R-4-13
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.58G	64.70	68.20	-3.50	9.18	3	Vertical	242	1.41	-
PK	5.829G	129.16	Inf	-Inf	9.26	3	Vertical	242	1.41	-
AV	5.829G	116.13	Inf	-Inf	9.26	3	Vertical	242	1.41	-
PK	5.926G	67.97	68.20	-0.23	9.35	3	Vertical	242	1.41	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5825MHz_TX




EUT Y_4TX
Setting 111
02-R-4-13
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.588G	63.14	68.20	-5.06	9.18	3	Horizontal	134	1.64	-
PK	5.83G	123.82	Inf	-Inf	9.26	3	Horizontal	134	1.64	-
AV	5.82G	112.15	Inf	-Inf	9.26	3	Horizontal	134	1.64	-
PK	5.925G	65.50	68.20	-2.70	9.35	3	Horizontal	134	1.64	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5825MHz_TX




EUT Y_4TX
Setting 111
02-R-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.65316G	53.84	74.00	-20.16	14.79	3	Vertical	39	1.08	-
AV	11.65412G	38.87	54.00	-15.13	14.79	3	Vertical	39	1.08	-

802.11ax HEW20_Nss1_4TX

03/12/2018

5825MHz_TX




EUT Y_4TX
Setting 111
02-R-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.6592G	53.49	74.00	-20.51	14.80	3	Horizontal	8	2.26	-
AV	11.65712G	38.93	54.00	-15.07	14.80	3	Horizontal	8	2.26	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5510MHz_TX




EUT Y_4TX
Setting 71
02-R-4-13
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.33G	62.14	68.20	-6.06	8.81	3	Vertical	248	1.31	-
PK	5.458G	66.07	74.00	-7.93	9.02	3	Vertical	248	1.31	-
AV	5.4588G	53.78	54.00	-0.22	9.03	3	Vertical	248	1.31	-
PK	5.4636G	65.67	68.20	-2.53	9.04	3	Vertical	248	1.31	-
PK	5.5092G	115.00	Inf	-Inf	9.13	3	Vertical	248	1.31	-
AV	5.514G	105.16	Inf	-Inf	9.13	3	Vertical	248	1.31	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5510MHz_TX




EUT Y_4TX
Setting 71
02-R-4-13
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.3484G	62.28	68.20	-5.92	8.82	3	Horizontal	286	1.25	-
PK	5.4236G	63.38	74.00	-10.62	8.94	3	Horizontal	286	1.25	-
AV	5.4588G	51.92	54.00	-2.08	9.03	3	Horizontal	286	1.25	-
PK	5.4604G	64.60	68.20	-3.60	9.03	3	Horizontal	286	1.25	-
PK	5.502G	114.18	Inf	-Inf	9.12	3	Horizontal	286	1.25	-
AV	5.502G	101.90	Inf	-Inf	9.12	3	Horizontal	286	1.25	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5510MHz_TX




EUT Y_4TX
Setting 71
02-R-4
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.02996G	52.57	74.00	-21.43	14.06	3	Vertical	309	2.18	-
AV	11.0298G	40.13	54.00	-13.87	14.06	3	Vertical	309	2.18	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5510MHz_TX




EUT Y_4TX
Setting 71
02-R-4
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.0278G	52.69	74.00	-21.31	14.05	3	Horizontal	203	1.73	-
AV	11.01804G	40.23	54.00	-13.77	14.04	3	Horizontal	203	1.73	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5550MHz_TX




EUT Y_4TX
Setting 90
02-R-4-13
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.458G	65.29	74.00	-8.71	9.02	3	Vertical	18	1.82	-
AV	5.4596G	52.62	54.00	-1.38	9.03	3	Vertical	18	1.82	-
PK	5.4676G	67.99	68.20	-0.21	9.05	3	Vertical	18	1.82	-
PK	5.5348G	122.16	Inf	-Inf	9.14	3	Vertical	18	1.82	-
AV	5.5452G	109.93	Inf	-Inf	9.15	3	Vertical	18	1.82	-
PK	5.7476G	63.81	68.20	-4.39	9.22	3	Vertical	18	1.82	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5550MHz_TX




EUT Y_4TX
Setting 90
02-R-4-13
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.374G	63.43	74.00	-10.57	8.86	3	Horizontal	102	2.56	-
AV	5.4596G	51.17	54.00	-2.83	9.03	3	Horizontal	102	2.56	-
PK	5.4668G	63.18	68.20	-5.02	9.05	3	Horizontal	102	2.56	-
PK	5.5348G	116.49	Inf	-Inf	9.14	3	Horizontal	102	2.56	-
AV	5.5452G	104.33	Inf	-Inf	9.15	3	Horizontal	102	2.56	-
PK	5.7444G	62.19	68.20	-6.01	9.23	3	Horizontal	102	2.56	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5550MHz_TX




EUT Y_4TX
Setting 90
02-R-4
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.10548G	52.90	74.00	-21.10	14.14	3	Vertical	67	1.87	-
AV	11.10308G	40.35	54.00	-13.65	14.14	3	Vertical	67	1.87	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5550MHz_TX




EUT Y_4TX
Setting 90
02-R-4
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.09488G	52.78	74.00	-21.22	14.13	3	Horizontal	98	2.00	-
AV	11.09484G	39.97	54.00	-14.03	14.13	3	Horizontal	98	2.00	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5670MHz_TX




EUT_Y_4TX
Setting 84
02-R-4-13
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.686G	117.62	Inf	-Inf	9.21	3	Vertical	234	2.01	-
AV	5.6764G	106.41	Inf	-Inf	9.21	3	Vertical	234	2.01	-
PK	5.7308G	67.99	68.20	-0.21	9.22	3	Vertical	234	2.01	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5670MHz_TX




EUT Y_4TX
Setting 84
02-R-4-13
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.6604G	113.33	Inf	-Inf	9.20	3	Horizontal	106	1.48	-
AV	5.6748G	101.87	Inf	-Inf	9.20	3	Horizontal	106	1.48	-
PK	5.7252G	65.97	68.20	-2.23	9.22	3	Horizontal	106	1.48	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5670MHz_TX




EUT Y_4TX
Setting 84
02-R-4
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.3458G	54.68	74.00	-19.32	14.43	3	Vertical	167	1.98	-
AV	11.33772G	41.52	54.00	-12.48	14.42	3	Vertical	167	1.98	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5670MHz_TX




EUT Y_4TX
Setting 84
02-R-4
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.34388G	54.46	74.00	-19.54	14.43	3	Horizontal	258	1.74	-
AV	11.34016G	41.55	54.00	-12.45	14.42	3	Horizontal	258	1.74	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 106
02-R-4-13
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.7044G	121.96	Inf	-Inf	9.21	3	Vertical	242	1.23	-
AV	5.714G	111.65	Inf	-Inf	9.21	3	Vertical	242	1.23	-
PK	5.850006G	67.98	68.20	-0.22	9.28	3	Vertical	242	1.23	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 106
02-R-4-13
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7236G	117.28	Inf	-Inf	9.22	3	Horizontal	270	1.49	-
AV	5.714G	106.81	Inf	-Inf	9.21	3	Horizontal	270	1.49	-
PK	5.8508G	63.81	68.20	-4.39	9.28	3	Horizontal	270	1.49	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 106
02-R-4
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.41412G	54.25	74.00	-19.75	14.51	3	Vertical	164	1.86	-
AV	11.4106G	41.62	54.00	-12.38	14.50	3	Vertical	164	1.86	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 106
02-R-4
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.417G	54.16	74.00	-19.84	14.51	3	Horizontal	99	1.73	-
AV	11.41024G	41.55	54.00	-12.45	14.50	3	Horizontal	99	1.73	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5755MHz_TX




EUT Y_4TX
Setting 101
02-R-4-13
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	68.19	68.20	-0.01	9.20	3	Vertical	241	1.23	-
PK	5.754G	122.94	Inf	-Inf	9.23	3	Vertical	241	1.23	-
AV	5.759G	111.89	Inf	-Inf	9.23	3	Vertical	241	1.23	-
PK	5.96G	63.36	68.20	-4.84	9.37	3	Vertical	241	1.23	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5755MHz_TX




EUT Y_4TX
Setting 101
02-R-4-13
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	67.61	68.20	-0.59	9.20	3	Horizontal	268	1.46	-
PK	5.769G	116.99	Inf	-Inf	9.23	3	Horizontal	268	1.46	-
AV	5.759G	107.04	Inf	-Inf	9.23	3	Horizontal	268	1.46	-
PK	5.955G	62.84	68.20	-5.36	9.37	3	Horizontal	268	1.46	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5755MHz_TX




EUT Y_4TX
Setting 101
02-R-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.50472G	53.65	74.00	-20.35	14.62	3	Vertical	149	1.81	-
AV	11.51412G	40.72	54.00	-13.28	14.63	3	Vertical	149	1.81	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5755MHz_TX




EUT Y_4TX
Setting 101
02-R-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.51596G	54.24	74.00	-19.76	14.63	3	Horizontal	175	1.97	-
AV	11.51096G	40.65	54.00	-13.35	14.62	3	Horizontal	175	1.97	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5795MHz_TX




EUT Y_4TX
Setting 105
02-R-4-13
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.647G	65.11	68.20	-3.09	9.20	3	Vertical	243	1.38	-
PK	5.794G	124.10	Inf	-Inf	9.24	3	Vertical	243	1.38	-
AV	5.799G	113.06	Inf	-Inf	9.24	3	Vertical	243	1.38	-
PK	5.926G	67.98	68.20	-0.22	9.34	3	Vertical	243	1.38	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5795MHz_TX




EUT Y_4TX
Setting 105
02-R-4-13
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.561G	63.84	68.20	-4.36	9.16	3	Horizontal	127	1.58	-
PK	5.78G	119.52	Inf	-Inf	9.23	3	Horizontal	127	1.58	-
AV	5.81G	108.61	Inf	-Inf	9.25	3	Horizontal	127	1.58	-
PK	5.928G	66.97	68.20	-1.23	9.35	3	Horizontal	127	1.58	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5795MHz_TX




EUT Y_4TX
Setting 105
02-R-4
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.58812G	53.39	74.00	-20.61	14.71	3	Vertical	83	1.50	-
AV	11.58848G	41.13	54.00	-12.87	14.71	3	Vertical	83	1.50	-

802.11ax HEW40_Nss1_4TX

03/12/2018

5795MHz_TX




EUT Y_4TX
Setting 105
02-R-4
FSP(100056)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.58744G	53.61	74.00	-20.39	14.71	3	Horizontal	355	1.30	-
AV	11.58048G	40.58	54.00	-13.42	14.70	3	Horizontal	355	1.30	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5530MHz_TX




EUT Y_4TX
Setting 78
02-L-3-10
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.347G	59.05	68.20	-9.15	8.82	3	Vertical	248	1.31	-
PK	5.446G	67.11	74.00	-6.89	9.00	3	Vertical	248	1.31	-
AV	5.459G	53.91	54.00	-0.09	9.03	3	Vertical	248	1.31	-
PK	5.469995G	65.86	68.20	-2.34	9.05	3	Vertical	248	1.31	-
PK	5.509G	113.99	Inf	-Inf	9.13	3	Vertical	248	1.31	-
AV	5.514G	103.72	Inf	-Inf	9.13	3	Vertical	248	1.31	-
PK	5.731G	60.49	68.20	-7.71	9.22	3	Vertical	248	1.31	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5530MHz_TX




EUT Y_4TX
Setting 78
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.342G	59.09	68.20	-9.11	8.82	3	Horizontal	285	1.38	-
PK	5.446G	64.47	74.00	-9.53	9.00	3	Horizontal	285	1.38	-
AV	5.457G	52.03	54.00	-1.97	9.02	3	Horizontal	285	1.38	-
PK	5.463G	67.95	68.20	-0.25	9.03	3	Horizontal	285	1.38	-
PK	5.505G	111.05	Inf	-Inf	9.12	3	Horizontal	285	1.38	-
AV	5.501G	99.03	Inf	-Inf	9.12	3	Horizontal	285	1.38	-
PK	5.728G	60.16	68.20	-8.04	9.22	3	Horizontal	285	1.38	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5530MHz_TX




EUT Y_4TX
Setting 78
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.07188G	53.34	74.00	-20.66	14.10	3	Vertical	236	1.50	-
AV	11.05076G	40.39	54.00	-13.61	14.08	3	Vertical	236	1.50	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5530MHz_TX




EUT Y_4TX
Setting 78
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.05628G	53.20	74.00	-20.80	14.09	3	Horizontal	196	1.50	-
AV	11.04902G	40.40	54.00	-13.60	14.08	3	Horizontal	196	1.50	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5610MHz_TX




EUT Y_4TX
Setting 88
02-L-3-10
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.4548G	62.98	74.00	-11.02	9.01	3	Vertical	234	1.07	-
AV	5.4596G	50.80	54.00	-3.20	9.03	3	Vertical	234	1.07	-
PK	5.4684G	63.43	74.00	-10.57	9.05	3	Vertical	234	1.07	-
AV	5.469995G	52.18	54.00	-1.82	9.05	3	Vertical	234	1.07	-
PK	5.6084G	116.01	Inf	-Inf	9.19	3	Vertical	234	1.07	-
AV	5.5988G	104.88	Inf	-Inf	9.19	3	Vertical	234	1.07	-
PK	5.734G	66.68	74.00	-7.32	9.22	3	Vertical	234	1.07	-
AV	5.7292G	53.90	54.00	-0.10	9.22	3	Vertical	234	1.07	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5610MHz_TX




EUT Y_4TX
Setting 88
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.4588G	61.32	74.00	-12.68	9.03	3	Horizontal	267	1.15	-
AV	5.4468G	49.81	54.00	-4.19	9.00	3	Horizontal	267	1.15	-
PK	5.469995G	61.66	74.00	-12.34	9.05	3	Horizontal	267	1.15	-
AV	5.4668G	50.47	54.00	-3.53	9.05	3	Horizontal	267	1.15	-
PK	5.6084G	112.76	Inf	-Inf	9.19	3	Horizontal	267	1.15	-
AV	5.6236G	101.17	Inf	-Inf	9.19	3	Horizontal	267	1.15	-
PK	5.726G	67.82	74.00	-6.18	9.22	3	Horizontal	267	1.15	-
AV	5.7292G	52.13	54.00	-1.87	9.22	3	Horizontal	267	1.15	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5610MHz_TX




EUT Y_4TX
Setting 88
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.22774G	53.63	74.00	-20.37	14.29	3	Vertical	15	1.50	-
AV	11.23362G	41.41	54.00	-12.59	14.30	3	Vertical	15	1.50	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5610MHz_TX




EUT Y_4TX
Setting 88
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.21922G	53.89	74.00	-20.11	14.28	3	Horizontal	189	1.50	-
AV	11.2137G	41.41	54.00	-12.59	14.27	3	Horizontal	189	1.50	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.6804G	116.81	Inf	-Inf	9.21	3	Vertical	10	1.50	-
AV	5.6924G	105.98	Inf	-Inf	9.21	3	Vertical	10	1.50	-
PK	5.8516G	68.02	68.20	-0.18	9.28	3	Vertical	10	1.50	-
AV	5.8508G	53.21	Inf	-Inf	9.28	3	Vertical	10	1.50	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.7052G	112.65	Inf	-Inf	9.21	3	Horizontal	100	1.32	-
AV	5.7004G	101.46	Inf	-Inf	9.21	3	Horizontal	100	1.32	-
PK	5.8676G	64.74	68.20	-3.46	9.29	3	Horizontal	100	1.32	-
AV	5.85G	52.30	Inf	-Inf	9.28	3	Horizontal	100	1.32	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.38186G	54.26	74.00	-19.74	14.47	3	Vertical	205	2.03	-
AV	11.37958G	42.10	54.00	-11.90	14.47	3	Vertical	205	2.03	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 94
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.39386G	54.95	74.00	-19.05	14.48	3	Horizontal	232	1.50	-
AV	11.37016G	41.87	54.00	-12.13	14.46	3	Horizontal	232	1.50	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5775MHz_TX




EUT Y_4TX
Setting 86
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	67.03	68.20	-1.17	9.20	3	Vertical	235	1.50	-
PK	5.766G	115.29	Inf	-Inf	9.23	3	Vertical	235	1.50	-
AV	5.781G	104.68	Inf	-Inf	9.23	3	Vertical	235	1.50	-
PK	5.923G	62.86	69.68	-6.82	9.33	3	Vertical	235	1.50	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5775MHz_TX




EUT Y_4TX
Setting 86
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.651G	63.13	68.94	-5.81	9.20	3	Horizontal	115	2.12	-
PK	5.766G	111.59	Inf	-Inf	9.23	3	Horizontal	115	2.12	-
AV	5.786G	100.87	Inf	-Inf	9.24	3	Horizontal	115	2.12	-
PK	5.926G	61.50	68.20	-6.70	9.35	3	Horizontal	115	2.12	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5775MHz_TX




EUT Y_4TX
Setting 86
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.54556G	53.32	74.00	-20.68	14.66	3	Vertical	321	1.50	-
AV	11.56242G	40.74	54.00	-13.26	14.68	3	Vertical	321	1.50	-

802.11ax HEW80_Nss1_4TX

03/12/2018

5775MHz_TX




EUT Y_4TX
Setting 86
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	11.5383G	53.94	74.00	-20.06	14.66	3	Horizontal	191	1.50	-
AV	11.55738G	40.66	54.00	-13.34	14.68	3	Horizontal	191	1.50	-

802.11ax HEW160_Nss1_4TX

03/12/2018

5570MHz_TX




EUT Y_4TX
Setting 56
02-L-3-10
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.3428G	59.40	68.20	-8.80	8.82	3	Vertical	22	1.66	-
PK	5.458G	64.47	74.00	-9.53	9.03	3	Vertical	22	1.66	-
AV	5.4564G	53.99	54.00	-0.01	9.02	3	Vertical	22	1.66	-
PK	5.4628G	61.63	68.20	-6.57	9.03	3	Vertical	22	1.66	-
PK	5.5156G	107.94	Inf	-Inf	9.13	3	Vertical	22	1.66	-
AV	5.5652G	97.75	Inf	-Inf	9.17	3	Vertical	22	1.66	-
PK	5.7348G	61.31	68.20	-6.89	9.22	3	Vertical	22	1.66	-

802.11ax HEW160_Nss1_4TX

03/12/2018

5570MHz_TX




EUT Y_4TX
Setting 56
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.274G	59.30	68.20	-8.90	8.74	3	Horizontal	289	1.02	-
PK	5.4516G	62.44	74.00	-11.56	9.01	3	Horizontal	289	1.02	-
AV	5.4596G	52.81	54.00	-1.19	9.03	3	Horizontal	289	1.02	-
PK	5.4644G	65.47	68.20	-2.73	9.03	3	Horizontal	289	1.02	-
PK	5.5748G	102.89	Inf	-Inf	9.17	3	Horizontal	289	1.02	-
AV	5.5172G	92.50	Inf	-Inf	9.13	3	Horizontal	289	1.02	-
PK	5.7732G	60.74	68.20	-7.46	9.23	3	Horizontal	289	1.02	-

802.11ax HEW160_Nss1_4TX

03/12/2018

5570MHz_TX




EUT Y_4TX
Setting 56
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.15308G	53.71	74.00	-20.29	14.20	3	Vertical	247	2.56	-
AV	11.14498G	42.25	54.00	-11.75	14.19	3	Vertical	247	2.56	-

802.11ax HEW160_Nss1_4TX

03/12/2018

5570MHz_TX



EUT Y_4TX
Setting 56
02-L-3
FSU(100015)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	11.13124G	53.11	74.00	-20.89	14.17	3	Horizontal	56	2.36	-
AV	11.15236G	42.21	54.00	-11.79	14.20	3	Horizontal	56	2.36	-