

Report No.: SEWA2309000114RG01

Rev.: 01

Page: 77 of 81

Test Band = LTE Band 4_ TM1

Test Channel = High Channel

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3472.1800	44.59	-46.27	29.50	-67.44	-13.00	54.44	201	342	Horizontal
2	5208.2700	41.81	-45.26	32.98	-65.73	-13.00	52.73	154	57	Horizontal
3	6944.3600	40.30	-43.85	36.01	-62.80	-13.00	49.80	175	4	Horizontal
4	8680.4500	38.17	-41.62	37.88	-60.83	-13.00	47.83	136	117	Horizontal
5	10416.5400	33.66	-38.97	38.88	-61.70	-13.00	48.70	259	360	Horizontal
6	12152.6300	32.75	-37.42	39.09	-60.84	-13.00	47.84	155	359	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3472.1800	43.19	-46.27	29.50	-68.84	-13.00	55.84	215	43	Vertical
2	5208.2700	46.42	-45.26	32.98	-61.12	-13.00	48.12	148	165	Vertical
3	6944.3600	40.52	-43.85	36.01	-62.58	-13.00	49.58	156	179	Vertical
4	8680.4500	38.45	-41.62	37.88	-60.55	-13.00	47.55	299	360	Vertical
5	10416.5400	33.91	-38.97	38.88	-61.45	-13.00	48.45	182	165	Vertical
6	12152.6300	31.87	-37.42	39.09	-61.72	-13.00	48.72	302	283	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWA2309000114RG01

Rev.: 01

Page: 78 of 81

Test Band = UL CA Band 2A-4A_ TM1

Test Channel = Low Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3422.18	49.70	-111.71	-62.01	-13.00	49.01	263	3	Horizontal
2	3702.18	50.31	-111.07	-60.76	-13.00	47.76	251	341	Horizontal
3	5133.27	50.07	-106.90	-56.83	-13.00	43.83	174	32	Horizontal
4	5553.27	49.42	-106.36	-56.94	-13.00	43.94	186	113	Horizontal
5	6844.36	48.53	-101.87	-53.34	-13.00	40.34	264	113	Horizontal
6	7404.36	47.66	-100.78	-53.12	-13.00	40.12	188	291	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3422.18	50.22	-111.71	-61.49	-13.00	48.49	263	360	Vertical
2	3702.18	50.74	-111.07	-60.33	-13.00	47.33	145	247	Vertical
3	5133.27	48.99	-106.90	-57.91	-13.00	44.91	264	66	Vertical
4	5553.27	49.54	-106.36	-56.82	-13.00	43.82	177	166	Vertical
5	6844.36	47.57	-101.87	-54.30	-13.00	41.30	263	314	Vertical
6	7404.36	49.11	-100.78	-51.67	-13.00	38.67	210	297	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWA2309000114RG01

Rev.: 01

Page: 79 of 81

Test Band = UL CA Band 2A-4A_TM1

Test Channel = Mid Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3447.18	50.41	-111.65	-61.24	-13.00	48.24	163	116	Horizontal
2	3742.18	52.01	-110.86	-58.85	-13.00	45.85	251	352	Horizontal
3	5170.77	49.60	-106.85	-57.25	-13.00	44.25	176	229	Horizontal
4	5613.27	49.64	-106.14	-56.50	-13.00	43.50	265	343	Horizontal
5	6894.36	47.20	-101.71	-54.51	-13.00	41.51	185	49	Horizontal
6	7484.36	47.67	-100.43	-52.76	-13.00	39.76	144	3	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3447.18	50.05	-111.65	-61.60	-13.00	48.60	263	360	Vertical
2	3742.18	50.94	-110.86	-59.92	-13.00	46.92	241	326	Vertical
3	5170.77	50.53	-106.85	-56.32	-13.00	43.32	176	131	Vertical
4	5613.27	50.28	-106.14	-55.86	-13.00	42.86	284	360	Vertical
5	6894.36	48.63	-101.71	-53.08	-13.00	40.08	196	179	Vertical
6	7484.36	49.13	-100.43	-51.30	-13.00	38.30	241	47	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWA2309000114RG01

Rev.: 01

Page: 80 of 81

Test Band = UL CA Band 2A-4A_TM1

Test Channel = High Channel

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3472.18	49.65	-111.61	-61.96	-13.00	48.96	281	360	Horizontal
2	3782.18	50.87	-110.66	-59.79	-13.00	46.79	263	162	Horizontal
3	5208.27	50.22	-106.80	-56.58	-13.00	43.58	174	344	Horizontal
4	5673.27	49.60	-105.88	-56.28	-13.00	43.28	248	358	Horizontal
5	6944.36	47.74	-101.67	-53.93	-13.00	40.93	126	359	Horizontal
6	7564.36	48.58	-100.01	-51.43	-13.00	38.43	196	3	Horizontal

Final Data List									
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3472.18	49.75	-111.61	-61.86	-13.00	48.86	264	342	Vertical
2	3782.18	50.61	-110.66	-60.05	-13.00	47.05	263	31	Vertical
3	5208.27	49.65	-106.80	-57.15	-13.00	44.15	188	342	Vertical
4	5673.27	49.55	-105.88	-56.33	-13.00	43.33	214	194	Vertical
5	6944.36	46.68	-101.67	-54.99	-13.00	41.99	174	162	Vertical
6	7564.36	48.97	-100.01	-51.04	-13.00	38.04	123	179	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn

t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWA2309000114RG01

Rev.: 01

Page: 81 of 81

Frequency Stability

Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band4	20MHz	QPSK	20175	100RB#0	VL	NT	-2.30	-0.001328	PASS
Band4	20MHz	QPSK	20175	100RB#0	VN	NT	-1.20	-0.000693	PASS
Band4	20MHz	QPSK	20175	100RB#0	VH	NT	-2.20	-0.001270	PASS

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Verdict
Band4	20MHz	QPSK	20175	100RB#0	NV	-30	0.00	0.000000	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	-20	-1.00	-0.000577	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	-10	-0.70	-0.000404	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	0	-2.20	-0.001270	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	10	-2.00	-0.001154	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	20	-0.70	-0.000404	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	30	-1.30	-0.000750	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	40	-1.10	-0.000635	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	50	-0.10	-0.000058	PASS

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com