


APPENDIX E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	25.35	16.70
CH40	5200	26.65	16.80
CH48	5240	24.10	16.70

TX CH36




Date: 5.DEC.2017 10:03:30

TX CH40



Date: 5.DEC.2017 10:04:55

TX CH48




Date: 5.DEC.2017 10:05:45

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.99	17.60
CH40	5200	38.85	19.10
CH48	5240	27.65	17.80

TX CH36




Date: 5.DEC.2017 10:10:12

TX CH40



Date: 5.DEC.2017 10:10:55

TX CH48




Date: 5.DEC.2017 10:16:51

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	43.00	36.60
CH46	5230	64.50	37.20

TX CH38



Date: 5.DEC.2017 10:37:36

TX CH46




Date: 5.DEC.2017 10:38:33

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.45	16.60	>=500
CH157	5785	16.45	17.20	>=500
CH165	5825	16.60	16.60	>=500

TX CH 149




Date: 5.DEC.2017 10:07:07

TX CH 157



Date: 5.DEC.2017 10:07:50

TX CH 165




Date: 5.DEC.2017 10:08:36

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.70	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.65	17.60	>=500

TX CH 149




Date: 5.DEC.2017 10:17:39

TX CH 157



Date: 5.DEC.2017 10:18:30

TX CH 165




Date: 5.DEC.2017 10:19:20

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.19	36.60	≥ 500
CH159	5795	36.50	36.40	≥ 500

TX CH 151



Date: 5.DEC.2017 10:39:41

TX CH 159




Date: 5.DEC.2017 10:41:37

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.05	17.80
CH40	5200	23.19	17.80
CH48	5240	22.40	17.80

TX CH36




Date: 5.DEC.2017 10:31:41

TX CH40



Date: 5.DEC.2017 10:32:41

TX CH48




Date: 5.DEC.2017 10:33:22

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	43.30	36.60
CH46	5230	64.31	37.20

TX CH38



Date: 5.DEC.2017 10:57:55


TX CH46



Date: 5.DEC.2017 10:58:56

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	82.00	75.20




Date: 5.DEC.2017 11:02:32

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.60	>=500
CH157	5785	17.65	17.80	>=500
CH165	5825	17.65	17.60	>=500

TX CH 149




Date: 5.DEC.2017 10:34:15

TX CH 157



Date: 5.DEC.2017 10:35:09

TX CH 165




Date: 5.DEC.2017 10:36:02

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.40	36.60	≥ 500
CH159	5795	36.50	37.00	≥ 500

TX CH 151



Date: 5.DEC.2017 10:59:57

TX CH 159




Date: 5.DEC.2017 11:01:01

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	75.40	76.40	>=500

TX CH 155



Date: 5.DEC.2017 11:03:35

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.59	0.00	18.59	30.00	1.00
CH40	5200	18.71	0.00	18.71	30.00	1.00
CH48	5240	17.75	0.00	17.75	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.86	0.00	17.86	30.00	1.00
CH40	5200	20.85	0.00	20.85	30.00	1.00
CH48	5240	18.94	0.00	18.94	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.18	0.00	17.18	30.00	1.00
CH40	5200	18.92	0.00	18.92	30.00	1.00
CH48	5240	18.61	0.00	18.61	30.00	1.00

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	20.54	30.00	1.00
CH40	5200	23.00	30.00	1.00
CH48	5240	21.79	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.75	0.00	14.75	30.00	1.00
CH46	5230	18.86	0.00	18.86	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.68	0.00	14.68	30.00	1.00
CH46	5230	19.67	0.00	19.67	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.73	30.00	1.00
CH46	5230	22.29	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.77	0.00	19.77	30.00	1.00
CH157	5785	21.32	0.00	21.32	30.00	1.00
CH165	5825	20.54	0.00	20.54	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.15	0.00	18.15	30.00	1.00
CH157	5785	19.21	0.00	19.21	30.00	1.00
CH165	5825	19.05	0.00	19.05	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.84	0.00	18.84	30.00	1.00
CH157	5785	19.53	0.00	19.53	30.00	1.00
CH165	5825	18.87	0.00	18.87	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.52	30.00	1.00
CH157	5785	22.38	30.00	1.00
CH165	5825	21.97	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.96	0.00	19.96	30.00	1.00
CH159	5795	21.03	0.00	21.03	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.62	0.00	20.62	30.00	1.00
CH159	5795	21.16	0.00	21.16	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	23.31	30.00	1.00
CH159	5795	24.11	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.92	0.00	16.92	30.00	1.00
CH40	5200	18.28	0.00	18.28	30.00	1.00
CH48	5240	17.77	0.00	17.77	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.67	0.00	16.67	30.00	1.00
CH40	5200	18.37	0.00	18.37	30.00	1.00
CH48	5240	18.92	0.00	18.92	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.81	30.00	1.00
CH40	5200	21.34	30.00	1.00
CH48	5240	21.39	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.13	0.00	14.13	30.00	1.00
CH46	5230	19.04	0.00	19.04	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.09	0.00	14.09	30.00	1.00
CH46	5230	19.76	0.00	19.76	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	17.12	30.00	1.00
CH46	5230	22.43	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.39	0.00	10.39	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.88	0.00	10.88	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	13.65	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.06	0.00	18.06	30.00	1.00
CH157	5785	19.75	0.00	19.75	30.00	1.00
CH165	5825	19.27	0.00	19.27	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.77	0.00	18.77	30.00	1.00
CH157	5785	20.12	0.00	20.12	30.00	1.00
CH165	5825	19.15	0.00	19.15	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.44	30.00	1.00
CH157	5785	22.95	30.00	1.00
CH165	5825	22.22	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.83	0.00	19.83	30.00	1.00
CH159	5795	20.91	0.00	20.91	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	20.58	0.00	20.58	30.00	1.00
CH159	5795	20.66	0.00	20.66	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	23.23	30.00	1.00
CH159	5795	23.80	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	18.91	0.00	18.91	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.33	0.00	19.33	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.14	30.00	1.00

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.14	0.00	8.14	17.00
CH40	5200	8.23	0.00	8.23	17.00
CH48	5240	7.54	0.00	7.54	17.00




Date: 5.DEC.2017 10:01:13

CH40



Date: 5.DEC.2017 10:05:03


CH48




Date: 5.DEC.2017 10:05:54

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.15	0.00	6.15	17.00
CH40	5200	10.22	0.00	10.22	17.00
CH48	5240	8.15	0.00	8.15	17.00



Date: 5.DEC.2017 10:10:20



Date: 5.DEC.2017 10:11:04




Date: 5.DEC.2017 10:16:59

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.08	0.00	6.08	17.00
CH40	5200	7.41	0.00	7.41	17.00
CH48	5240	7.22	0.00	7.22	17.00

CH36




Date: 5.DEC.2017 10:20:40

CH40



Date: 5.DEC.2017 10:21:39

CH48



Date: 5.DEC.2017 10:22:30


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.13	17.00
CH40	5200	12.05	17.00
CH48	5240	10.72	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.93	0.00	0.93	17.00
CH46	5230	5.69	0.00	5.69	17.00

CH38



Date: 5.DEC.2017 10:37:47

CH46




Date: 5.DEC.2017 10:38:46

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.84	0.00	0.84	17.00
CH46	5230	5.57	0.00	5.57	17.00

CH38



Date: 5.DEC.2017 10:42:57

CH46



Date: 5.DEC.2017 10:43:45


Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.90	17.00
CH46	5230	8.64	17.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	5.58	0.00	5.58	30.00
CH157	5785	6.42	0.00	6.42	30.00
CH165	5825	5.30	0.00	5.30	30.00

TX CH149




Date: 5.DEC.2017 10:06:42

TX CH157



Date: 5.DEC.2017 10:07:58


TX CH165



Date: 5.DEC.2017 10:08:45


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.85	0.00	3.85	30.00
CH157	5785	4.46	0.00	4.46	30.00
CH165	5825	3.66	0.00	3.66	30.00




Date: 5.DEC.2017 10:17:48

TX CH157



Date: 5.DEC.2017 10:18:39

TX CH165




Date: 5.DEC.2017 10:19:28

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.58	0.00	3.58	30.00
CH157	5785	4.85	0.00	4.85	30.00
CH165	5825	4.20	0.00	4.20	30.00

TX CH149




Date: 5.DEC.2017 10:23:18

TX CH157



Date: 5.DEC.2017 10:24:13

TX CH165



Date: 5.DEC.2017 10:25:04


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.73	30.00
CH157	5785	7.67	30.00
CH165	5825	6.95	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.79	0.00	2.79	30.00
CH159	5795	3.12	0.00	3.12	30.00

TX CH151



Date: 5.DEC.2017 10:39:52

TX CH159




Date: 5.DEC.2017 10:41:48

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.70	0.00	2.70	30.00
CH159	5795	3.51	0.00	3.51	30.00

TX CH151



Date: 5.DEC.2017 10:44:43

TX CH159




Date: 5.DEC.2017 10:45:48

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.76	30.00
CH159	5795	6.33	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.93	0.00	5.93	17.00
CH40	5200	7.37	0.00	7.37	17.00
CH48	5240	7.48	0.00	7.48	17.00




Date: 5.DEC.2017 10:31:50

CH40



Date: 5.DEC.2017 10:32:50


CH48



Date: 5.DEC.2017 10:33:30


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.97	0.00	5.97	17.00
CH40	5200	7.53	0.00	7.53	17.00
CH48	5240	7.55	0.00	7.55	17.00




Date: 5.DEC.2017 10:26:42

CH40



Date: 5.DEC.2017 10:27:31

CH48



Date: 5.DEC.2017 10:28:18


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.96	17.00
CH40	5200	10.46	17.00
CH48	5240	10.53	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.60	0.00	0.60	17.00
CH46	5230	5.96	0.00	5.96	17.00

CH38



Date: 5.DEC.2017 10:58:07

CH46




Date: 5.DEC.2017 10:59:08

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.54	0.00	0.54	17.00
CH46	5230	5.83	0.00	5.83	17.00

CH38



Date: 5.DEC.2017 10:53:17

CH46




Date: 5.DEC.2017 10:54:19

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.58	17.00
CH46	5230	8.91	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.52	0.00	-4.52	17.00



Date: 5.DEC.2017 11:02:44

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.64	0.00	-3.64	17.00



Date: 5.DEC.2017 12:44:25


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-1.05	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.72	0.00	3.72	30.00
CH157	5785	4.79	0.00	4.79	30.00
CH165	5825	3.93	0.00	3.93	30.00

TX CH149




Date: 5.DEC.2017 10:34:24

TX CH157



Date: 5.DEC.2017 10:35:18

TX CH165




Date: 5.DEC.2017 10:36:11

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.60	0.00	3.60	30.00
CH157	5785	5.21	0.00	5.21	30.00
CH165	5825	4.53	0.00	4.53	30.00

TX CH149




Date: 5.DEC.2017 10:29:08

TX CH157



Date: 5.DEC.2017 10:29:59

TX CH165



Date: 5.DEC.2017 10:30:44


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.67	30.00
CH157	5785	8.02	30.00
CH165	5825	7.25	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.80	0.00	2.80	30.00
CH159	5795	3.27	0.00	3.27	30.00

TX CH151



Date: 5.DEC.2017 11:00:09

TX CH159




Date: 5.DEC.2017 11:01:13

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	2.83	0.00	2.83	30.00
CH159	5795	2.99	0.00	2.99	30.00

TX CH151



Date: 5.DEC.2017 10:55:24

TX CH159



Date: 5.DEC.2017 10:56:46


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	5.83	30.00
CH159	5795	6.14	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-0.25	0.00	-0.25	30.00


TX CH155



Date: 5.DEC.2017 11:03:47

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-0.43	0.00	-0.43	30.00



Date: 5.DEC.2017 12:45:51

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.67	30.00

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9720
120	5179.9720
108	5179.9716
Max. Deviation (MHz)	0.0284
Max. Deviation (ppm)	5.4826

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9716
5	5179.9716
15	5179.9716
25	5179.9712
35	5179.9712
45	5179.9712
50	5179.9712
Max. Deviation (MHz)	0.0288
Max. Deviation (ppm)	5.5598

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9688
120	5744.9684
108	5744.9680
Max. Deviation (MHz)	0.0320
Max. Deviation (ppm)	5.5701

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9680
5	5744.9680
15	5744.9676
25	5744.9672
35	5744.9676
45	5744.9676
50	5744.9672
Max. Deviation (MHz)	0.0328
Max. Deviation (ppm)	5.7093