


Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5145.200	18.73	41.97	60.70	68.30	-7.60	peak	
2		5145.200	10.37	41.97	52.34	54.00	-1.66	AVG	
3	X	5224.000	63.68	42.30	105.98	68.30	37.68	peak	Fundamental frequency, no limit
4	*	5225.200	52.11	42.30	94.41	54.00	40.41	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10458.90	45.54	15.54	61.08	68.30	-7.22	peak	
2	*	10458.90	33.45	15.54	48.99	54.00	-5.01	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5163.200	20.94	42.05	62.99	68.30	-5.31	peak	
2		5163.200	10.87	42.05	52.92	54.00	-1.08	AVG	
3	*	5212.400	54.09	42.24	96.33	54.00	42.33	AVG	Fundamental frequency, no limit
4	X	5213.200	63.72	42.25	105.97	68.30	37.67	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1		10458.80	41.71	15.54	57.25	68.30	-11.05	peak
2	*	10458.80	33.28	15.54	48.82	54.00	-5.18	AVG

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5180MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5098.800	20.01	41.79	61.80	68.30	-6.50	peak	
2		5098.800	10.56	41.79	52.35	54.00	-1.65	AVG	
3		5150.000	1.49	41.99	43.48	68.30	-24.82	peak	
4	X	5150.000	12.66	41.99	54.65	54.00	0.65	AVG	
5	X	5172.800	63.77	42.08	105.85	68.30	37.55	peak	Fundamental frequency, no limit
6	*	5187.600	54.29	42.15	96.44	54.00	42.44	AVG	Fundamental frequency, no limit


Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5180MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10358.90	49.09	15.70	64.79	68.30	-3.51	peak	
2	*	10358.90	37.53	15.70	53.23	54.00	-0.77	AVG	


Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5180MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5098.800	20.70	41.79	62.49	68.30	-5.81	peak	
2		5098.800	11.31	41.79	53.10	54.00	-0.90	AVG	
3		5150.000	11.67	41.99	53.66	68.30	-14.64	peak	
4		5150.000	1.90	41.99	43.89	54.00	-10.11	AVG	
5	X	5174.800	63.88	42.00	105.97	68.30	37.67	peak	Fundamental frequency, no limit
6	*	5187.600	54.53	42.15	96.68	54.00	42.68	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5180MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10358.90	45.84	15.70	61.54	68.30	-6.76	peak	
2	*	10358.90	35.63	15.70	51.33	54.00	-2.67	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5200MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5123.800	18.45	41.89	60.34	68.30	-7.96	peak	
2		5123.800	11.16	41.89	53.05	54.00	-0.95	AVG	
3	X	5195.800	64.25	42.17	106.42	68.30	38.12	peak	Fundamental frequency, no limit
4	*	5207.600	54.51	42.23	96.74	54.00	42.74	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5200MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10390.95	40.61	15.64	64.25	60.30	-4.05	peak	
2	*	10398.95	37.21	15.64	52.85	54.00	-1.15	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5200MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5121.400	20.37	41.88	62.25	68.30	-6.05	peak	
2		5121.400	11.32	41.00	53.20	54.00	-0.00	AVG	
3	*	5192.100	51.27	42.16	96.43	51.00	42.43	AVG	Fundamental frequency, no limit
4	X	5207.200	64.62	42.23	106.85	68.30	38.55	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5200MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10398.95	45.65	15.64	61.29	68.30	-7.01	peak	
2	*	10398.95	35.66	15.64	51.30	54.00	-2.70	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5240MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	10.18	41.99	52.17	68.30	-16.13	peak	
2		5150.000	-0.11	41.99	41.88	54.00	-12.12	AVG	
3	*	5232.400	54.49	42.33	96.82	54.00	42.82	AVG	Fundamental frequency, no limit
4	X	5235.400	64.14	42.34	106.48	68.30	38.18	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5240MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1		10479.00	48.51	15.52	64.03	68.30	-4.27	peak
2	*	10479.00	37.45	15.52	52.97	54.00	-1.03	AVG

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5240MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	10.69	41.99	52.68	68.30	-15.62	peak	
2		5150.000	-0.56	41.99	41.43	54.00	-12.57	AVG	
3	*	5247.600	53.35	42.39	95.74	54.00	41.74	AVG	Fundamental frequency, no limit
4	X	5248.200	63.41	42.39	105.80	68.30	37.50	peak	Fundamental frequency, no limit


Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N20 Mode 5240MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10479.00	47.43	15.52	62.95	68.30	-5.35	peak	
2	*	10479.00	36.03	15.52	51.55	54.00	-2.45	AVG	


Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5190MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	5150.000	30.40	41.99	72.39	68.30	4.09	peak	
2		5150.000	10.37	41.99	52.36	54.00	-1.64	AVG	
3	X	5185.200	63.36	42.14	105.50	68.30	37.20	peak	Fundamental frequency, no limit
4	*	5185.200	52.10	42.14	94.24	54.00	40.24	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5190MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10378.85	49.92	15.67	65.59	68.30	-2.71	peak	
2	*	10378.85	37.37	15.67	53.04	54.00	-0.96	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5190MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5150.000	23.73	41.99	65.72	68.30	-2.58	peak	
2		5150.000	10.85	41.99	52.84	54.00	1.16	AVG	
3	*	5176.400	51.90	42.10	94.00	54.00	40.00	AVG	Fundamental frequency, no limit
4	X	5183.600	63.46	42.13	105.59	68.30	37.29	peak	Fundamental frequency, no limit


Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5190MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10378.85	47.23	15.67	62.90	68.30	-5.40	peak	
2	*	10378.85	35.85	15.67	51.52	54.00	-2.48	AVG	


Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5230MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5145.200	19.65	41.97	61.62	68.30	-6.68	peak	
2		5145.200	10.65	41.97	52.62	54.00	-1.38	AVG	
3	X	5224.400	64.08	42.30	106.38	68.30	38.08	peak	Fundamental frequency, no limit
4	*	5225.200	53.70	42.30	96.00	54.00	42.00	AVG	Fundamental frequency, no limit


Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5230MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		10458.85	50.14	15.54	65.68	68.30	-2.62	peak	
2	*	10458.85	37.93	15.54	53.47	54.00	-0.53	AVG	


Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5230MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5145.200	20.44	41.97	62.41	68.30	-5.89	peak	
2		5145.200	11.11	41.97	53.08	54.00	-0.92	AVG	
3	X	5242.400	64.32	42.37	106.69	68.30	38.39	peak	Fundamental frequency, no limit
4	*	5247.600	53.95	42.39	96.34	54.00	42.34	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5230MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10450.05	40.02	15.54	63.56	60.30	-4.74	peak	
2	*	10458.85	35.74	15.54	51.28	54.00	-2.72	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N80 Mode 5210MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5138.600	19.40	41.95	61.35	68.30	6.95	peak	
2		5138.600	9.59	41.95	51.54	54.00	-2.46	AVG	
3		5150.000	19.92	41.99	61.91	68.30	-6.39	peak	
4		5150.000	7.88	41.99	49.87	54.00	-4.13	AVG	
5	X	5203.400	60.13	42.21	102.34	68.30	34.04	peak	Fundamental frequency, no limit
6	*	5214.800	49.34	42.25	91.59	54.00	37.59	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5210MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		10420.36	46.27	15.60	61.87	68.30	-6.43	peak	
2	*	10420.36	35.16	15.60	50.76	54.00	-3.24	AVG	

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5210MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		5145.200	23.72	41.97	65.69	68.30	-2.61	peak	
2		5145.200	10.23	41.97	52.20	54.00	-1.80	AVG	
3		5150.000	22.41	41.99	64.40	68.30	-3.90	peak	
4		5150.000	8.78	41.99	50.77	54.00	-3.23	AVG	
5	*	5201.600	49.50	42.21	91.71	54.00	37.71	AVG	Fundamental frequency, no limit
6	X	5218.400	60.50	42.27	102.77	68.30	34.47	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	Band 1/ TX AC N40 Mode 5210MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector Comment
1		10421.05	42.53	15.60	58.13	68.30	-10.17	peak
2	*	10421.05	32.59	15.60	48.19	54.00	-5.81	AVG

ATTACHMENT E – 26DB BANDWIDTH


Test Mode : Band 1/TX A Mode_CH36/CH40/CH48

TX CH36




Date: 22.JUN.2014 11:29:59

TX CH40



Date: 22.JUN.2014 11:31:21


TX CH48



Date: 22.JUN.2014 11:38:32


Test Mode : Band 1/TX N20 Mode_CH36/CH40/CH48_ANT2

TX CH36




Date: 22.JUN.2014 13:00:35

TX CH40



Date: 22.JUN.2014 13:04:58


TX CH48



Date: 22.JUN.2014 13:07:34


Test Mode : Band 1/TX N20 Mode_CH36/CH40/CH48_ANT3

TX CH36




Date: 22.JUN.2014 13:12:40

TX CH40



Date: 22.JUN.2014 13:13:48


TX CH48



Date: 22.JUN.2014 13:15:41


Test Mode : Band 1/TX N40 Mode_CH38/CH46_ANT2

TX CH38



Date: 22.JUN.2014 14:34:05


TX CH46



Date: 22.JUN.2014 14:32:18


Test Mode : Band 1/TX N40 Mode_CH38/CH46_ANT3

TX CH38



Date: 22.JUN.2014 14:28:33


TX CH46



Date: 22.JUN.2014 14:30:03


Test Mode : Band 1/TX AC N20 Mode_CH36/CH40/CH48_ANT2

TX CH36




Date: 22.JUN.2014 13:45:32

TX CH40



Date: 22.JUN.2014 13:44:39


TX CH48



Date: 22.JUN.2014 13:43:32


Test Mode : Band 1/TX AC N20 Mode_CH36/CH40/CH48_ANT3

TX CH36




Date: 22.JUN.2014 13:37:33

TX CH40



Date: 22.JUN.2014 13:34:16


TX CH48



Date: 22.JUN.2014 13:38:27


Test Mode : Band 1/TX AC N40 Mode_CH38/CH46_ANT2

TX CH38



Date: 22.JUN.2014 14:16:53


TX CH46



Date: 22.JUN.2014 14:15:39


Test Mode : Band 1/TX AC N40 Mode_CH38/CH46_ANT3

TX CH38



Date: 22.JUN.2014 14:11:17


TX CH46



Date: 22.JUN.2014 14:07:52

Test Mode : Band 1/TX AC N80 Mode_CH44 _ANT2


TX CH44



Date: 22.JUN.2014 14:49:46

Test Mode : Band 1/TX AC N80 Mode_CH44 _ANT3

TX CH44



Date: 22.JUN.2014 14:48:41

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode :Band 1/TX A Mode				
Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.10	30.00	1.0000
CH40	5200	9.80	30.00	1.0000
CH48	5240	12.70	30.00	1.0000

Test Mode :Band 1/TX N20 Mode-ANT 2

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	8.90	30.00	1.0000
CH40	5200	9.10	30.00	1.0000
CH48	5240	12.00	30.00	1.0000

Test Mode :Band 1/TX N20 Mode-ANT 3

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	10.50	30.00	1.0000
CH40	5200	10.40	30.00	1.0000
CH48	5240	13.30	30.00	1.0000

Test Mode :Band 1/TX N20 Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	12.78	30.00	1.0000
CH40	5200	12.81	30.00	1.0000
CH48	5240	15.71	30.00	1.0000

Test Mode : Band 1/TX N40 Mode-ANT 2

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	10.40	30.00	1.0000
CH46	5230	10.60	30.00	1.0000

Test Mode : Band 1/TX N40 Mode-ANT 3

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	11.60	30.00	1.0000
CH46	5230	11.90	30.00	1.0000

Test Mode : Band 1/TX N40 Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	14.05	30.00	1.0000
CH46	5230	14.31	30.00	1.0000

Test Mode :Band 1/TX AC N20 Mode-ANT 2

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	11.00	30.00	1.0000
CH40	5200	10.80	30.00	1.0000
CH48	5240	10.80	30.00	1.0000

Test Mode :Band 1/TX AC N20 Mode-ANT 3

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	12.30	30.00	1.0000
CH40	5200	12.10	30.00	1.0000
CH48	5240	12.10	30.00	1.0000

Test Mode :Band 1/TX AC N20 Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH36	5180	14.71	30.00	1.0000
CH40	5200	14.51	30.00	1.0000
CH48	5240	14.51	30.00	1.0000

Test Mode : Band 1/TX AC N40 Mode-ANT 2

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	13.30	30.00	1.0000
CH46	5230	13.20	30.00	1.0000

Test Mode : Band 1/TX AC N40 Mode-ANT 3

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	14.40	30.00	1.0000
CH46	5230	14.30	30.00	1.0000

Test Mode : Band 1/TX AC N40 Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH38	5190	16.90	30.00	1.0000
CH46	5230	16.80	30.00	1.0000

Test Mode : Band 1/TX AC N80 Mode-ANT 2

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	10.00	30.00	1.0000

Test Mode : Band 1/TX AC N80 Mode-ANT 3

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	11.10	30.00	1.0000


Test Mode : Band 1/TX AC N80 Mode-Total

Test Channel	Frequency (MHz)	Conducted Output Power (dBm)	LIMIT (dBm)	LIMIT (W)
CH44	5210	13.60	30.00	1.0000

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode : Band 1/TX A Mode

TX mode CH36



Date: 22.JUN.2014 12:55:46


TX mode CH48



Date: 22.JUN.2014 12:54:57


Test Mode : Band 1/TX N20 Mode-ANT 2

TX mode CH36



Date: 22.JUN.2014 12:50:54


TX mode CH48



Date: 22.JUN.2014 12:53:34


Test Mode : Band 1/TX N20 Mode-ANT 3

TX mode CH36



Date: 22.JUN.2014 13:23:05


TX mode CH48



Date: 22.JUN.2014 13:23:58


Test Mode : Band 1/TX N40 Mode-ANT 2

TX mode CH38



Date: 22.JUN.2014 14:39:45


TX mode CH46



Date: 22.JUN.2014 14:36:42


Test Mode : Band 1/TX N40 Mode-ANT 3

TX mode CH38



Date: 22.JUN.2014 14:39:45


TX mode CH46



Date: 22.JUN.2014 14:36:42


Test Mode : Band 1/TX AC N20 Mode-ANT 2

TX mode CH36



Date: 22.JUN.2014 13:49:28


TX mode CH48



Date: 22.JUN.2014 13:52:11


Test Mode : Band 1/TX AC N20 Mode-ANT 3

TX mode CH36



Date: 22.JUN.2014 13:29:44


TX mode CH48



Date: 22.JUN.2014 13:27:28


Test Mode : Band 1/TX AC N40 Mode-ANT 2

TX mode CH38



Date: 22.JUN.2014 14:19:23


TX mode CH46



Date: 22.JUN.2014 14:20:42


Test Mode : Band 1/TX AC N40 Mode-ANT 3

TX mode CH38



Date: 22.JUN.2014 14:01:56


TX mode CH46



Date: 22.JUN.2014 14:06:10


Test Mode : Band 1/TX AC N80 Mode-ANT 2

TX mode CH44



Date: 22.JUN.2014 14:50:49


TX mode CH44



Date: 22.JUN.2014 14:51:29


Test Mode : Band 1/TX AC N80 Mode-ANT 3

TX mode CH44



Date: 22.JUN.2014 14:44:57


TX mode CH44



Date: 22.JUN.2014 14:47:12


ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode : Band 1/TX A Mode_CH36/40/48




Date: 7.JUL.2014 09:58:47

CH40




Date: 7.JUL.2014 09:58:24

CH48




Date: 7.JUL.2014 09:57:45

Test Mode : Band 1/TX N20 Mode_CH13/40/48-ANT 2




Date: 7.JUL.2014 10:04:57

CH40




Date: 7.JUL.2014 10:05:11

CH48




Date: 7.JUL.2014 10:06:49

Test Mode : Band 1/TX N20 Mode_CH13/40/48-ANT 3




Date: 7.JUL.2014 10:00:20

CH40



Date: 7.JUL.2014 10:00:42

CH48




Date: 7.JUL.2014 10:01:15

Test Mode : Band 1/TX N20 Mode-Total			
Test Channel	Frequency (MHz)	Power Density (dBm)	LIMIT (dBm)
CH36	5180	1.83	17.00
CH40	5200	1.96	17.00
CH48	5240	4.70	17.00


Test Mode : Band 1/TX N40 Mode_CH38/46-ANT 2

CH38



Date: 7.JUL.2014 10:27:18


CH46



Date: 7.JUL.2014 10:25:57


Test Mode : Band 1/TX N40 Mode_CH38/46-ANT 3

CH38



Date: 7.JUL.2014 10:28:04


CH46



Date: 7.JUL.2014 10:29:42


Test Mode : Band 1/TX N40 Mode-Total			
Test Channel	Frequency (MHz)	Power Density (dBm)	LIMIT (dBm)
CH38	5190	0.39	17.00
CH46	5230	0.63	17.00

Test Mode : Band 1/TX AC N20 Mode_CH13/40/48-ANT 2




Date: 7.JUL.2014 10:09:31

CH40




Date: 7.JUL.2014 10:12:22

CH48




Date: 7.JUL.2014 10:11:58

Test Mode : Band 1/TX AC N20 Mode_CH13/40/48-ANT 3




Date: 7.JUL.2014 10:15:57

CH40



Date: 7.JUL.2014 10:13:16

CH48




Date: 7.JUL.2014 10:16:27

Test Mode : Band 1/TX AC N20 Mode-Total			
Test Channel	Frequency (MHz)	Power Density (dBm)	LIMIT (dBm)
CH36	5180	3.74	17.00
CH40	5200	3.68	17.00
CH48	5240	3.58	17.00


Test Mode : Band 1/TX AC N40 Mode_CH38/46-ANT 2

CH38



Date: 7.JUL.2014 10:24:18


CH46



Date: 7.JUL.2014 10:24:35


Test Mode : Band 1/TX AC N40 Mode_CH38/46-ANT 3

CH38



Date: 7.JUL.2014 10:21:25


CH46



Date: 7.JUL.2014 10:21:53


Test Mode : Band 1/TX AC N40 Mode-Total			
Test Channel	Frequency (MHz)	Power Density (dBm)	LIMIT (dBm)
CH38	5190	2.76	17.00
CH46	5230	3.17	17.00

Test Mode : Band 1/TX AC N80 Mode_CH44-ANT 2



Date: 7.JUL.2014 10:33:24

Test Mode : Band 1/TX AC N80 Mode_CH44-ANT 3



Date: 7.JUL.2014 10:31:18

Test Mode : Band 1/TX AC N80 Mode-Total

Test Channel	Frequency (MHz)	Power Density (dBm)	LIMIT (dBm)
CH44	5210	-3.10	17.00

ATTACHMENT I – FREQUENCY STABILITY

Test Mode :	Band 1
-------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180
132	5180.008780
120	5180.008720
118	5180.008800
Max. Deviation (MHz)	0.008800
Max. Deviation (ppm)	1.70

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180
0	5180.008500
10	5180.008000
20	5180.008000
30	5180.008000
40	5180.008000
Max. Deviation (MHz)	0.008900
Max. Deviation (ppm)	1.71