



Non-Beamforming

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.40	16.60
40	5200	33.60	17.30
48	5240	21.89	16.70



Date: 28.APR.2019 16:36:35




Date: 28.APR.2019 16:38:32




Date: 28.APR.2019 16:40:43

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.79	17.80
40	5200	27.09	17.90
48	5240	41.85	22.30



Date: 28.APR.2019 17:19:56




Date: 28.APR.2019 17:22:26




Date: 22.APR.2019 11:39:11

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	41.19	36.20
46	5230	41.20	36.20




Date: 20.APR.2019 17:29:20




Date: 20.APR.2019 17:31:22

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	16.39	27.90	500	Complies
157	5785	16.15	28.00	500	Complies
165	5825	16.40	27.60	500	Complies



Date: 22.APR.2019 14:30:33




Date: 22.APR.2019 14:31:54




Date: 22.APR.2019 14:33:21

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.70	25.70	500	Complies
157	5785	17.70	27.00	500	Complies
165	5825	17.75	24.90	500	Complies



Date: 22.APR.2019 11:40:33



Date: 22.APR.2019 11:42:02




Date: 22.APR.2019 11:43:30

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	34.90	54.00	500	Complies
159	5795	32.80	53.80	500	Complies

CH151



Date: 22, APR. 2019 11:48:11


CH159




Date: 22, APR. 2019 11:50:20

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	20.85	17.80
40	5200	26.49	17.90
48	5240	41.79	22.60



Date: 20.APR.2019 17:24:32




Date: 20.APR.2019 17:26:33




Date: 22.APR.2019 11:54:10

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	41.39	36.40
46	5230	41.30	36.40




Date: 20.APR.2019 17:33:51



Date: 20.APR.2019 17:36:06

Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	86.60	76.40



Date: 20.APR.2019 17:38:53



Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.65	25.60	500	Complies
157	5785	17.65	25.80	500	Complies
165	5825	17.65	24.30	500	Complies



Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.20	55.60	500	Complies
159	5795	30.20	55.00	500	Complies




With Beamforming

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.21	17.80
40	5200	28.99	18.10
48	5240	26.99	18.10



Date: 28.APR.2019 17:45:35




Date: 24.APR.2019 11:20:51




Date: 24.APR.2019 11:22:34

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	41.01	36.20
46	5230	41.20	36.40




Date: 28.APR.2019 17:50:56




Date: 28.APR.2019 17:53:21

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.70	24.70	500	Complies
157	5785	17.65	27.70	500	Complies
165	5825	17.65	24.40	500	Complies



Date: 24.APR.2019 11:25:39




Date: 24.APR.2019 11:27:34




Date: 24.APR.2019 11:29:34

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	32.59	51.20	500	Complies
159	5795	34.00	53.80	500	Complies




Date: 24.APR.2019 13:42:58




Date: 24.APR.2019 13:45:53

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	21.05	17.80
40	5200	31.59	18.10
48	5240	27.99	18.10



Date: 28.APR.2019 17:48:30




Date: 24.APR.2019 11:34:36




Date: 24.APR.2019 11:40:20

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	41.02	36.40
46	5230	40.80	36.20




Date: 28.APR.2019 17:55:38



Date: 28.APR.2019 17:57:44

Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	84.60	76.00




Date: 20.APR.2019 18:01:28

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.70	25.70	500	Complies
157	5785	17.70	25.90	500	Complies
165	5825	17.65	25.00	500	Complies



Date: 24.APR.2019 11:47:08




Date: 24.APR.2019 11:49:09




Date: 24.APR.2019 11:51:13

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	34.40	49.20	500	Complies
159	5795	35.50	52.80	500	Complies




Date: 24.APR.2019 13:54:31



Date: 24.APR.2019 13:57:04

Test Mode	UNII-3_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	74.80	76.40	500	Complies



Date: 28.APR.2019 18:03:59

APPENDIX F - CONDUCTED OUTPUT POWER

Non-Beamforming

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.42	0.15	17.57	30.00	1.00	Complies
40	5200	20.61	0.15	20.76	30.00	1.00	Complies
48	5240	18.67	0.15	18.82	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.25	0.00	15.25	27.99	0.63	Complies
40	5200	19.05	0.00	19.05	27.99	0.63	Complies
48	5240	21.79	0.00	21.79	27.99	0.63	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.72	0.00	16.72	27.99	0.63	Complies
40	5200	20.32	0.00	20.32	27.99	0.63	Complies
48	5240	22.15	0.00	22.15	27.99	0.63	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.06	27.99	0.63	Complies
40	5200	22.74	27.99	0.63	Complies
48	5240	24.98	27.99	0.63	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.24	0.00	12.24	27.99	0.63	Complies
46	5230	17.62	0.00	17.62	27.99	0.63	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.74	0.00	13.74	27.99	0.63	Complies
46	5230	19.18	0.00	19.18	27.99	0.63	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.06	27.99	0.63	Complies
46	5230	21.48	27.99	0.63	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.13	0.15	22.28	30.00	1.00	Complies
157	5785	22.14	0.15	22.29	30.00	1.00	Complies
165	5825	21.94	0.15	22.09	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.32	0.00	20.32	27.99	0.63	Complies
157	5785	20.49	0.00	20.49	27.99	0.63	Complies
165	5825	19.97	0.00	19.97	27.99	0.63	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.52	0.00	21.52	27.99	0.63	Complies
157	5785	21.67	0.00	21.67	27.99	0.63	Complies
165	5825	21.29	0.00	21.29	27.99	0.63	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.97	27.99	0.63	Complies
157	5785	24.13	27.99	0.63	Complies
165	5825	23.69	27.99	0.63	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.58	0.00	20.58	27.99	0.63	Complies
159	5795	20.35	0.00	20.35	27.99	0.63	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.24	0.00	21.24	27.99	0.63	Complies
159	5795	21.85	0.00	21.85	27.99	0.63	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.93	27.99	0.63	Complies
159	5795	24.17	27.99	0.63	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.33	0.00	15.33	27.99	0.63	Complies
40	5200	19.15	0.00	19.15	27.99	0.63	Complies
48	5240	21.39	0.00	21.39	27.99	0.63	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.81	0.00	16.81	27.99	0.63	Complies
40	5200	20.41	0.00	20.41	27.99	0.63	Complies
48	5240	20.51	0.00	20.51	27.99	0.63	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.14	27.99	0.63	Complies
40	5200	22.84	27.99	0.63	Complies
48	5240	23.98	27.99	0.63	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.26	0.00	12.26	27.99	0.63	Complies
46	5230	17.58	0.00	17.58	27.99	0.63	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.72	0.00	13.72	27.99	0.63	Complies
46	5230	19.17	0.00	19.17	27.99	0.63	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.06	27.99	0.63	Complies
46	5230	21.46	27.99	0.63	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.42	0.00	12.42	27.99	0.63	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.33	0.00	14.33	27.99	0.63	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.49	27.99	0.63	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.87	0.00	20.87	27.99	0.63	Complies
157	5785	20.21	0.00	20.21	27.99	0.63	Complies
165	5825	19.86	0.00	19.86	27.99	0.63	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.57	0.00	21.57	27.99	0.63	Complies
157	5785	21.69	0.00	21.69	27.99	0.63	Complies
165	5825	21.32	0.00	21.32	27.99	0.63	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.24	27.99	0.63	Complies
157	5785	24.02	27.99	0.63	Complies
165	5825	23.66	27.99	0.63	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.36	0.00	20.36	27.99	0.63	Complies
159	5795	20.49	0.00	20.49	27.99	0.63	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.49	0.00	21.49	27.99	0.63	Complies
159	5795	21.64	0.00	21.64	27.99	0.63	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.97	27.99	0.63	Complies
159	5795	24.11	27.99	0.63	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.32	0.00	18.32	27.99	0.63	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.35	0.00	19.35	27.99	0.63	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.88	27.99	0.63	Complies

With Beamforming

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.17	0.00	15.17	28.00	0.63	Complies
40	5200	17.96	0.00	17.96	28.00	0.63	Complies
48	5240	17.65	0.00	17.65	28.00	0.63	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.64	0.00	16.64	28.00	0.63	Complies
40	5200	19.27	0.00	19.27	28.00	0.63	Complies
48	5240	18.97	0.00	18.97	28.00	0.63	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.98	28.00	0.63	Complies
40	5200	21.67	28.00	0.63	Complies
48	5240	21.37	28.00	0.63	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.17	0.00	12.17	28.00	0.63	Complies
46	5230	17.57	0.00	17.57	28.00	0.63	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.68	0.00	13.68	28.00	0.63	Complies
46	5230	19.11	0.00	19.11	28.00	0.63	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.00	28.00	0.63	Complies
46	5230	21.42	28.00	0.63	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.28	0.00	20.28	28.00	0.63	Complies
157	5785	20.42	0.00	20.42	28.00	0.63	Complies
165	5825	19.93	0.00	19.93	28.00	0.63	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.46	0.00	21.46	28.00	0.63	Complies
157	5785	21.57	0.00	21.57	28.00	0.63	Complies
165	5825	21.22	0.00	21.22	28.00	0.63	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.92	28.00	0.63	Complies
157	5785	24.04	28.00	0.63	Complies
165	5825	23.63	28.00	0.63	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.45	0.00	20.45	28.00	0.63	Complies
159	5795	20.28	0.00	20.28	28.00	0.63	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.18	0.00	21.18	28.00	0.63	Complies
159	5795	21.74	0.00	21.74	28.00	0.63	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.84	28.00	0.63	Complies
159	5795	24.08	28.00	0.63	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.26	0.00	15.26	28.00	0.63	Complies
40	5200	18.08	0.00	18.08	28.00	0.63	Complies
48	5240	17.55	0.00	17.55	28.00	0.63	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.75	0.00	16.75	28.00	0.63	Complies
40	5200	19.33	0.00	19.33	28.00	0.63	Complies
48	5240	18.86	0.00	18.86	28.00	0.63	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.08	28.00	0.63	Complies
40	5200	21.76	28.00	0.63	Complies
48	5240	21.26	28.00	0.63	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.21	0.00	12.21	28.00	0.63	Complies
46	5230	17.52	0.00	17.52	28.00	0.63	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.68	0.00	13.68	28.00	0.63	Complies
46	5230	19.11	0.00	19.11	28.00	0.63	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.02	28.00	0.63	Complies
46	5230	21.40	28.00	0.63	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.37	0.00	12.37	28.00	0.63	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.26	0.00	14.26	28.00	0.63	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.43	28.00	0.63	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.82	0.00	20.82	28.00	0.63	Complies
157	5785	20.16	0.00	20.16	28.00	0.63	Complies
165	5825	19.74	0.00	19.74	28.00	0.63	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.55	0.00	21.55	28.00	0.63	Complies
157	5785	21.62	0.00	21.62	28.00	0.63	Complies
165	5825	21.27	0.00	21.27	28.00	0.63	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.21	28.00	0.63	Complies
157	5785	23.96	28.00	0.63	Complies
165	5825	23.58	28.00	0.63	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.29	0.00	20.29	28.00	0.63	Complies
159	5795	20.37	0.00	20.37	28.00	0.63	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.37	0.00	21.37	28.00	0.63	Complies
159	5795	21.32	0.00	21.32	28.00	0.63	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.87	28.00	0.63	Complies
159	5795	23.88	28.00	0.63	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.24	0.00	18.24	28.00	0.63	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.29	0.00	19.29	28.00	0.63	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.81	28.00	0.63	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Non-Beamforming

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.26	0.15	7.41	17.00	Complies
40	5200	11.13	0.15	11.28	17.00	Complies
48	5240	9.10	0.15	9.25	17.00	Complies

CH36




Date: 20.APR.2019 16:36:45

CH40



Date: 20.APR.2019 16:38:42




CH48



Date: 20.APR.2019 16:40:53




Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.76	0.00	5.76	14.99	Complies
40	5200	9.32	0.00	9.32	14.99	Complies
48	5240	10.89	0.00	10.89	14.99	Complies



Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.68	0.00	6.68	14.99	Complies
40	5200	10.96	0.00	10.96	14.99	Complies
48	5240	10.03	0.00	10.03	14.99	Complies




Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.25	14.99	Complies
40	5200	13.23	14.99	Complies
48	5240	13.49	14.99	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.07	0.00	-0.07	14.99	Complies
46	5230	4.63	0.00	4.63	14.99	Complies




Date: 20.APR.2019 17:29:33




Date: 20.APR.2019 17:31:35

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.32	0.00	1.32	14.99	Complies
46	5230	6.61	0.00	6.61	14.99	Complies



Date: 20.APR.2019 16:56:25




Date: 20.APR.2019 16:57:51

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.69	14.99	Complies
46	5230	8.74	14.99	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.71	0.15	6.86	30.00	Complies
157	5785	6.65	0.15	6.80	30.00	Complies
165	5825	9.02	0.15	9.17	30.00	Complies



Date: 22.APR.2019 14:30:42




Date: 22.APR.2019 14:32:03




Date: 22.APR.2019 14:33:30

Test Mode UNII-3_TX N (HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.15	0.00	7.15	27.99	Complies
157	5785	6.83	0.00	6.83	27.99	Complies
165	5825	6.25	0.00	6.25	27.99	Complies



Date: 22.APR.2019 11:40:42




Date: 22.APR.2019 11:42:11




Date: 22.APR.2019 11:43:39

Test Mode UNII-3_TX N (HT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.53	0.00	8.53	27.99	Complies
157	5785	8.34	0.00	8.34	27.99	Complies
165	5825	7.94	0.00	7.94	27.99	Complies



Date: 22.APR.2019 14:03:56



Date: 22.APR.2019 14:05:00




Date: 22.APR.2019 14:05:56

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.90	27.99	Complies
157	5785	10.66	27.99	Complies
165	5825	10.19	27.99	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.53	0.00	1.53	27.99	Complies
159	5795	1.32	0.00	1.32	27.99	Complies




Date: 22.APR.2019 11:48:23




Date: 22.APR.2019 11:50:32

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.63	0.00	2.63	27.99	Complies
159	5795	2.77	0.00	2.77	27.99	Complies



Date: 22.APR.2019 14:09:03






Date: 22.APR.2019 14:09:37

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.13	27.99	Complies
159	5795	5.12	27.99	Complies




Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.61	0.00	5.61	14.99	Complies
40	5200	9.27	0.00	9.27	14.99	Complies
48	5240	10.92	0.00	10.92	14.99	Complies



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.60	0.00	6.60	14.99	Complies
40	5200	10.68	0.00	10.68	14.99	Complies
48	5240	8.89	0.00	8.89	14.99	Complies




Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.14	14.99	Complies
40	5200	13.04	14.99	Complies
48	5240	13.03	14.99	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.21	0.00	-0.21	14.99	Complies
46	5230	4.53	0.00	4.53	14.99	Complies




Date: 28.APR.2019 17:34:04




Date: 28.APR.2019 17:36:18

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.31	0.00	1.31	14.99	Complies
46	5230	7.06	0.00	7.06	14.99	Complies



Date: 28.APR.2019 17:00:09




Date: 28.APR.2019 17:01:33

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.63	14.99	Complies
46	5230	8.99	14.99	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.00	0.00	-3.00	14.99	Complies



Date: 20.APR.2019 17:39:06

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.26	0.00	-1.26	14.99	Complies




Date: 20.APR.2019 17:05:33

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.97	14.99	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.22	0.00	7.22	27.99	Complies
157	5785	6.86	0.00	6.86	27.99	Complies
165	5825	6.38	0.00	6.38	27.99	Complies



Date: 22.APR.2019 11:56:11




Date: 22.APR.2019 11:57:30




Date: 22.APR.2019 11:58:43

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.50	0.00	8.50	27.99	Complies
157	5785	6.16	0.00	6.16	27.99	Complies
165	5825	7.97	0.00	7.97	27.99	Complies



Date: 22.APR.2019 14:14:54



Date: 22.APR.2019 14:16:01



Date: 22.APR.2019 14:16:40


Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.92	27.99	Complies
157	5785	9.53	27.99	Complies
165	5825	10.26	27.99	Complies

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.40	0.00	1.40	27.99	Complies
159	5795	1.16	0.00	1.16	27.99	Complies

CH151



Date: 22.APR.2019 13:37:58

CH159




Date: 22.APR.2019 13:40:14

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.33	0.00	2.33	27.99	Complies
159	5795	2.84	0.00	2.84	27.99	Complies

CH151



Date: 22.APR.2019 14:20:49

CH159




Date: 22.APR.2019 14:21:41

Test Mode UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.90	27.99	Complies
159	5795	5.09	27.99	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.43	0.00	0.43	27.99	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.89	0.00	0.89	27.99	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.68	27.99	Complies