

Test Report No.50346974 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50346974 001AppendixD)

Contents


Spurious Emissions, Band Edges, 2.35-2.5G(Bluetooth Low Energy 500kbps).....	2
Spurious Emissions, Band Edges, 2.35-2.5G(Bluetooth Low Energy 2Mbps)	14
Spurious Emissions, TX Mode, 1-26.5G(Bluetooth Low Energy 500kbps)	26
Spurious Emissions, TX Mode, 1-26.5G(Bluetooth Low Energy 2Mbps)	32
Spurious Emissions, TX Mode, 30M-1G(Bluetooth Low Energy 2Mbps).....	38
Spurious Emissions, TX Mode, 9k-30M(Bluetooth Low Energy 2Mbps).....	40
Spurious Emissions, Mains, 150kHz - 30MHz(Bluetooth Low Energy 500kbps).....	42

Spurious Emissions, Band Edges, 2.35-2.5G(Bluetooth Low Energy 500kbps)


2402MHz Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.35	45.60	8.28	37.32	74.00	-28.40	342	228	Peak	Horizontal
2 *	2402.00	96.76	59.39	37.37	74.00	22.76	342	228	Peak	Horizontal
3	2779.76	47.90	10.01	37.89	74.00	-26.10	342	228	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.12	34.31	-3.02	37.33	54.00	-19.69	342	228	Average	Horizontal
2 *	2402.00	95.91	58.54	37.37	54.00	41.91	342	228	Average	Horizontal
3	2852.62	35.98	-2.10	38.08	54.00	-18.02	342	228	Average	Horizontal


2402MHz Vertical



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2345.40	46.21	9.02	37.19	74.00	-27.79	100	196 Peak	Vertical
2 *	2402.00	89.12	51.75	37.37	74.00	15.12	100	196 Peak	Vertical
3	2744.59	47.69	9.84	37.85	74.00	-26.31	100	196 Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2386.70	34.38	-2.94	37.32	54.00	-19.62	100	196	Average	Vertical
2 *	2402.00	88.29	50.92	37.37	54.00	34.29	100	196	Average	Vertical
3	2852.33	36.00	-2.08	38.08	54.00	-18.00	100	196	Average	Vertical



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2344.28	34.53	-2.66	37.19	54.00	-19.47	377	226	Average	Horizontal
2 *	2440.00	96.80	59.31	37.49	54.00	42.80	377	226	Average	Horizontal
3	2861.89	35.99	-2.14	38.13	54.00	-18.01	377	226	Average	Horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2377.50	45.86	8.57	37.29	74.00	-28.14	377	226 Peak	Horizontal
2 *	2440.00	97.64	60.15	37.49	74.00	23.64	377	226 Peak	Horizontal
3	2816.81	48.73	10.77	37.96	74.00	-25.27	377	226 Peak	Horizontal




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2359.09	34.35	-2.89	37.24	54.00	-19.65	382	180	Average	Vertical
2 *	2440.00	93.95	56.46	37.49	54.00	39.95	382	180	Average	Vertical
3	2786.31	36.09	-1.80	37.89	54.00	-17.91	382	180	Average	Vertical



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2349.18	46.63	9.42	37.21	74.00	-27.37	382	180 Peak	Vertical
2 *	2440.00	94.84	57.35	37.49	74.00	20.84	382	180 Peak	Vertical
3	2703.94	47.13	9.33	37.80	74.00	-26.87	382	180 Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2380.56	34.22	-3.08	37.30	54.00	-19.78	297	212	Average	Horizontal
2 *	2480.00	98.21	60.65	37.56	54.00	44.21	297	212	Average	Horizontal
3	2484.76	36.95	-0.61	37.56	54.00	-17.05	297	212	Average	Horizontal




	Freq	Level	Read		Limit	Over	APos	TPos		
	MHz	dBuV/m	Level	Factor	Line	Limit			Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.51	45.06	7.75	37.31	74.00	-28.94	297	212	Peak	Horizontal
2 *	2480.00	99.07	61.51	37.56	74.00	25.07	297	212	Peak	Horizontal
3	2751.44	47.84	9.98	37.86	74.00	-26.16	297	212	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2378.68	34.28	-3.02	37.30	54.00	-19.72	365	179	Average	Vertical
2 *	2480.00	94.64	57.08	37.56	54.00	40.64	365	179	Average	Vertical
3	2820.29	36.04	-1.93	37.97	54.00	-17.96	365	179	Average	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2352.78	45.85	8.63	37.22	74.00	-28.15	365	179	Peak	Vertical
2 *	2480.00	95.44	57.88	37.56	74.00	21.44	365	179	Peak	Vertical
3	2828.43	48.21	10.21	38.00	74.00	-25.79	365	179	Peak	Vertical

Spurious Emissions, Band Edges, 2.35-2.5G(Bluetooth Low Energy 2Mbps)


2402MHz Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2330.95	46.24	9.10	37.14	74.00	-27.76	347	228	Peak	Horizontal
2 *	2402.00	96.60	59.23	37.37	74.00	22.60	347	228	Peak	Horizontal
3	2592.96	47.88	9.91	37.97	74.00	-26.12	347	228	Peak	Horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2388.18	34.89	-2.44	37.33	54.00	-19.11	347	228 Average	Horizontal
2 *	2402.00	94.42	57.05	37.37	54.00	40.42	347	228 Average	Horizontal
3	2860.77	36.05	-2.07	38.12	54.00	-17.95	347	228 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.59	46.35	9.02	37.33	74.00	-27.65	100	196	Peak	Vertical
2 *	2402.00	88.81	51.44	37.37	74.00	14.81	100	196	Peak	Vertical
3	2797.34	48.42	10.51	37.91	74.00	-25.58	100	196	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2349.65	34.43	-2.78	37.21	54.00	-19.57	100	196	Average	Vertical
2 *	2402.00	86.52	49.15	37.37	54.00	32.52	100	196	Average	Vertical
3	2853.04	35.99	-2.09	38.08	54.00	-18.01	100	196	Average	Vertical


2440MHz Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.68	45.90	8.60	37.30	74.00	-28.10	377	228	Peak	Horizontal
2 *	2440.00	97.90	60.41	37.49	74.00	23.90	377	228	Peak	Horizontal
3	2751.73	47.70	9.84	37.86	74.00	-26.30	377	228	Peak	Horizontal




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2343.81	34.35	-2.84	37.19	54.00	-19.65	377	228 Average	Horizontal
2 *	2440.00	95.26	57.77	37.49	54.00	41.26	377	228 Average	Horizontal
3	2859.53	36.01	-2.11	38.12	54.00	-17.99	377	228 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2351.12	46.15	8.94	37.21	74.00	-27.85	380	184	Peak	Vertical
2 *	2440.00	94.70	57.21	37.49	74.00	20.70	380	184	Peak	Vertical
3	2706.89	48.05	10.24	37.81	74.00	-25.95	380	184	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.12	34.59	-2.74	37.33	54.00	-19.41	380	184	Average	Vertical
2 *	2440.00	91.87	54.38	37.49	54.00	37.87	380	184	Average	Vertical
3	2864.90	35.90	-2.24	38.14	54.00	-18.10	380	184	Average	Vertical



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2350.00	46.48	9.27	37.21	74.00	-27.52	295	213	Peak	Horizontal
2 *	2480.00	98.82	61.26	37.56	74.00	24.82	295	213	Peak	Horizontal
3	2483.46	50.28	12.72	37.56	74.00	-23.72	295	213	Peak	Horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.33	34.42	-2.88	37.30	54.00	-19.58	295	213	Average	Horizontal
2 *	2480.00	96.55	58.99	37.56	54.00	42.55	295	213	Average	Horizontal
3	2483.46	41.19	3.63	37.56	54.00	-12.81	295	213	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2371.01	45.47	8.20	37.27	74.00	-28.53	366	179	Peak	Vertical
2 *	2480.00	95.64	58.08	37.56	74.00	21.64	366	179	Peak	Vertical
3	2782.06	47.65	9.76	37.89	74.00	-26.35	366	179	Peak	Vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2357.55	34.34	-2.89	37.23	54.00	-19.66	366	179	Average	Vertical
2 *	2480.00	93.53	55.97	37.56	54.00	39.53	366	179	Average	Vertical
3	2483.46	38.91	1.35	37.56	54.00	-15.09	366	179	Average	Vertical


Spurious Emissions, TX Mode, 1-26.5G(Bluetooth Low Energy 500kbps)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	39.84	50.04	-10.20	74.00	-34.16	300	316	Peak	horizontal






	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4880.00	41.36	51.42	-10.06	74.00	-32.64	100	211	Peak	horizontal





	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	44.67	54.43	-9.76	74.00	-29.33	200	201	Peak	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	41.28	51.04	-9.76	74.00	-32.72	200	262	Peak	vertical


Spurious Emissions, TX Mode, 1-26.5G(Bluetooth Low Energy 2Mbps)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	41.49	51.25	-9.76	74.00	-32.51	300	258	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	38.79	48.99	-10.20	74.00	-35.21	131	360	Peak	horizontal






	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4880.00	39.98	50.04	-10.06	74.00	-34.02	100	14	Peak	horizontal



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4880.00	40.02	50.08	-10.06	74.00	-33.98	329	360	Peak	vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	39.52	49.28	-9.76	74.00	-34.48	400	187	Peak	horizontal


Spurious Emissions, TX Mode, 30M-1G(Bluetooth Low Energy 2Mbps)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:-886-2172-1000 Fax:-886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	55.51	21.12	28.83	-7.71	40.00	-18.88	200	243 QP	horizontal
2	167.74	20.78	27.99	-7.21	43.50	-22.72	200	306 QP	horizontal
3	484.25	26.16	29.65	-3.49	46.00	-19.84	200	203 QP	horizontal
4	615.59	28.49	29.37	-0.88	46.00	-17.51	100	313 QP	horizontal
5	732.09	31.60	30.85	0.75	46.00	-14.40	300	286 QP	horizontal
6	846.16	31.79	29.44	2.35	46.00	-14.21	115	360 QP	horizontal




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	34.95	21.83	30.56	-8.73	40.00	-18.17	300	13 QP		vertical
2	166.48	22.56	29.79	-7.23	43.50	-20.94	200	62 QP		vertical
3	343.89	22.79	28.48	-5.69	46.00	-23.21	114	360 QP		vertical
4	493.66	25.87	29.17	-3.30	46.00	-20.13	200	331 QP		vertical
5	729.56	30.75	30.05	0.70	46.00	-15.25	300	144 QP		vertical
6	922.40	33.00	29.21	3.79	46.00	-13.00	200	94 QP		vertical


Spurious Emissions, TX Mode, 9k-30M(Bluetooth Low Energy 2Mbps)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.02	76.18	2.29	73.89	122.55	-46.37	100	37 QP		vertical
2	0.04	66.10	-0.25	66.35	114.56	-48.46	100	218 QP		vertical
3	0.07	59.19	-2.83	62.02	110.32	-51.13	100	344 QP		vertical
4	0.11	55.09	-3.80	58.89	107.08	-51.99	100	75 QP		vertical
5	0.13	54.68	-2.81	57.49	105.30	-50.62	100	148 QP		vertical
6	0.15	52.40	-4.16	56.56	104.29	-51.89	100	133 QP		vertical




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.70	54.56	11.43	43.13	70.67	-16.11	100	339 QP		vertical
2	3.67	49.51	11.22	38.29	69.50	-19.99	100	20 QP		vertical
3	9.49	50.42	12.74	37.68	69.50	-19.08	100	307 QP		vertical
4	15.30	49.42	11.75	37.67	69.50	-20.08	100	295 QP		vertical
5	21.41	48.08	12.09	35.99	69.50	-21.42	100	246 QP		vertical
6	26.70	46.45	12.15	34.30	69.50	-23.05	100	0 QP		vertical

Spurious Emissions, Mains, 150kHz - 30MHz(Bluetooth Low Energy 500kbps)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase
	MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.16	28.21	18.60	9.61	55.38	-27.17	Average	line1
2	0.16	47.46	37.85	9.61	65.38	-17.92	QP	line1
3	0.23	26.40	16.79	9.61	52.27	-25.87	Average	line1
4	0.23	40.66	31.05	9.61	62.27	-21.61	QP	line1
5	4.56	27.40	17.72	9.68	46.00	-18.60	Average	line1
6	4.56	34.09	24.41	9.68	56.00	-21.91	QP	line1
7	7.21	24.27	14.57	9.70	50.00	-25.73	Average	line1
8	7.21	32.59	22.89	9.70	60.00	-27.41	QP	line1
9	9.53	26.06	16.33	9.73	50.00	-23.94	Average	line1
10	9.53	31.70	21.97	9.73	60.00	-28.30	QP	line1
11	16.25	27.64	17.87	9.77	50.00	-22.36	Average	line1
12	16.25	32.64	22.87	9.77	60.00	-27.36	QP	line1



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase
	MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.17	32.95	23.33	9.62	54.88	-21.93	Average	neutral
2	0.17	47.52	37.90	9.62	64.88	-17.36	QP	neutral
3	0.22	26.26	16.64	9.62	52.90	-26.64	Average	neutral
4	0.22	40.06	30.44	9.62	62.90	-22.84	QP	neutral
5	0.32	21.47	11.85	9.62	49.75	-28.28	Average	neutral
6	0.32	33.36	23.74	9.62	59.75	-26.39	QP	neutral
7	4.45	26.69	17.00	9.69	46.00	-19.31	Average	neutral
8	4.45	35.07	25.38	9.69	56.00	-20.93	QP	neutral
9	6.73	30.60	20.89	9.71	50.00	-19.40	Average	neutral
10	6.73	36.57	26.86	9.71	60.00	-23.43	QP	neutral
11	9.25	27.77	18.03	9.74	50.00	-22.23	Average	neutral
12	9.25	33.07	23.33	9.74	60.00	-26.93	QP	neutral