



TX CH 157



Date: 3.APR.2018 12:48:09

TX CH 165




Date: 3.APR.2018 12:49:05

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	67.80	≥ 500
CH159	5795	36.50	67.40	≥ 500

TX CH 151



Date: 3.APR.2018 15:38:27


TX CH 159



Date: 3.APR.2018 15:40:06

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	75.80	76.00	>=500



Date: 3.APR.2018 16:00:59

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode_ANT1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.67	0.35	18.02	24.00	0.25
CH40	5200	19.05	0.35	19.40	24.00	0.25
CH48	5240	19.15	0.35	19.50	24.00	0.25

Test Mode: UNII-1/TX A Mode_ANT2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	19.72	0.35	20.07	24.00	0.25
CH40	5200	21.61	0.35	21.96	24.00	0.25
CH48	5240	21.21	0.35	21.56	24.00	0.25

Remark: This test data is from original report BTL-FCCP-4-1602C038.

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.73	0.31	16.04	22.51	0.18
CH40	5200	15.45	0.31	15.76	22.51	0.18
CH48	5240	15.55	0.31	15.86	22.51	0.18

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.40	0.31	15.71	22.51	0.18
CH40	5200	15.20	0.31	15.51	22.51	0.18
CH48	5240	15.25	0.31	15.56	22.51	0.18

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.89	22.51	0.18
CH40	5200	18.65	22.51	0.18
CH48	5240	18.72	22.51	0.18

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.42	0.80	10.22	22.51	0.18
CH46	5230	17.25	0.80	18.05	22.51	0.18

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.24	0.80	10.04	22.51	0.18
CH46	5230	17.05	0.80	17.85	22.51	0.18

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.14	22.51	0.18
CH46	5230	20.96	22.51	0.18

Test Mode: UNII-2A/TX A Mode_ANT1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	19.23	0.35	19.58	24.00	0.25
CH60	5300	18.85	0.35	19.20	24.00	0.25
CH64	5320	16.45	0.35	16.80	24.00	0.25

Test Mode: UNII-2A/TX A Mode_ANT2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	20.34	0.35	20.69	24.00	0.25
CH60	5300	20.26	0.35	20.61	24.00	0.25
CH64	5320	19.28	0.35	19.63	24.00	0.25

Remark: This test data is from original report BTL-FCCP-4-1602C038.

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.30	0.31	15.61	22.61	0.18
CH60	5300	15.15	0.31	15.46	22.61	0.18
CH64	5320	15.00	0.31	15.31	22.61	0.18

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.85	0.31	15.16	22.61	0.18
CH60	5300	14.85	0.31	15.16	22.61	0.18
CH64	5320	14.70	0.31	15.01	22.61	0.18

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.40	22.61	0.18
CH60	5300	18.32	22.61	0.18
CH64	5320	18.17	22.61	0.18

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.05	0.80	17.85	22.61	0.18
CH62	5310	11.50	0.80	12.30	22.61	0.18

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.65	0.80	17.45	22.61	0.18
CH62	5310	11.05	0.80	11.85	22.61	0.18

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	20.66	22.61	0.18
CH62	5310	15.09	22.61	0.18

Test Mode: UNII-2C/TX A Mode_ANT1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	15.90	0.35	16.25	24.00	0.25
CH116	5580	19.35	0.35	19.70	24.00	0.25
CH140	5700	14.25	0.35	14.60	24.00	0.25

Test Mode: UNII-2C/TX A Mode_ANT2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.62	0.35	17.97	24.00	0.25
CH116	5580	20.07	0.35	20.42	24.00	0.25
CH140	5700	17.18	0.35	17.53	24.00	0.25

Remark: This test data is from original report BTL-FCCP-4-1602C038.

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.95	0.31	14.26	21.20	0.13
CH116	5580	13.90	0.31	14.21	21.20	0.13
CH140	5700	14.00	0.31	14.31	21.20	0.13

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.40	0.31	13.71	21.20	0.13
CH116	5580	12.45	0.31	12.76	21.20	0.13
CH140	5700	11.35	0.31	11.66	21.20	0.13

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	17.00	21.20	0.13
CH116	5580	16.56	21.20	0.13
CH140	5700	16.19	21.20	0.13

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	12.20	0.80	13.00	21.20	0.13
CH110	5550	16.10	0.80	16.90	21.20	0.13
CH134	5670	14.80	0.80	15.60	21.20	0.13

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	11.65	0.80	12.45	21.20	0.13
CH110	5550	14.77	0.80	15.57	21.20	0.13
CH134	5670	12.35	0.80	13.15	21.20	0.13

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	15.74	21.20	0.13
CH110	5550	19.30	21.20	0.13
CH134	5670	17.56	21.20	0.13

Test Mode: UNII-3/ TX A Mode_ANT1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.64	0.35	19.99	30.00	1.00
CH157	5785	19.89	0.35	20.24	30.00	1.00
CH165	5825	20.13	0.35	20.48	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	23.18	0.35	23.53	30.00	1.00
CH157	5785	22.94	0.35	23.29	30.00	1.00
CH165	5825	22.74	0.35	23.09	30.00	1.00

Remark: This test data is from original report BTL-FCCP-4-1602C038.

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.41	0.31	19.72	26.95	0.50
CH157	5785	19.34	0.31	19.65	26.95	0.50
CH165	5825	19.57	0.31	19.88	26.95	0.50

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.31	0.31	17.62	26.95	0.50
CH157	5785	17.22	0.31	17.53	26.95	0.50
CH165	5825	17.37	0.31	17.68	26.95	0.50

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.81	26.95	0.50
CH157	5785	21.73	26.95	0.50
CH165	5825	21.93	26.95	0.50

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.98	0.80	19.78	26.95	0.50
CH159	5795	18.81	0.80	19.61	26.95	0.50

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.22	0.80	19.02	26.95	0.50
CH159	5795	18.19	0.80	18.99	26.95	0.50

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.43	26.95	0.50
CH159	5795	22.32	26.95	0.50

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.15	0.64	15.79	22.51	0.18
CH40	5200	15.05	0.64	15.69	22.51	0.18
CH48	5240	15.15	0.64	15.79	22.51	0.18

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.94	0.64	15.58	22.51	0.18
CH40	5200	14.96	0.64	15.60	22.51	0.18
CH48	5240	15.01	0.64	15.65	22.51	0.18

Test Mode: UNII-1/TX AC20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	18.70	22.51	0.18
CH40	5200	18.66	22.51	0.18
CH48	5240	18.73	22.51	0.18

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.85	1.31	12.16	22.51	0.18
CH46	5230	17.25	1.31	18.56	22.51	0.18

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.62	1.31	11.93	22.51	0.18
CH46	5230	17.02	1.31	18.33	22.51	0.18

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.06	22.51	0.18
CH46	5230	21.46	22.51	0.18

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	6.92	2.58	9.50	22.51	0.18

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	7.00	2.58	9.58	22.51	0.18

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	12.55	22.51	0.18

Test Mode: UNII-2A/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	15.05	0.64	15.69	22.61	0.18
CH60	5300	14.85	0.64	15.49	22.61	0.18
CH64	5320	14.85	0.64	15.49	22.61	0.18

Test Mode: UNII-2A/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	14.51	0.64	15.15	22.61	0.18
CH60	5300	14.62	0.64	15.26	22.61	0.18
CH64	5320	14.45	0.64	15.09	22.61	0.18

Test Mode: UNII-2A/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	18.44	22.61	0.18
CH60	5300	18.39	22.61	0.18
CH64	5320	18.30	22.61	0.18

Test Mode: UNII-2A/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	17.30	1.31	18.61	22.61	0.18
CH62	5310	12.20	1.31	13.51	22.61	0.18

Test Mode: UNII-2A/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	16.27	1.31	17.58	22.61	0.18
CH62	5310	12.01	1.31	13.32	22.61	0.18

Test Mode: UNII-2A/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	21.08	22.61	0.18
CH62	5310	16.43	22.61	0.18

Test Mode: UNII-2A/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	8.93	2.58	11.51	22.61	0.18

Test Mode: UNII-2A/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	8.45	2.58	11.03	22.61	0.18

Test Mode: UNII-2A/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH58	5290	14.29	22.61	0.18

Test Mode: UNII-2C/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.40	0.64	14.04	21.20	0.13
CH116	5580	13.55	0.64	14.19	21.20	0.13
CH140	5700	13.85	0.64	14.49	21.20	0.13

Test Mode: UNII-2C/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	12.79	0.64	13.43	21.20	0.13
CH116	5580	12.16	0.64	12.80	21.20	0.13
CH140	5700	11.18	0.64	11.82	21.20	0.13

Test Mode: UNII-2C/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	16.76	21.20	0.13
CH116	5580	16.56	21.20	0.13
CH140	5700	16.37	21.20	0.13

Test Mode: UNII-2C/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	13.30	1.31	14.61	21.20	0.13
CH110	5550	16.00	1.31	17.31	21.20	0.13
CH134	5670	15.40	1.31	16.71	21.20	0.13

Test Mode: UNII-2C/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	12.34	1.31	13.65	21.20	0.13
CH110	5550	12.84	1.31	14.15	21.20	0.13
CH134	5670	13.01	1.31	14.32	21.20	0.13

Test Mode: UNII-2C/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	17.17	21.20	0.13
CH110	5550	19.02	21.20	0.13
CH134	5670	18.69	21.20	0.13

Test Mode: UNII-2C/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	9.00	2.58	11.58	21.20	0.13
CH122	5610	14.55	2.58	17.13	21.20	0.13

Test Mode: UNII-2C/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	8.13	2.58	10.71	21.20	0.13
CH122	5610	12.45	2.58	15.03	21.20	0.13

Test Mode: UNII-2C/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH106	5530	14.18	21.20	0.13
CH122	5610	19.22	21.20	0.13

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	19.66	0.64	20.30	26.95	0.50
CH157	5785	19.87	0.64	20.51	26.95	0.50
CH165	5825	19.75	0.64	20.39	26.95	0.50

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.33	0.64	17.97	26.95	0.50
CH157	5785	17.12	0.64	17.76	26.95	0.50
CH165	5825	17.15	0.64	17.79	26.95	0.50

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	22.30	26.95	0.50
CH157	5785	22.36	26.95	0.50
CH165	5825	22.29	26.95	0.50

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	19.28	1.31	20.59	26.95	0.50
CH159	5795	18.79	1.31	20.10	26.95	0.50

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	18.17	1.31	19.48	26.95	0.50
CH159	5795	18.23	1.31	19.54	26.95	0.50

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	23.08	26.95	0.50
CH159	5795	22.84	26.95	0.50

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	14.80	2.58	17.38	26.95	0.50

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	11.75	2.58	14.33	26.95	0.50


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	19.13	26.95	0.50

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.83	0.35	4.18	11.00
CH40	5200	9.29	0.35	9.64	11.00
CH48	5240	3.98	0.35	4.33	11.00




Date: 30.MAR.2018 19:02:54

CH40



Date: 30.MAR.2018 10:40:09


CH48



Date: 30.MAR.2018 19:55:58


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.16	0.35	4.51	11.00
CH40	5200	4.29	0.35	4.64	11.00
CH48	5240	4.10	0.35	4.45	11.00




Date: 12.MAY.2016 17:24:53

CH40



Date: 12.MAY.2016 17:26:29

CH48




Date: 12.MAY.2016 17:28:12

Remark: This test data is from original report BTL-FCCP-4-1602C038.


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.46	0.31	5.77	9.51
CH40	5200	5.33	0.31	5.64	9.51
CH48	5240	5.41	0.31	5.72	9.51




Date: 30.MAR.2018 10:47:40

CH40



Date: 30.MAR.2018 10:50:45

CH48




Date: 30.MAR.2018 10:52:06

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.09	0.31	5.40	9.51
CH40	5200	4.85	0.31	5.16	9.51
CH48	5240	4.87	0.31	5.18	9.51

CH36




Date: 30.MAR.2018 11:46:54

CH40



Date: 30.MAR.2018 12:06:07

CH48



Date: 30.MAR.2018 11:50:31


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.60	9.51
CH40	5200	8.42	9.51
CH48	5240	8.47	9.51

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-5.11	0.80	-4.31	9.51
CH46	5230	2.58	0.80	3.38	9.51

CH38



Date: 4.APR.2018 12:16:17

CH46




Date: 4.APR.2018 12:18:53

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.48	0.80	-3.68	9.51
CH46	5230	-1.26	0.80	-0.46	9.51

CH38



Date: 4.APR.2018 11:08:22

CH46




Date: 4.APR.2018 11:09:11

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.97	9.51
CH46	5230	4.88	9.51


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	9.56	0.35	9.91	11.00
CH60	5300	9.61	0.35	9.96	11.00
CH64	5320	7.56	0.35	7.91	11.00




Date: 30.MAR.2018 10:26:00

CH60



Date: 4.APR.2018 11:31:15


CH64



Date: 4.APR.2018 11:32:03


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	6.65	0.35	7.00	11.00
CH60	5300	5.97	0.35	6.32	11.00
CH64	5320	6.36	0.35	6.71	11.00




Date: 12.MAY.2016 11:58:42

CH60



Date: 12.MAY.2016 11:59:05

CH64




Date: 12.MAY.2016 11:59:28

Remark: This test data is from original report BTL-FCCP-4-1602C038.

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	5.46	0.31	5.77	9.61
CH60	5300	5.49	0.31	5.80	9.61
CH64	5320	5.47	0.31	5.78	9.61

CH52




Date: 30.MAR.2018 11:52:10

CH60



Date: 30.MAR.2018 10:55:16

CH64




Date: 30.MAR.2018 10:58:05

Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.36	0.31	4.67	9.61
CH60	5300	4.59	0.31	4.90	9.61
CH64	5320	4.52	0.31	4.83	9.61

CH52




Date: 30.MAR.2018 11:52:10

CH60



Date: 30.MAR.2018 11:53:42

CH64



Date: 30.MAR.2018 10:58:05


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.27	9.61
CH60	5300	8.38	9.61
CH64	5320	8.34	9.61

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	3.29	0.80	4.09	9.61
CH62	5310	-1.50	0.80	-0.70	9.61

CH54



Date: 4.APR.2018 12:19:38

CH62




Date: 4.APR.2018 12:20:19

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.30	0.80	5.10	9.61
CH62	5310	-0.80	0.80	0.00	9.61

CH54



Date: 4.APR.2018 12:55:40

CH62



Date: 4.APR.2018 12:56:37


Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	7.63	9.61
CH62	5310	2.67	9.61

Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.36	0.35	7.71	11.00
CH116	5580	9.46	0.35	9.81	11.00
CH140	5700	4.97	0.35	5.32	11.00

CH100




Date: 4.APR.2018 11:33:09

CH116



Date: 30.MAR.2018 10:36:34


CH140



Date: 4.APR.2018 11:34:51


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	6.22	0.35	6.57	11.00
CH116	5580	6.44	0.35	6.79	11.00
CH140	5700	6.45	0.35	6.80	11.00




Date: 12.MAY.2016 11:59:50

CH116



Date: 12.MAY.2016 12:00:15

CH140




Date: 12.MAY.2016 12:00:41

Remark: This test data is from original report BTL-FCCP-4-1602C038.

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	4.17	0.31	4.48	8.20
CH116	5580	3.81	0.31	4.12	8.20
CH140	5700	3.59	0.31	3.90	8.20

CH100




Date: 30.MAR.2018 10:59:56

CH116



Date: 30.MAR.2018 11:02:00

CH140




Date: 30.MAR.2018 11:05:18

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.49	0.31	3.80	8.20
CH116	5580	3.10	0.31	3.41	8.20
CH140	5700	1.64	0.31	1.95	8.20

CH100




Date: 30.MAR.2018 11:57:34

CH116



Date: 30.MAR.2018 12:00:42

CH140




Date: 30.MAR.2018 12:04:40

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.16	8.20
CH116	5580	6.79	8.20
CH140	5700	6.04	8.20


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.36	0.80	0.44	8.20
CH110	5550	3.39	0.80	4.19	8.20
CH134	5670	1.48	0.80	2.28	8.20




Date: 30.MAR.2018 11:09:21

CH110



Date: 30.MAR.2018 11:10:54

CH134




Date: 30.MAR.2018 11:17:42

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.26	0.80	0.54	8.20
CH110	5550	3.25	0.80	4.05	8.20
CH134	5670	1.32	0.80	2.12	8.20

CH102




Date: 4.APR.2018 12:57:19

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	3.50	8.20
CH110	5550	7.13	8.20
CH134	5670	5.21	8.20


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.90	0.35	8.25	30.00
CH157	5785	7.98	0.35	8.33	30.00
CH165	5825	7.96	0.35	8.31	30.00




Date: 1.JAN.2003 08:04:19

TX CH157



Date: 1.JAN.2003 08:05:34

TX CH165




Date: 1.JAN.2003 08:05:57

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.45	0.35	4.80	30.00
CH157	5785	4.01	0.35	4.36	30.00
CH165	5825	3.69	0.35	4.04	30.00

TX CH149




Date: 11.MAY.2016 17:13:09

TX CH157



Date: 11.MAY.2016 17:13:44

TX CH165




Date: 11.MAY.2016 17:14:16

Remark: This test data is from original report BTL-FCCP-4-1602C038.


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.41	0.31	7.72	26.95
CH157	5785	7.17	0.31	7.48	26.95
CH165	5825	6.65	0.31	6.96	26.95




Date: 1.JAN.2003 08:07:32

TX CH157



Date: 1.JAN.2003 08:07:49

TX CH165




Date: 1.JAN.2003 08:08:03

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	3.44	0.31	3.75	26.95
CH157	5785	2.95	0.31	3.26	26.95
CH165	5825	2.70	0.31	3.01	26.95

TX CH149




Date: 1.JAN.2003 08:23:07

TX CH157



Date: 1.JAN.2003 08:24:12

TX CH165



Date: 1.JAN.2003 08:25:09


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.18	26.95
CH157	5785	8.87	26.95
CH165	5825	8.43	26.95

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	3.38	0.80	4.18	26.95
CH159	5795	3.16	0.80	3.96	26.95

TX CH151



Date: 1.JAN.2003 08:11:24

TX CH159




Date: 1.JAN.2003 08:11:44

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.59	0.80	1.39	26.95
CH159	5795	0.67	0.80	1.47	26.95

TX CH151



Date: 1.JAN.2003 08:27:11

TX CH159



Date: 1.JAN.2003 08:27:34


Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.02	26.95
CH159	5795	5.90	26.95

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.11	0.64	5.75	9.51
CH40	5200	5.25	0.64	5.89	9.51
CH48	5240	5.26	0.64	5.90	9.51

CH36




Date: 30.MAR.2018 11:30:35

CH40



Date: 30.MAR.2018 11:32:11


CH48



Date: 30.MAR.2018 11:33:51


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-1.07	0.64	-0.43	9.51
CH40	5200	-1.59	0.64	-0.95	9.51
CH48	5240	-0.74	0.64	-0.10	9.51




Date: 4.APR.2018 11:10:52

CH40



Date: 4.APR.2018 11:11:41

CH48



Date: 4.APR.2018 11:12:36


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.69	9.51
CH40	5200	6.71	9.51
CH48	5240	6.87	9.51

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.63	1.31	-2.32	9.51
CH46	5230	4.75	1.31	6.06	9.51

CH38



Date: 4.APR.2018 12:28:05

CH46




Date: 30.MAR.2018 11:21:13

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.19	1.31	-1.88	9.51
CH46	5230	-3.80	1.31	-2.49	9.51

CH38



Date: 4.APR.2018 11:04:40

CH46




Date: 4.APR.2018 11:06:22

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.92	9.51
CH46	5230	6.63	9.51

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-8.46	2.58	-5.88	9.51



Date: 4.APR.2018 12:31:42

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-9.48	2.58	-6.90	9.51




Date: 4.APR.2018 11:03:05

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.35	9.51


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.91	0.64	5.55	9.61
CH60	5300	5.12	0.64	5.76	9.61
CH64	5320	5.22	0.64	5.86	9.61




Date: 4.APR.2018 12:11:09

CH60



Date: 30.MAR.2018 11:35:44


CH64



Date: 30.MAR.2018 11:35:44


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	4.87	0.64	5.51	9.61
CH60	5300	5.19	0.64	5.83	9.61
CH64	5320	5.32	0.64	5.96	9.61




Date: 4.APR.2018 12:46:15

CH60



Date: 4.APR.2018 12:47:02

CH64



Date: 4.APR.2018 12:48:00


Test Mode: UNII-2A/TX AC20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	8.54	9.61
CH60	5300	8.81	9.61
CH64	5320	8.92	9.61

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.96	1.31	6.27	9.61
CH62	5310	-0.39	1.31	0.92	9.61

CH54



Date: 30.MAR.2018 11:23:30

CH62




Date: 4.APR.2018 12:28:43

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	4.55	1.31	5.86	9.61
CH62	5310	0.35	1.31	1.66	9.61

CH54



Date: 4.APR.2018 13:05:54

CH62




Date: 4.APR.2018 13:06:30

Test Mode: UNII-2A/TX AC40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	9.08	9.61
CH62	5310	4.32	9.61

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-7.97	2.58	-5.39	9.61



Date: 4.APR.2018 12:32:33

Test Mode: UNII-2A/TX AC80 Mode_CH58_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-6.17	2.58	-3.59	9.61



Date: 4.APR.2018 13:13:15


Test Mode: UNII-2A/TX AC80 Mode_CH58_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH58	5290	-1.39	9.61

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.59	0.64	4.23	8.20
CH116	5580	3.66	0.64	4.30	8.20
CH140	5700	3.00	0.64	3.64	8.20

CH100




Date: 30.MAR.2018 11:40:53

CH116



Date: 30.MAR.2018 11:41:42

CH140




Date: 4.APR.2018 12:12:53

Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	3.54	0.64	4.18	8.20
CH116	5580	3.47	0.64	4.11	8.20
CH140	5700	2.39	0.64	3.03	8.20

CH100




Date: 4.APR.2018 12:48:54

CH116



Date: 4.APR.2018 12:49:52

CH140



Date: 4.APR.2018 12:50:39


Test Mode: UNII-2C/TX AC20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	7.22	8.20
CH116	5580	7.22	8.20
CH140	5700	6.36	8.20

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-0.29	1.31	1.02	8.20
CH110	5550	3.55	1.31	4.86	8.20
CH134	5670	2.38	1.31	3.69	8.20

CH102




Date: 4.APR.2018 12:26:02

CH110



Date: 30.MAR.2018 11:26:14

CH134




Date: 4.APR.2018 12:26:51

Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	1.33	1.31	2.64	8.20
CH110	5550	3.35	1.31	4.66	8.20
CH134	5670	1.61	1.31	2.92	8.20

CH102




Date: 4.APR.2018 13:07:06

CH110



Date: 4.APR.2018 13:07:51

CH134



Date: 4.APR.2018 13:08:27


Test Mode: UNII-2C/TX AC40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	4.92	8.20
CH110	5550	7.77	8.20
CH134	5670	6.33	8.20

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-5.42	2.58	-2.84	8.20
CH122	5610	-5.37	2.58	-2.79	8.20

CH106



Date: 4.APR.2018 12:33:21

CH122



Date: 4.APR.2018 12:35:46

Test Mode: UNII-2C/TX AC80 Mode_CH106/CH122_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH106	5530	-6.51	2.58	-3.93	8.20
CH122	5610	-1.35	2.58	1.23	8.20