

(User Manual-TFH22)

Contact Information:

TiMOTION Technology Co., Ltd.

Shiyong Mining Industrial Zone, Hengli Town, DongGuan City,

GuangDong, China

Symbol Descriptions

The following symbols may appear in this manual, on the label, or on its accessories. Some of the symbols represent standards and compliances associated with the TH3 and its use.



CE Mark: conform with the essential health and safety requirements set out in European Directives.



The product can be used indoors only.



DISPOSAL: Do not dispose this product as unsorted municipal waste. Collection of such waste separately for special treatment is necessary.

Environmental Requirements

Operation conditions

Ambient temperature: 10°C ~ 40°C

Relative humidity range: 10% ~ 93%

Atmospheric pressure: 86KPa~ 106Kpa

Storage and shipping conditions

Ambient temperature: -10°C ~ 50°C

Relative humidity range: 10% ~ 93%

Atmospheric pressure: 86KPa~ 106Kpa

(User Manual-TFH22)

Applicable Products: TFH22 (remote control), TC7 (control box with build-in wireless receiver, software ES17230)

Purpose: To set up the pairing function for the TFH22 with the TC7.

Requirements for Operation: The operating distance for the signal is within 50cm

Instructions:

A. Put one CR2032 battery inside of the TFH22. B. Place the TC7 and TFH22 together with the distance between them equaling less than 50cm.	TC7  TFH22 
C. Press and hold any button from KEY1 to KEY4 (cannot press over 1 button at the same time) then turn the TC7 power on. TC7 will pair with the TFH22 in 2 seconds. After pairing, TFH22 can control motor connect to TC7 by pressing buttons. D. TC7 can memory maximum 3 handsets, when pairing 4th handset, the 1st one will be unpaired. E. To clear all the handset settings, press and hold KEY2 and wait for M2 and M3 retract to the end then keep holding KEY2 for 5 seconds. All handsets setting will be cleared.	

Warning:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular

(User Manual-TFH22)

installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement.
The device can be used in portable exposure condition without restriction.