

(User Manual-TH3)

Contact Information:

TiMOTION Technology Co., Ltd.

Shiyong Minying Industrial Zone, Hengli Town, DongGuan City GuangDong Province 523465, China

Symbol Descriptions

The following symbols may appear in this manual, on the label, or on its accessories. Some of the symbols represent standards and compliances associated with the TH3 and its use.



Caution: Consult accompanying documents



CE Mark: conform with the essential health and safety requirements set out in European Directives.



The product can be used indoors only.



DISPOSAL: Do not dispose this product as unsorted municipal waste. Collection of such waste separately for special treatment is necessary.



Direct current

Environmental Requirements

Operation conditions

Ambient temperature: 10°C ~ 40°C

Relative humidity range: 10% ~ 93%

Atmospheric pressure: 86KPa~ 106Kpa

Storage and shipping conditions

Ambient temperature: -10°C ~ 50°C

Relative humidity range: 10% ~ 93%

Atmospheric pressure: 86KPa~ 106KPa

(User Manual-TH3)

Specifications:

Model No. :	TH3
Battery :	12V SizeA 23*1
Dimensions :	115.7*56.7*20mm
Transmit frequency	433.92MHz
Data Transmit mode	ASK Transmit

Applications :

- Chairs and beds Remote controls.
- Other electric furniture controls.

FCC ID:W6JTH3-4

This device complies with part 15 of the FCC Rules.Operation is subject to the following two conditions:(1)This device may not cause harmful interference ,and (2) this device must accept any interference received ,including interference that may cause undesired operation.

NOTE: THE GRANTEE IS NOT RESPONSIBLE FOR ANY CHANGES OR MODIFICATIONS NOT EXPRESSLY APPROVED BY THE PARTY RESPONSIBLE FOR COMPLIANCE. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

NOTE:This equipment has been tested and found to comply with the limits for a Class B digital device ,pursuant to Part 15 of the FCC Rules.These limits are designed to provide reasonable protection against harmful interference in a residential installation .This equipment generates,uses and can radiate radio frequency energy and,if not installed and used in accordance with the instructions ,may cause harmful interference to radio communications .However,there is not guarantee that interference will not occur in a particular installation.If this equipment does cause harmful interference to radio or television reception,which can be determined by turning the equipment off and on,the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna .
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

RF warning statement:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

(User Manual-TH3)

Use:

Button function, see the attached diagram

Electrical performance:

1. A23 12V use alkaline battery-powered, Operating Current $\leq 18\text{mA}$
2. Wireless remote control distance of ≥ 6 meters
3. Standby operating current $\leq 10\mu\text{A}$

Size and Funtion Diagram :

