


Rhein Tech Laboratories, Inc.
360 Herndon Parkway
Suite 1400
Herndon, VA 20170
<http://www.rheintech.com>

Client: Sentrilock, LLC
Model: SentiLock Bluetooth® REALTOR® Lockbox
Standards: FCC 15.249/IC RSS-210
IDs: W9T-BTRLB/8174A-BTRLB
Report #: 2014051


Appendix G: Label and Label Location

Please refer to the following pages for the ID label sample and label location.



NOTES:

1. MATERIAL TO BE UV RESISTANT AND CLEAR.
2. ADHESIVE TO ADHERE TO SANTOPRENE AGGRESSIVELY.
3. INK TO BE APPLIED TO BACK SIDE.
4. ALL COLORS ARE TO BE BLACK AND WHITE

RoHS COMPLIANT PART IS TO BE MANUFACTURED AS RoHS COMPLIANT PER 2002/95/EC DIRECTIVE. PACKING LIST MUST CERTIFY THAT THE PART IS RoHS COMPLIANT. ALL PACKAGING MUST BE MARKED AS "RoHS COMPLIANT". MANUFACTURE IS TO MAINTAIN RECORDS OF MATERIAL CONTENT TO SUPPORT RoHS COMPLIANCE CERTIFICATION. MANUFACTURE IS TO MAINTAIN RECORDS TO SUPPORT RoHS COMPLIANCE CERTIFICATION FOR ALL FINISHES AND PROCESSES.				CONFIDENTIAL INFORMATION THIS DRAWING AND ALL INFORMATION AND FEATURES CONTAINED HEREIN ARE AND SHALL REMAIN THE EXCLUSIVE PROPERTY OF SENTRILOCK LLC, SHALL BE HELD CONFIDENTIAL, AND SHALL NOT BE REPRODUCED, COPIED, OR OTHERWISE DISPOSED OF, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN PERMISSION OF SENTRILOCK LLC.							
MATERIAL PYL90HJ#77 / 90um PP SYNTHETIC PAPER HIGH ADHESIVE LABEL		DR		 www.sentrylock.com							
FINISH		DATE									
TREATMENT		CK	ENG								
		MFG	Q.A.								
TOLERANCE, Unless otherwise Specified. All Dimensions are in inches				TITLE: LABEL, CERTIFICATION AND PATENT NUMBER. G3.5							
INCH .XX±.01 .XXX±.005 .XXXX±.0005		MILLIMETERS X.X±0.3 X.XX±0.12 X.XXX±0.012		FRACTIONS (INCH) ±1/64		ANGLE ± 30'		SURFACE 64 √ MAX		 THIRD ANGLE PROJECTION	
				PARTS LIST		SIZE A		DWG. NO. SL30451		REV .1	
				MODEL / PROJ. NO.		SCALE: 1:1				SHEET 1 OF 1	



Photograph 1: ID Label Location on Back