


A.5 Spurious Emission at Antenna Terminals

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-54.06	-13	Pass	401
0.15	30	0.01	Peak	0.69	-52.05	-13	Pass	2985
30	500	0.1	Peak	429.585	-42.5	-13	Pass	4700
500	1000	0.1	Peak	824.265	32.26	-13	N/A	5000
1000	10000	1	Peak	8885.963	-21.51	-13	Pass	9000




1.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.83	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.09	-13	Pass	2985
30	500	0.1	Peak	376.474	-43.27	-13	Pass	4700
500	1000	0.1	Peak	836.667	32.35	-13	N/A	5000
1000	10000	1	Peak	8799.952	-21.85	-13	Pass	9000



1.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-53.72	-13	Pass	401
0.15	30	0.01	Peak	0.22	-52.59	-13	Pass	2985
30	500	0.1	Peak	478.896	-43.34	-13	Pass	4700
500	1000	0.1	Peak	848.77	32.21	-13	N/A	5000
1000	10000	1	Peak	8001.855	-21.97	-13	Pass	9000



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-55.4	-13	Pass	401
0.15	30	0.01	Peak	0.42	-53.46	-13	Pass	2985
30	1000	0.1	Peak	942.524	-42.9	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.72	-13	N/A	2000
3000	20000	1	Peak	14878.45	-21.19	-13	Pass	17000




2.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.98	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54.01	-13	Pass	2985
30	1000	0.1	Peak	813.196	-42.88	-13	Pass	9699
1000	3000	1	Peak	1880.44	29.66	-13	N/A	2000
3000	20000	1	Peak	14208.368	-21.31	-13	Pass	17000



2.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.39	-13	Pass	401
0.15	30	0.01	Peak	0.27	-54.39	-13	Pass	2985
30	1000	0.1	Peak	964.353	-42.64	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.55	-13	N/A	2000
3000	20000	1	Peak	14204.368	-20.97	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.2	-13	Pass	2985
30	500	0.1	Peak	387.676	-43.24	-13	Pass	4700
500	1000	0.1	Peak	824.165	28.7	-13	N/A	5000
1000	10000	1	Peak	7998.854	-21.57	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.45	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.04	-13	Pass	2985
30	500	0.1	Peak	440.287	-42.84	-13	Pass	4700
500	1000	0.1	Peak	836.567	28.98	-13	N/A	5000
1000	10000	1	Peak	7973.851	-21.71	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.05	-13	Pass	401
0.15	30	0.01	Peak	0.23	-53.29	-13	Pass	2985
30	500	0.1	Peak	474.395	-42.8	-13	Pass	4700
500	1000	0.1	Peak	848.87	28.73	-13	N/A	5000
1000	10000	1	Peak	7888.841	-21.69	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.71	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.76	-13	Pass	2985
30	1000	0.1	Peak	866.823	-43.14	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.44	-13	N/A	2000
3000	20000	1	Peak	14168.363	-21.07	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-56.34	-13	Pass	401
0.15	30	0.01	Peak	0.22	-54	-13	Pass	2985
30	1000	0.1	Peak	852.705	-43.12	-13	Pass	9699
1000	3000	1	Peak	1880.44	29.38	-13	N/A	2000
3000	20000	1	Peak	14184.365	-20.48	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.4	-13	Pass	401
0.15	30	0.01	Peak	0.22	-54.3	-13	Pass	2985
30	1000	0.1	Peak	803.894	-43.46	-13	Pass	9699
1000	3000	1	Peak	1910.455	28.29	-13	N/A	2000
3000	20000	1	Peak	14200.367	-21.01	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.74	-13	Pass	401
0.15	30	0.01	Peak	0.25	-62.53	-13	Pass	2985
30	1000	0.1	Peak	478.955	-52.47	-13	Pass	9699
1000	3000	1	Peak	1853.427	23.32	-13	N/A	2000
3000	20000	1	Peak	19788.657	-22.93	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.07	-13	Pass	2985
30	1000	0.1	Peak	894.961	-51.44	-13	Pass	9699
1000	3000	1	Peak	1878.439	23.26	-13	N/A	2000
3000	20000	1	Peak	19822.712	-22.83	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.19	-13	Pass	401
0.15	30	0.01	Peak	14.325	-62.83	-13	Pass	2985
30	1000	0.1	Peak	462.553	-52.24	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.16	-13	N/A	2000
3000	20000	1	Peak	19804.683	-23.01	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.7	-13	Pass	2985
30	1000	0.1	RMS	857.611	-64.58	-13	Pass	9699
1000	3000	1	RMS	1711.356	17.22	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.48	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.69	-13	Pass	2985
30	1000	0.1	RMS	848.9	-64.55	-13	Pass	9699
1000	3000	1	RMS	1732.366	17.13	-13	N/A	2000
3000	20000	1	RMS	19802.68	-34.44	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	Pass	2985
30	1000	0.1	RMS	893.158	-63.54	-13	Pass	9699
1000	3000	1	RMS	1752.376	17.15	-13	N/A	2000
3000	20000	1	RMS	19799.675	-34.46	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.59	-13	Pass	401
0.15	30	0.01	Peak	0.39	-63.96	-13	Pass	2985
30	500	0.1	Peak	412.181	-52.85	-13	Pass	4700
500	1000	0.1	Peak	827.065	18.19	-13	N/A	5000
1000	10000	1	Peak	8802.953	-30.95	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.59	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.21	-13	Pass	2985
30	500	0.1	Peak	432.486	-52.92	-13	Pass	4700
500	1000	0.1	Peak	835.567	19.42	-13	N/A	5000
1000	10000	1	Peak	7985.853	-32.14	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.12	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.42	-13	Pass	2985
30	500	0.1	Peak	481.096	-52.53	-13	Pass	4700
500	1000	0.1	Peak	846.969	17.92	-13	N/A	5000
1000	10000	1	Peak	8532.92	-32.42	-13	Pass	9000



8. LTE_Band5


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.37	-13	Pass	401
0.15	30	0.01	Peak	0.43	-64.79	-13	Pass	2985
30	814	0.1	Peak	813.5	-52.8	-13	Pass	7840
814	860	0.1	Peak	824.222	25.01	60	Pass	460
860	1000	0.1	Peak	978.985	-54.1	-13	Pass	1400
1000	3000	1	Peak	2959.98	-37.93	-13	Pass	2000
3000	10000	1	Peak	8805.829	-32.16	-13	Pass	7000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.57	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.02	-13	Pass	2985
30	814	0.1	Peak	785.496	-51.62	-13	Pass	7840
814	860	0.1	Peak	824.222	25.4	60	Pass	460
860	1000	0.1	Peak	862.502	-53.37	-13	Pass	1400
1000	3000	1	Peak	2942.971	-38.1	-13	Pass	2000
3000	10000	1	Peak	9076.868	-33	-13	Pass	7000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.36	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.6	-13	Pass	2985
30	814	0.1	Peak	727.189	-53.7	-13	Pass	7840
814	860	0.1	Peak	836.048	25.34	60	Pass	460
860	1000	0.1	Peak	986.891	-52.78	-13	Pass	1400
1000	3000	1	Peak	2868.934	-37.57	-13	Pass	2000
3000	10000	1	Peak	8948.85	-33.13	-13	Pass	7000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.74	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.08	-13	Pass	2985
30	814	0.1	Peak	526.063	-53.53	-13	Pass	7840
814	860	0.1	Peak	836.048	25.65	60	Pass	460
860	1000	0.1	Peak	908.435	-53.2	-13	Pass	1400
1000	3000	1	Peak	2962.981	-37.57	-13	Pass	2000
3000	10000	1	Peak	9618.946	-33.22	-13	Pass	7000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.7	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.26	-13	Pass	2985
30	814	0.1	Peak	810.2	-53.58	-13	Pass	7840
814	860	0.1	Peak	847.773	25.16	60	Pass	460
860	1000	0.1	Peak	945.861	-52.77	-13	Pass	1400
1000	3000	1	Peak	2846.923	-37.71	-13	Pass	2000
3000	10000	1	Peak	9003.858	-32.56	-13	Pass	7000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.14	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.27	-13	Pass	2985
30	814	0.1	Peak	525.963	-53.51	-13	Pass	7840
814	860	0.1	Peak	847.874	25.52	60	Pass	460
860	1000	0.1	Peak	875.311	-53.6	-13	Pass	1400
1000	3000	1	Peak	2772.886	-36.46	-13	Pass	2000
3000	10000	1	Peak	7911.702	-32.28	-13	Pass	7000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.7	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.12	-13	Pass	2985
30	814	0.1	Peak	539.165	-53.78	-13	Pass	7840
814	860	0.1	Peak	824.322	25	60	Pass	460
860	1000	0.1	Peak	919.843	-53.43	-13	Pass	1400
1000	3000	1	Peak	2949.975	-37.86	-13	Pass	2000
3000	10000	1	Peak	7011.573	-32.03	-13	Pass	7000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.38	-13	Pass	2985
30	814	0.1	Peak	813.4	-53.06	-13	Pass	7840
814	860	0.1	Peak	824.222	25.68	60	Pass	460
860	1000	0.1	Peak	993.896	-53.83	-13	Pass	1400
1000	3000	1	Peak	2847.924	-37.19	-13	Pass	2000
3000	10000	1	Peak	7481.64	-32.62	-13	Pass	7000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.13	-13	Pass	401
0.15	30	0.01	Peak	0.23	-65.49	-13	Pass	2985
30	814	0.1	Peak	455.254	-53.21	-13	Pass	7840
814	860	0.1	Peak	835.146	25.4	60	Pass	460
860	1000	0.1	Peak	911.937	-53.8	-13	Pass	1400
1000	3000	1	Peak	2944.972	-37.36	-13	Pass	2000
3000	10000	1	Peak	9024.861	-32.66	-13	Pass	7000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.15	-13	Pass	2985
30	814	0.1	Peak	730.189	-52.88	-13	Pass	7840
814	860	0.1	Peak	835.246	26.15	60	Pass	460
860	1000	0.1	Peak	879.714	-52.89	-13	Pass	1400
1000	3000	1	Peak	2940.97	-37.51	-13	Pass	2000
3000	10000	1	Peak	8791.827	-32.88	-13	Pass	7000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.07	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.95	-13	Pass	2985
30	814	0.1	Peak	778.996	-53.72	-13	Pass	7840
814	860	0.1	Peak	846.27	25.3	60	Pass	460
860	1000	0.1	Peak	945.361	-53.51	-13	Pass	1400
1000	3000	1	Peak	2851.926	-37.56	-13	Pass	2000
3000	10000	1	Peak	7096.585	-33.04	-13	Pass	7000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.16	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.74	-13	Pass	2985
30	814	0.1	Peak	394.847	-53.91	-13	Pass	7840
814	860	0.1	Peak	846.27	25.68	60	Pass	460
860	1000	0.1	Peak	869.207	-53.83	-13	Pass	1400
1000	3000	1	Peak	2948.974	-38.36	-13	Pass	2000
3000	10000	1	Peak	9751.965	-32.58	-13	Pass	7000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.17	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.61	-13	Pass	2985
30	814	0.1	Peak	749.992	-52.92	-13	Pass	7840
814	860	0.1	Peak	824.322	24.68	60	Pass	460
860	1000	0.1	Peak	971.38	-53.08	-13	Pass	1400
1000	3000	1	Peak	2858.929	-37.46	-13	Pass	2000
3000	10000	1	Peak	8348.764	-33.08	-13	Pass	7000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-67.09	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.04	-13	Pass	2985
30	814	0.1	Peak	813.2	-53.49	-13	Pass	7840
814	860	0.1	Peak	824.322	25.41	60	Pass	460
860	1000	0.1	Peak	941.358	-53.8	-13	Pass	1400
1000	3000	1	Peak	2929.965	-38.06	-13	Pass	2000
3000	10000	1	Peak	7984.712	-33	-13	Pass	7000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.22	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.23	-13	Pass	2985
30	814	0.1	Peak	729.189	-53.87	-13	Pass	7840
814	860	0.1	Peak	834.344	25.32	60	Pass	460
860	1000	0.1	Peak	965.575	-52.77	-13	Pass	1400
1000	3000	1	Peak	1668.334	-37.59	-13	Pass	2000
3000	10000	1	Peak	7971.71	-32.68	-13	Pass	7000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.81	-13	Pass	401
0.15	30	0.01	Peak	7.542	-63.73	-13	Pass	2985
30	814	0.1	Peak	765.394	-52.34	-13	Pass	7840
814	860	0.1	Peak	834.344	25.19	60	Pass	460
860	1000	0.1	Peak	991.494	-53.42	-13	Pass	1400
1000	3000	1	Peak	2890.945	-38.07	-13	Pass	2000
3000	10000	1	Peak	9205.887	-33.1	-13	Pass	7000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.3	-13	Pass	401
0.15	30	0.01	Peak	2.251	-65.13	-13	Pass	2985
30	814	0.1	Peak	775.195	-53.52	-13	Pass	7840
814	860	0.1	Peak	844.366	25.41	60	Pass	460
860	1000	0.1	Peak	956.569	-53.97	-13	Pass	1400
1000	3000	1	Peak	2814.907	-37.1	-13	Pass	2000
3000	10000	1	Peak	7945.707	-33.11	-13	Pass	7000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.97	-13	Pass	401
0.15	30	0.01	Peak	0.89	-64.96	-13	Pass	2985
30	814	0.1	Peak	466.756	-53.75	-13	Pass	7840
814	860	0.1	Peak	844.366	25.48	60	Pass	460
860	1000	0.1	Peak	879.114	-53.61	-13	Pass	1400
1000	3000	1	Peak	2782.891	-37.9	-13	Pass	2000
3000	10000	1	Peak	8775.825	-32.82	-13	Pass	7000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.38	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.75	-13	Pass	2985
30	814	0.1	Peak	465.756	-51.87	-13	Pass	7840
814	860	0.1	Peak	824.523	24.91	60	Pass	460
860	1000	0.1	Peak	952.766	-53.29	-13	Pass	1400
1000	3000	1	Peak	2758.879	-37.76	-13	Pass	2000
3000	10000	1	Peak	8239.749	-32.23	-13	Pass	7000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.57	-13	Pass	401
0.15	30	0.01	Peak	0.33	-65.72	-13	Pass	2985
30	814	0.1	Peak	362.142	-53.73	-13	Pass	7840
814	860	0.1	Peak	824.523	25.14	60	Pass	460
860	1000	0.1	Peak	981.387	-53.76	-13	Pass	1400
1000	3000	1	Peak	2958.979	-37.44	-13	Pass	2000
3000	10000	1	Peak	8820.832	-32.73	-13	Pass	7000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.59	-13	Pass	401
0.15	30	0.01	Peak	0.57	-65.35	-13	Pass	2985
30	814	0.1	Peak	592.472	-53.26	-13	Pass	7840
814	860	0.1	Peak	832.039	25.19	60	Pass	460
860	1000	0.1	Peak	873.31	-53.5	-13	Pass	1400
1000	3000	1	Peak	2865.933	-37.51	-13	Pass	2000
3000	10000	1	Peak	7397.628	-32.97	-13	Pass	7000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.08	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.95	-13	Pass	2985
30	814	0.1	Peak	719.688	-53.73	-13	Pass	7840
814	860	0.1	Peak	832.139	25.36	60	Pass	460
860	1000	0.1	Peak	875.011	-53.42	-13	Pass	1400
1000	3000	1	Peak	2841.921	-37.56	-13	Pass	2000
3000	10000	1	Peak	8262.752	-32.74	-13	Pass	7000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.94	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.07	-13	Pass	2985
30	814	0.1	Peak	730.789	-53.48	-13	Pass	7840
814	860	0.1	Peak	839.556	25.17	60	Pass	460
860	1000	0.1	Peak	989.192	-54.14	-13	Pass	1400
1000	3000	1	Peak	2830.915	-37.98	-13	Pass	2000
3000	10000	1	Peak	7992.713	-32.19	-13	Pass	7000



**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.47	-13	Pass	401
0.15	30	0.01	Peak	0.27	-65.96	-13	Pass	2985
30	814	0.1	Peak	603.973	-52.5	-13	Pass	7840
814	860	0.1	Peak	839.556	25.58	60	Pass	460
860	1000	0.1	Peak	928.249	-53.34	-13	Pass	1400
1000	3000	1	Peak	2890.945	-37.94	-13	Pass	2000
3000	10000	1	Peak	8879.84	-32.55	-13	Pass	7000



9. LTE_Band7


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-25	Pass	2985
30	1000	0.1	RMS	872.831	-63.43	-25	Pass	9699
1000	2490	1	RMS	2490	-50.08	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.56	60	Pass	401
2580	3000	1	RMS	2847.637	-49.11	-25	Pass	420
3000	12000	1	RMS	11747.688	-43.61	-25	Pass	9000
12000	26500	1	RMS	25899.905	-28.9	-25	Pass	14500




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.83	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.02	-25	Pass	2985
30	1000	0.1	RMS	890.455	-63.83	-25	Pass	9699
1000	2490	1	RMS	2490	-50.64	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.92	60	Pass	401
2580	3000	1	RMS	2841.623	-49.13	-25	Pass	420
3000	12000	1	RMS	11748.689	-43.61	-25	Pass	9000
12000	26500	1	RMS	25894.904	-29.01	-25	Pass	14500




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.96	-25	Pass	401
0.15	30	0.01	RMS	0.39	-71.78	-25	Pass	2985
30	1000	0.1	RMS	891.456	-63.79	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.16	-25	Pass	1490
2490	2580	1	RMS	2532.75	23.77	60	Pass	401
2580	3000	1	RMS	2845.632	-48.92	-25	Pass	420
3000	12000	1	RMS	11743.683	-43.51	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.09	-25	Pass	14500




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.47	-25	Pass	401
0.15	30	0.01	RMS	22.147	-71.55	-25	Pass	2985
30	1000	0.1	RMS	888.052	-63.83	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.04	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.6	60	Pass	401
2580	3000	1	RMS	2839.618	-49.1	-25	Pass	420
3000	12000	1	RMS	11749.69	-43.57	-25	Pass	9000
12000	26500	1	RMS	25905.906	-29.01	-25	Pass	14500




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.26	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.39	-25	Pass	2985
30	1000	0.1	RMS	604.67	-63.26	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.38	-25	Pass	1490
2490	2580	1	RMS	2565.375	23.99	60	Pass	401
2580	3000	1	RMS	2845.632	-49.07	-25	Pass	420
3000	12000	1	RMS	11750.691	-43.58	-25	Pass	9000
12000	26500	1	RMS	25895.904	-29.11	-25	Pass	14500




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.53	-25	Pass	2985
30	1000	0.1	RMS	999.199	-63.47	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.36	-25	Pass	1490
2490	2580	1	RMS	2565.375	23.15	60	Pass	401
2580	3000	1	RMS	2851.647	-49.04	-25	Pass	420
3000	12000	1	RMS	11766.711	-43.64	-25	Pass	9000
12000	26500	1	RMS	25890.903	-29.11	-25	Pass	14500




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.36	-25	Pass	2985
30	1000	0.1	RMS	869.827	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-49.96	-25	Pass	1490
2490	2580	1	RMS	2500.575	23.92	60	Pass	401
2580	3000	1	RMS	2841.623	-49.14	-25	Pass	420
3000	12000	1	RMS	11782.731	-43.6	-25	Pass	9000
12000	26500	1	RMS	25891.904	-29.09	-25	Pass	14500




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.15	-25	Pass	401
0.15	30	0.01	RMS	0.41	-72.11	-25	Pass	2985
30	1000	0.1	RMS	870.528	-63.81	-25	Pass	9699
1000	2490	1	RMS	2490	-50.11	-25	Pass	1490
2490	2580	1	RMS	2500.575	22.81	60	Pass	401
2580	3000	1	RMS	2849.642	-49.14	-25	Pass	420
3000	12000	1	RMS	11758.701	-43.54	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.05	-25	Pass	14500




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-25	Pass	2985
30	1000	0.1	RMS	854.908	-63.79	-25	Pass	9699
1000	2490	1	RMS	2483.996	-51.22	-25	Pass	1490
2490	2580	1	RMS	2530.5	23.63	60	Pass	401
2580	3000	1	RMS	2850.644	-49.02	-25	Pass	420
3000	12000	1	RMS	11505.388	-43.69	-25	Pass	9000
12000	26500	1	RMS	25877.901	-29.12	-25	Pass	14500




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.75	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.56	-25	Pass	2985
30	1000	0.1	RMS	868.225	-63.84	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.24	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.8	60	Pass	401
2580	3000	1	RMS	2848.64	-49.11	-25	Pass	420
3000	12000	1	RMS	11774.721	-43.59	-25	Pass	9000
12000	26500	1	RMS	25879.902	-29.12	-25	Pass	14500




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.97	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.1	-25	Pass	2985
30	1000	0.1	RMS	599.87	-62.29	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.32	-25	Pass	1490
2490	2580	1	RMS	2560.65	24.22	60	Pass	401
2580	3000	1	RMS	2852.649	-49.11	-25	Pass	420
3000	12000	1	RMS	11750.691	-43.54	-25	Pass	9000
12000	26500	1	RMS	25895.904	-29.05	-25	Pass	14500




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-25	Pass	2985
30	1000	0.1	RMS	599.87	-63.02	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.24	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.3	60	Pass	401
2580	3000	1	RMS	2854.654	-49.08	-25	Pass	420
3000	12000	1	RMS	11767.713	-43.53	-25	Pass	9000
12000	26500	1	RMS	25898.905	-29.08	-25	Pass	14500




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.68	-25	Pass	2985
30	1000	0.1	RMS	855.408	-62.15	-25	Pass	9699
1000	2490	1	RMS	2487.999	-46.49	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.94	60	Pass	401
2580	3000	1	RMS	2851.647	-48.99	-25	Pass	420
3000	12000	1	RMS	11751.693	-43.47	-25	Pass	9000
12000	26500	1	RMS	25900.905	-28.98	-25	Pass	14500




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.46	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.03	-25	Pass	2985
30	1000	0.1	RMS	718.484	-62.42	-25	Pass	9699
1000	2490	1	RMS	2487.999	-48.66	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.49	60	Pass	401
2580	3000	1	RMS	2846.635	-48.96	-25	Pass	420
3000	12000	1	RMS	11752.694	-43.31	-25	Pass	9000
12000	26500	1	RMS	25903.906	-28.99	-25	Pass	14500




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.1	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.02	-25	Pass	2985
30	1000	0.1	RMS	607.17	-62.77	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.15	-25	Pass	1490
2490	2580	1	RMS	2528.25	23.8	60	Pass	401
2580	3000	1	RMS	2844.63	-49.02	-25	Pass	420
3000	12000	1	RMS	11781.73	-43.46	-25	Pass	9000
12000	26500	1	RMS	25906.906	-29	-25	Pass	14500




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-25	Pass	401
0.15	30	0.01	RMS	9.993	-71.86	-25	Pass	2985
30	1000	0.1	RMS	857.411	-62.29	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.12	-25	Pass	1490
2490	2580	1	RMS	2528.475	23.26	60	Pass	401
2580	3000	1	RMS	2844.63	-49.02	-25	Pass	420
3000	12000	1	RMS	11752.694	-43.32	-25	Pass	9000
12000	26500	1	RMS	25898.905	-29.09	-25	Pass	14500




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.63	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.15	-25	Pass	1490
2490	2580	1	RMS	2555.925	24.34	60	Pass	401
2580	3000	1	RMS	2582.005	-47.58	-25	Pass	420
3000	12000	1	RMS	11755.698	-43.58	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.01	-25	Pass	14500




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.89	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.39	-25	Pass	2985
30	1000	0.1	RMS	595.169	-63.34	-25	Pass	9699
1000	2490	1	RMS	2490	-51.27	-25	Pass	1490
2490	2580	1	RMS	2555.925	23.31	60	Pass	401
2580	3000	1	RMS	2582.005	-47.69	-25	Pass	420
3000	12000	1	RMS	11753.695	-43.66	-25	Pass	9000
12000	26500	1	RMS	25899.905	-29.12	-25	Pass	14500




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.13	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.88	-25	Pass	2985
30	1000	0.1	RMS	894.66	-63.81	-25	Pass	9699
1000	2490	1	RMS	2482.995	-45.95	-25	Pass	1490
2490	2580	1	RMS	2501.025	24	60	Pass	401
2580	3000	1	RMS	2851.647	-49.16	-25	Pass	420
3000	12000	1	RMS	11753.695	-43.52	-25	Pass	9000
12000	26500	1	RMS	25879.902	-28.96	-25	Pass	14500




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-69.79	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.36	-25	Pass	2985
30	1000	0.1	RMS	867.224	-63.58	-25	Pass	9699
1000	2490	1	RMS	2482.995	-47.2	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.86	60	Pass	401
2580	3000	1	RMS	2851.647	-49.12	-25	Pass	420
3000	12000	1	RMS	11748.689	-43.54	-25	Pass	9000
12000	26500	1	RMS	25889.903	-29.04	-25	Pass	14500




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.21	-25	Pass	2985
30	1000	0.1	RMS	878.239	-63.71	-25	Pass	9699
1000	2490	1	RMS	2490	-50.69	-25	Pass	1490
2490	2580	1	RMS	2526	24.05	60	Pass	401
2580	3000	1	RMS	2848.64	-49.04	-25	Pass	420
3000	12000	1	RMS	11771.717	-43.6	-25	Pass	9000
12000	26500	1	RMS	25889.903	-29.08	-25	Pass	14500




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.52	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.33	-25	Pass	2985
30	1000	0.1	RMS	863.619	-63.74	-25	Pass	9699
1000	2490	1	RMS	2490	-50.51	-25	Pass	1490
2490	2580	1	RMS	2526	22.9	60	Pass	401
2580	3000	1	RMS	2849.642	-49.11	-25	Pass	420
3000	12000	1	RMS	11755.698	-43.6	-25	Pass	9000
12000	26500	1	RMS	25902.905	-29.04	-25	Pass	14500



**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.95	-25	Pass	401
0.15	30	0.01	RMS	0.5	-71.33	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.66	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.21	-25	Pass	1490
2490	2580	1	RMS	2551.2	24.47	60	Pass	401
2580	3000	1	RMS	2855.656	-49.07	-25	Pass	420
3000	12000	1	RMS	11767.713	-43.48	-25	Pass	9000
12000	26500	1	RMS	25883.902	-29.08	-25	Pass	14500



**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.23	-25	Pass	401
0.15	30	0.01	RMS	24.078	-71.04	-25	Pass	2985
30	1000	0.1	RMS	835.398	-62.52	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.18	-25	Pass	1490
2490	2580	1	RMS	2550.975	23.79	60	Pass	401
2580	3000	1	RMS	2846.635	-48.94	-25	Pass	420
3000	12000	1	RMS	11748.689	-43.48	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.05	-25	Pass	14500

