


A.5 Spurious Emission at Antenna Terminals

1. GPRS_GSM850


1.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.38	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.03	-13	Pass	2985
30	500	0.1	Peak	484.097	-41.4	-13	Pass	4700
500	1000	0.1	Peak	824.265	33.25	-13	N/A	5000
1000	10000	1	Peak	7699.818	-20.8	-13	Pass	9000




1.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.56	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.91	-13	Pass	2985
30	500	0.1	Peak	470.294	-41.98	-13	Pass	4700
500	1000	0.1	Peak	836.667	33.34	-13	N/A	5000
1000	10000	1	Peak	7100.745	-21.8	-13	Pass	9000



1.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.77	-13	Pass	401
0.15	30	0.01	Peak	0.19	-52.97	-13	Pass	2985
30	500	0.1	Peak	473.094	-42.25	-13	Pass	4700
500	1000	0.1	Peak	848.87	33.25	-13	N/A	5000
1000	10000	1	Peak	7932.846	-21.35	-13	Pass	9000



2. GPRS_PCS


2.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.74	-13	Pass	401
0.15	30	0.01	Peak	0.34	-54.23	-13	Pass	2985
30	1000	0.1	Peak	866.423	-43.15	-13	Pass	9699
1000	3000	1	Peak	1850.425	30.27	-13	N/A	2000
3000	20000	1	Peak	14200.367	-20.67	-13	Pass	17000




2.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.84	-13	Pass	401
0.15	30	0.01	Peak	0.26	-53.58	-13	Pass	2985
30	1000	0.1	Peak	751.788	-43.25	-13	Pass	9699
1000	3000	1	Peak	1880.44	30.15	-13	N/A	2000
3000	20000	1	Peak	14214.369	-20.88	-13	Pass	17000



2.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.8	-13	Pass	2985
30	1000	0.1	Peak	827.697	-43.78	-13	Pass	9699
1000	3000	1	Peak	1909.455	30.05	-13	N/A	2000
3000	20000	1	Peak	13666.302	-21.12	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.55	-13	Pass	401
0.15	30	0.01	Peak	1.871	-53.55	-13	Pass	2985
30	500	0.1	Peak	347.468	-42.96	-13	Pass	4700
500	1000	0.1	Peak	824.165	29.8	-13	N/A	5000
1000	10000	1	Peak	8806.953	-21.78	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.39	-13	Pass	401
0.15	30	0.01	Peak	0.28	-53.38	-13	Pass	2985
30	500	0.1	Peak	477.895	-42.87	-13	Pass	4700
500	1000	0.1	Peak	836.567	30.27	-13	N/A	5000
1000	10000	1	Peak	7108.746	-21.53	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.82	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.05	-13	Pass	2985
30	500	0.1	Peak	469.193	-42.72	-13	Pass	4700
500	1000	0.1	Peak	848.77	30.42	-13	N/A	5000
1000	10000	1	Peak	9796.748	-21.92	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-57.12	-13	Pass	401
0.15	30	0.01	Peak	0.3	-53.56	-13	Pass	2985
30	1000	0.1	Peak	851.904	-43.11	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.47	-13	N/A	2000
3000	20000	1	Peak	13687.305	-21.06	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.77	-13	Pass	401
0.15	30	0.01	Peak	0.3	-54.25	-13	Pass	2985
30	1000	0.1	Peak	883.646	-43.32	-13	Pass	9699
1000	3000	1	Peak	1879.44	29.29	-13	N/A	2000
3000	20000	1	Peak	14206.368	-20.93	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.04	-13	Pass	401
0.15	30	0.01	Peak	0.2	-52.99	-13	Pass	2985
30	1000	0.1	Peak	845.3	-42.8	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.59	-13	N/A	2000
3000	20000	1	Peak	14200.367	-20.56	-13	Pass	17000



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.64	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.27	-13	Pass	2985
30	1000	0.1	Peak	879.24	-51.4	-13	Pass	9699
1000	3000	1	Peak	1853.427	23.38	-13	N/A	2000
3000	20000	1	Peak	19795.668	-23.13	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.08	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.77	-13	Pass	2985
30	1000	0.1	Peak	852.805	-51.43	-13	Pass	9699
1000	3000	1	Peak	1881.441	23.34	-13	N/A	2000
3000	20000	1	Peak	19797.672	-23.38	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.35	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.44	-13	Pass	2985
30	1000	0.1	Peak	861.817	-52.42	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.44	-13	N/A	2000
3000	20000	1	Peak	19795.668	-23.19	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	Pass	2985
30	1000	0.1	RMS	885.849	-64.49	-13	Pass	9699
1000	3000	1	RMS	1711.356	17.76	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.45	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-13	Pass	2985
30	1000	0.1	RMS	844.599	-64.47	-13	Pass	9699
1000	3000	1	RMS	1731.366	17.68	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.37	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	880.041	-64.37	-13	Pass	9699
1000	3000	1	RMS	1752.376	17.76	-13	N/A	2000
3000	20000	1	RMS	19800.676	-34.4	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.77	-13	Pass	401
0.15	30	0.01	Peak	0.21	-63.74	-13	Pass	2985
30	500	0.1	Peak	475.295	-53.1	-13	Pass	4700
500	1000	0.1	Peak	827.365	17.6	-13	N/A	5000
1000	10000	1	Peak	7969.851	-32.49	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.25	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.37	-13	Pass	2985
30	500	0.1	Peak	337.665	-52.79	-13	Pass	4700
500	1000	0.1	Peak	837.067	18.4	-13	N/A	5000
1000	10000	1	Peak	7984.853	-32.26	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.58	-13	Pass	2985
30	500	0.1	Peak	485.397	-53.5	-13	Pass	4700
500	1000	0.1	Peak	845.869	17.69	-13	N/A	5000
1000	10000	1	Peak	8806.953	-32.52	-13	Pass	9000



8. LTE_Band5


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.42	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.54	-13	Pass	2985
30	814	0.1	Peak	813.6	-52.01	-13	Pass	7840
814	860	0.1	Peak	824.322	24.9	60	Pass	460
860	1000	0.1	Peak	931.651	-53.36	-13	Pass	1400
1000	3000	1	Peak	2911.956	-37.77	-13	Pass	2000
3000	10000	1	Peak	8250.75	-32.82	-13	Pass	7000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.63	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.2	-13	Pass	2985
30	814	0.1	Peak	812	-52.69	-13	Pass	7840
814	860	0.1	Peak	824.322	25.64	60	Pass	460
860	1000	0.1	Peak	977.184	-52.81	-13	Pass	1400
1000	3000	1	Peak	2978.989	-37.48	-13	Pass	2000
3000	10000	1	Peak	7758.68	-32.53	-13	Pass	7000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.76	-13	Pass	401
0.15	30	0.01	Peak	5.462	-64.25	-13	Pass	2985
30	814	0.1	Peak	692.184	-52.99	-13	Pass	7840
814	860	0.1	Peak	835.948	25.74	60	Pass	460
860	1000	0.1	Peak	865.104	-53.05	-13	Pass	1400
1000	3000	1	Peak	2879.94	-37.34	-13	Pass	2000
3000	10000	1	Peak	8783.826	-32.39	-13	Pass	7000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.59	-13	Pass	401
0.15	30	0.01	Peak	13.865	-64.17	-13	Pass	2985
30	814	0.1	Peak	757.093	-53.34	-13	Pass	7840
814	860	0.1	Peak	836.048	25.39	60	Pass	460
860	1000	0.1	Peak	869.507	-53.05	-13	Pass	1400
1000	3000	1	Peak	2854.927	-38.01	-13	Pass	2000
3000	10000	1	Peak	7752.679	-32.83	-13	Pass	7000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.83	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.51	-13	Pass	2985
30	814	0.1	Peak	486.258	-53.05	-13	Pass	7840
814	860	0.1	Peak	847.773	24.82	60	Pass	460
860	1000	0.1	Peak	876.011	-53.1	-13	Pass	1400
1000	3000	1	Peak	2868.934	-37.3	-13	Pass	2000
3000	10000	1	Peak	9628.947	-32.88	-13	Pass	7000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-66.9	-13	Pass	401
0.15	30	0.01	Peak	2.061	-65.05	-13	Pass	2985
30	814	0.1	Peak	660.78	-52.44	-13	Pass	7840
814	860	0.1	Peak	847.874	25.27	60	Pass	460
860	1000	0.1	Peak	969.378	-53.64	-13	Pass	1400
1000	3000	1	Peak	2835.918	-37.56	-13	Pass	2000
3000	10000	1	Peak	8817.831	-33.1	-13	Pass	7000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.46	-13	Pass	401
0.15	30	0.01	Peak	6.922	-64.44	-13	Pass	2985
30	814	0.1	Peak	813.6	-52.68	-13	Pass	7840
814	860	0.1	Peak	824.222	25.17	60	Pass	460
860	1000	0.1	Peak	968.778	-52.87	-13	Pass	1400
1000	3000	1	Peak	2952.976	-37.57	-13	Pass	2000
3000	10000	1	Peak	7724.675	-32.7	-13	Pass	7000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.81	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.94	-13	Pass	2985
30	814	0.1	Peak	511.561	-52.84	-13	Pass	7840
814	860	0.1	Peak	824.222	24.55	60	Pass	460
860	1000	0.1	Peak	906.833	-53.69	-13	Pass	1400
1000	3000	1	Peak	2859.93	-38.26	-13	Pass	2000
3000	10000	1	Peak	7186.598	-33.02	-13	Pass	7000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.99	-13	Pass	401
0.15	30	0.01	Peak	0.26	-64.7	-13	Pass	2985
30	814	0.1	Peak	716.588	-53.8	-13	Pass	7840
814	860	0.1	Peak	835.246	25.82	60	Pass	460
860	1000	0.1	Peak	861.301	-52.62	-13	Pass	1400
1000	3000	1	Peak	2835.918	-37.34	-13	Pass	2000
3000	10000	1	Peak	9419.917	-32.62	-13	Pass	7000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.95	-13	Pass	401
0.15	30	0.01	Peak	5.522	-65.93	-13	Pass	2985
30	814	0.1	Peak	715.687	-53.49	-13	Pass	7840
814	860	0.1	Peak	835.246	26.42	60	Pass	460
860	1000	0.1	Peak	995.197	-53.8	-13	Pass	1400
1000	3000	1	Peak	2845.923	-38.44	-13	Pass	2000
3000	10000	1	Peak	7111.587	-32.29	-13	Pass	7000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.65	-13	Pass	401
0.15	30	0.01	Peak	0.21	-63.08	-13	Pass	2985
30	814	0.1	Peak	573.269	-53.55	-13	Pass	7840
814	860	0.1	Peak	846.17	25.04	60	Pass	460
860	1000	0.1	Peak	889.721	-53.92	-13	Pass	1400
1000	3000	1	Peak	2857.929	-38.2	-13	Pass	2000
3000	10000	1	Peak	8014.716	-32.87	-13	Pass	7000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.76	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.8	-13	Pass	2985
30	814	0.1	Peak	738.49	-53.33	-13	Pass	7840
814	860	0.1	Peak	846.27	25.11	60	Pass	460
860	1000	0.1	Peak	878.113	-53.36	-13	Pass	1400
1000	3000	1	Peak	2903.952	-38.5	-13	Pass	2000
3000	10000	1	Peak	7737.677	-31.96	-13	Pass	7000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.79	-13	Pass	2985
30	814	0.1	Peak	813.6	-53.12	-13	Pass	7840
814	860	0.1	Peak	824.322	25.25	60	Pass	460
860	1000	0.1	Peak	911.036	-53.76	-13	Pass	1400
1000	3000	1	Peak	2827.914	-37.54	-13	Pass	2000
3000	10000	1	Peak	7223.603	-32.82	-13	Pass	7000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.6	-13	Pass	401
0.15	30	0.01	Peak	0.41	-63.41	-13	Pass	2985
30	814	0.1	Peak	814	-52.1	-13	Pass	7840
814	860	0.1	Peak	824.322	25.33	60	Pass	460
860	1000	0.1	Peak	967.577	-52.77	-13	Pass	1400
1000	3000	1	Peak	2941.971	-37.59	-13	Pass	2000
3000	10000	1	Peak	7949.707	-32.35	-13	Pass	7000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.38	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.95	-13	Pass	2985
30	814	0.1	Peak	467.956	-53.64	-13	Pass	7840
814	860	0.1	Peak	834.344	25.65	60	Pass	460
860	1000	0.1	Peak	876.912	-53.62	-13	Pass	1400
1000	3000	1	Peak	1669.335	-37.45	-13	Pass	2000
3000	10000	1	Peak	8817.831	-32.34	-13	Pass	7000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.8	-13	Pass	401
0.15	30	0.01	Peak	0.34	-63.67	-13	Pass	2985
30	814	0.1	Peak	763.094	-52.66	-13	Pass	7840
814	860	0.1	Peak	834.344	25.99	60	Pass	460
860	1000	0.1	Peak	886.419	-52.55	-13	Pass	1400
1000	3000	1	Peak	2851.926	-37.76	-13	Pass	2000
3000	10000	1	Peak	8774.825	-31.96	-13	Pass	7000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.025	-68.41	-13	Pass	401
0.15	30	0.01	Peak	8.043	-65.73	-13	Pass	2985
30	814	0.1	Peak	367.843	-52.81	-13	Pass	7840
814	860	0.1	Peak	844.266	25.03	60	Pass	460
860	1000	0.1	Peak	914.039	-54.23	-13	Pass	1400
1000	3000	1	Peak	2893.947	-38.03	-13	Pass	2000
3000	10000	1	Peak	8835.834	-32.76	-13	Pass	7000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.33	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.98	-13	Pass	2985
30	814	0.1	Peak	743.491	-53.42	-13	Pass	7840
814	860	0.1	Peak	844.266	25.85	60	Pass	460
860	1000	0.1	Peak	924.546	-53.15	-13	Pass	1400
1000	3000	1	Peak	2856.928	-37.69	-13	Pass	2000
3000	10000	1	Peak	8984.855	-32.61	-13	Pass	7000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.23	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.11	-13	Pass	2985
30	814	0.1	Peak	775.395	-52.18	-13	Pass	7840
814	860	0.1	Peak	824.623	25.35	60	Pass	460
860	1000	0.1	Peak	913.939	-52.72	-13	Pass	1400
1000	3000	1	Peak	2857.929	-38.12	-13	Pass	2000
3000	10000	1	Peak	9034.862	-32.24	-13	Pass	7000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.36	-13	Pass	401
0.15	30	0.01	Peak	0.26	-63.31	-13	Pass	2985
30	814	0.1	Peak	813.9	-51.1	-13	Pass	7840
814	860	0.1	Peak	824.623	24.98	60	Pass	460
860	1000	0.1	Peak	971.98	-53.99	-13	Pass	1400
1000	3000	1	Peak	2873.937	-38.22	-13	Pass	2000
3000	10000	1	Peak	8002.715	-32.83	-13	Pass	7000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.29	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.53	-13	Pass	2985
30	814	0.1	Peak	786.396	-53.54	-13	Pass	7840
814	860	0.1	Peak	832.139	25.15	60	Pass	460
860	1000	0.1	Peak	895.125	-53.83	-13	Pass	1400
1000	3000	1	Peak	1664.332	-37.6	-13	Pass	2000
3000	10000	1	Peak	8479.783	-33.13	-13	Pass	7000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.85	-13	Pass	401
0.15	30	0.01	Peak	0.37	-64.12	-13	Pass	2985
30	814	0.1	Peak	586.571	-53.37	-13	Pass	7840
814	860	0.1	Peak	832.039	25.42	60	Pass	460
860	1000	0.1	Peak	879.814	-52.72	-13	Pass	1400
1000	3000	1	Peak	2732.866	-38.38	-13	Pass	2000
3000	10000	1	Peak	7690.67	-32.78	-13	Pass	7000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.94	-13	Pass	401
0.15	30	0.01	Peak	0.28	-65.15	-13	Pass	2985
30	814	0.1	Peak	314.336	-53.78	-13	Pass	7840
814	860	0.1	Peak	839.556	25.56	60	Pass	460
860	1000	0.1	Peak	865.704	-54.13	-13	Pass	1400
1000	3000	1	Peak	2842.921	-37.7	-13	Pass	2000
3000	10000	1	Peak	8825.832	-33.22	-13	Pass	7000



**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.22	-13	Pass	401
0.15	30	0.01	Peak	0.4	-65.31	-13	Pass	2985
30	814	0.1	Peak	600.973	-53.28	-13	Pass	7840
814	860	0.1	Peak	839.556	25.61	60	Pass	460
860	1000	0.1	Peak	991.094	-53.84	-13	Pass	1400
1000	3000	1	Peak	2857.929	-37.45	-13	Pass	2000
3000	10000	1	Peak	8000.714	-32.57	-13	Pass	7000



9. LTE_Band7


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-25	Pass	2985
30	1000	0.1	RMS	995.995	-63.25	-25	Pass	9699
1000	2490	1	RMS	2490	-50.13	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.21	60	Pass	401
2580	3000	1	RMS	2847.637	-49.07	-25	Pass	420
3000	12000	1	RMS	11751.693	-43.48	-25	Pass	9000
12000	26500	1	RMS	25872.901	-29.1	-25	Pass	14500




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.83	-25	Pass	2985
30	1000	0.1	RMS	829.698	-62.53	-25	Pass	9699
1000	2490	1	RMS	2490	-50.24	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.59	60	Pass	401
2580	3000	1	RMS	2849.642	-49	-25	Pass	420
3000	12000	1	RMS	11753.695	-43.56	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.04	-25	Pass	14500




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.2	-25	Pass	2985
30	1000	0.1	RMS	997.797	-63.61	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.2	-25	Pass	1490
2490	2580	1	RMS	2532.75	23.41	60	Pass	401
2580	3000	1	RMS	2846.635	-49.03	-25	Pass	420
3000	12000	1	RMS	11753.695	-43.43	-25	Pass	9000
12000	26500	1	RMS	25902.905	-29.02	-25	Pass	14500




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-25	Pass	401
0.15	30	0.01	RMS	0.27	-71.71	-25	Pass	2985
30	1000	0.1	RMS	869.026	-63.56	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.25	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.55	60	Pass	401
2580	3000	1	RMS	2842.625	-49.04	-25	Pass	420
3000	12000	1	RMS	11750.691	-43.59	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.14	-25	Pass	14500




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.2	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.83	-25	Pass	2985
30	1000	0.1	RMS	604.67	-63.05	-25	Pass	9699
1000	2490	1	RMS	2490	-51.32	-25	Pass	1490
2490	2580	1	RMS	2565.375	23.27	60	Pass	401
2580	3000	1	RMS	2848.64	-49.13	-25	Pass	420
3000	12000	1	RMS	11755.698	-43.6	-25	Pass	9000
12000	26500	1	RMS	25900.905	-29.08	-25	Pass	14500




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.76	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.84	-25	Pass	2985
30	1000	0.1	RMS	961.849	-62.77	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.15	-25	Pass	1490
2490	2580	1	RMS	2565.375	22.51	60	Pass	401
2580	3000	1	RMS	2849.642	-49.04	-25	Pass	420
3000	12000	1	RMS	11751.693	-43.51	-25	Pass	9000
12000	26500	1	RMS	25900.905	-28.84	-25	Pass	14500




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.84	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.59	-25	Pass	2985
30	1000	0.1	RMS	869.327	-62.36	-25	Pass	9699
1000	2490	1	RMS	2490	-49.74	-25	Pass	1490
2490	2580	1	RMS	2500.575	23.55	60	Pass	401
2580	3000	1	RMS	2847.637	-49.05	-25	Pass	420
3000	12000	1	RMS	11766.711	-43.41	-25	Pass	9000
12000	26500	1	RMS	25898.905	-29.1	-25	Pass	14500




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-25	Pass	2985
30	1000	0.1	RMS	900.067	-62.21	-25	Pass	9699
1000	2490	1	RMS	2490	-50.05	-25	Pass	1490
2490	2580	1	RMS	2500.575	22.42	60	Pass	401
2580	3000	1	RMS	2848.64	-48.95	-25	Pass	420
3000	12000	1	RMS	11776.724	-43.55	-25	Pass	9000
12000	26500	1	RMS	25899.905	-29.01	-25	Pass	14500




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-25	Pass	2985
30	1000	0.1	RMS	993.992	-62.1	-25	Pass	9699
1000	2490	1	RMS	2490	-51.1	-25	Pass	1490
2490	2580	1	RMS	2530.5	23.54	60	Pass	401
2580	3000	1	RMS	2848.64	-48.92	-25	Pass	420
3000	12000	1	RMS	11764.709	-43.52	-25	Pass	9000
12000	26500	1	RMS	25877.901	-29.02	-25	Pass	14500




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-71.02	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.4	-25	Pass	2985
30	1000	0.1	RMS	922.898	-63.92	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.26	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.47	60	Pass	401
2580	3000	1	RMS	2850.644	-49.03	-25	Pass	420
3000	12000	1	RMS	11744.684	-43.56	-25	Pass	9000
12000	26500	1	RMS	25901.905	-29.09	-25	Pass	14500




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.04	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.45	-25	Pass	2985
30	1000	0.1	RMS	729.485	-63.68	-25	Pass	9699
1000	2490	1	RMS	2490	-51.33	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.18	60	Pass	401
2580	3000	1	RMS	2947.876	-49	-25	Pass	420
3000	12000	1	RMS	11759.703	-43.6	-25	Pass	9000
12000	26500	1	RMS	25895.904	-29.05	-25	Pass	14500




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-25	Pass	2985
30	1000	0.1	RMS	762.289	-63.85	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.25	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.09	60	Pass	401
2580	3000	1	RMS	2849.642	-49.06	-25	Pass	420
3000	12000	1	RMS	11848.813	-43.68	-25	Pass	9000
12000	26500	1	RMS	25901.905	-28.92	-25	Pass	14500




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-25	Pass	2985
30	1000	0.1	RMS	330.137	-63.25	-25	Pass	9699
1000	2490	1	RMS	2486.998	-49.06	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.68	60	Pass	401
2580	3000	1	RMS	2848.64	-48.97	-25	Pass	420
3000	12000	1	RMS	11755.698	-43.54	-25	Pass	9000
12000	26500	1	RMS	25887.903	-29.05	-25	Pass	14500




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-71.49	-25	Pass	401
0.15	30	0.01	RMS	8.543	-71.01	-25	Pass	2985
30	1000	0.1	RMS	730.786	-62.62	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.35	60	Pass	401
2580	3000	1	RMS	2851.647	-49.07	-25	Pass	420
3000	12000	1	RMS	11752.694	-43.39	-25	Pass	9000
12000	26500	1	RMS	25899.905	-29	-25	Pass	14500




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.21	-25	Pass	2985
30	1000	0.1	RMS	500.457	-62.38	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.26	-25	Pass	1490
2490	2580	1	RMS	2528.25	23.83	60	Pass	401
2580	3000	1	RMS	2849.642	-49.09	-25	Pass	420
3000	12000	1	RMS	11747.688	-43.35	-25	Pass	9000
12000	26500	1	RMS	25898.905	-28.99	-25	Pass	14500




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.27	-25	Pass	401
0.15	30	0.01	RMS	22.137	-71.51	-25	Pass	2985
30	1000	0.1	RMS	354.64	-63.46	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.32	-25	Pass	1490
2490	2580	1	RMS	2528.25	23.36	60	Pass	401
2580	3000	1	RMS	2846.635	-48.99	-25	Pass	420
3000	12000	1	RMS	11764.709	-43.64	-25	Pass	9000
12000	26500	1	RMS	25903.906	-29.04	-25	Pass	14500




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.22	-25	Pass	401
0.15	30	0.01	RMS	0.33	-70.81	-25	Pass	2985
30	1000	0.1	RMS	595.169	-63.24	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.22	-25	Pass	1490
2490	2580	1	RMS	2555.925	23.63	60	Pass	401
2580	3000	1	RMS	2582.005	-47.15	-25	Pass	420
3000	12000	1	RMS	11750.691	-43.63	-25	Pass	9000
12000	26500	1	RMS	25888.903	-29.11	-25	Pass	14500




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.84	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.21	-25	Pass	2985
30	1000	0.1	RMS	595.169	-63.85	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.38	-25	Pass	1490
2490	2580	1	RMS	2555.925	22.67	60	Pass	401
2580	3000	1	RMS	2582.005	-47.46	-25	Pass	420
3000	12000	1	RMS	11776.724	-43.56	-25	Pass	9000
12000	26500	1	RMS	25895.904	-29.07	-25	Pass	14500




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.09	-25	Pass	2985
30	1000	0.1	RMS	899.967	-63.56	-25	Pass	9699
1000	2490	1	RMS	2490	-47.81	-25	Pass	1490
2490	2580	1	RMS	2501.025	23.81	60	Pass	401
2580	3000	1	RMS	2852.649	-49.13	-25	Pass	420
3000	12000	1	RMS	11751.693	-43.62	-25	Pass	9000
12000	26500	1	RMS	25884.902	-29.05	-25	Pass	14500




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.88	-25	Pass	401
0.15	30	0.01	RMS	5.062	-71.72	-25	Pass	2985
30	1000	0.1	RMS	894.76	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-49.57	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.74	60	Pass	401
2580	3000	1	RMS	2845.632	-49.12	-25	Pass	420
3000	12000	1	RMS	11754.696	-43.56	-25	Pass	9000
12000	26500	1	RMS	25888.903	-29.05	-25	Pass	14500




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.4	-25	Pass	401
0.15	30	0.01	RMS	26.249	-71.55	-25	Pass	2985
30	1000	0.1	RMS	887.15	-62.19	-25	Pass	9699
1000	2490	1	RMS	2490	-50.43	-25	Pass	1490
2490	2580	1	RMS	2526	23.64	60	Pass	401
2580	3000	1	RMS	2850.644	-49	-25	Pass	420
3000	12000	1	RMS	11755.698	-43.41	-25	Pass	9000
12000	26500	1	RMS	25874.901	-29	-25	Pass	14500




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-25	Pass	2985
30	1000	0.1	RMS	455.452	-62.94	-25	Pass	9699
1000	2490	1	RMS	2490	-50.19	-25	Pass	1490
2490	2580	1	RMS	2526	23.02	60	Pass	401
2580	3000	1	RMS	2849.642	-48.95	-25	Pass	420
3000	12000	1	RMS	11754.696	-43.41	-25	Pass	9000
12000	26500	1	RMS	25901.905	-28.98	-25	Pass	14500



**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.33	-71.62	-25	Pass	2985
30	1000	0.1	RMS	590.368	-63.26	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.31	-25	Pass	1490
2490	2580	1	RMS	2551.2	23.88	60	Pass	401
2580	3000	1	RMS	2587.017	-47.75	-25	Pass	420
3000	12000	1	RMS	11750.691	-43.63	-25	Pass	9000
12000	26500	1	RMS	25902.905	-29.1	-25	Pass	14500



**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.32	-25	Pass	401
0.15	30	0.01	RMS	0.32	-71.72	-25	Pass	2985
30	1000	0.1	RMS	590.368	-63.21	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.32	-25	Pass	1490
2490	2580	1	RMS	2551.2	23.17	60	Pass	401
2580	3000	1	RMS	2587.017	-48.17	-25	Pass	420
3000	12000	1	RMS	11771.717	-43.62	-25	Pass	9000
12000	26500	1	RMS	25890.903	-29.03	-25	Pass	14500

