



Profile: BF	Page No.: 1
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 13:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.871	38.930	-28.129	74.000	6.941	PK
2	*	15540.000	46.238	30.602	-27.762	74.000	15.637	PK

Profile: BF	Page No.: 2
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.238	38.297	-28.762	74.000	6.941	PK
2	*	15540.000	46.498	30.862	-27.502	74.000	15.637	PK

Profile: BF	Page No.: 3
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.467	37.942	-28.533	74.000	7.525	PK
2	*	15660.000	46.421	30.594	-27.579	74.000	15.828	PK

Profile: BF	Page No.: 4
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.872	38.347	-28.128	74.000	7.525	PK
2	*	15660.000	47.239	31.412	-26.761	74.000	15.828	PK

Profile: BF	Page No.: 5
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.389	37.451	-28.611	74.000	7.938	PK
2	*	15720.000	62.344	46.983	-11.656	74.000	15.361	PK

Profile: BF	Page No.: 6
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	53.327	45.389	-20.673	74.000	7.938	PK
2		15720.000	46.289	30.928	-27.711	74.000	15.361	PK

Profile: BF	Page No.: 21
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.489	34.429	-30.511	74.000	9.060	PK
2	*	17235.000	49.482	31.000	-24.518	74.000	18.482	PK

Profile: BF	Page No.: 22
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.384	36.324	-28.616	74.000	9.060	PK
2	*	17235.000	49.027	30.545	-24.973	74.000	18.482	PK

Profile: BF	Page No.: 23
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.928	36.469	-28.072	74.000	9.459	PK
2	*	17355.000	49.385	31.646	-24.615	74.000	17.738	PK

Profile: BF	Page No.: 24
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.395	35.936	-28.605	74.000	9.459	PK
2	*	17355.000	49.287	31.548	-24.713	74.000	17.738	PK

Profile: BF	Page No.: 25
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.876	34.900	-29.124	74.000	9.976	PK
2	*	17475.000	49.975	32.623	-24.025	74.000	17.352	PK

Profile: BF	Page No.: 26
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.386	34.410	-29.614	74.000	9.976	PK
2	*	17475.000	49.482	32.130	-24.518	74.000	17.352	PK

Profile: BF	Page No.: 27
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	45.386	38.445	-28.614	74.000	6.941	PK
2		15540.000	44.879	29.243	-29.121	74.000	15.637	PK

Profile: BF	Page No.: 28
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.397	37.456	-29.603	74.000	6.941	PK
2	*	15540.000	47.298	31.662	-26.702	74.000	15.637	PK

Profile: BF	Page No.: 29
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.298	36.773	-29.702	74.000	7.525	PK
2	*	15660.000	46.762	30.935	-27.238	74.000	15.828	PK

Profile: BF	Page No.: 30
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.286	36.761	-29.714	74.000	7.525	PK
2	*	15660.000	45.287	29.460	-28.713	74.000	15.828	PK

Profile: BF	Page No.: 31
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.486	36.548	-29.514	74.000	7.938	PK
2	*	15720.000	47.193	31.832	-26.807	74.000	15.361	PK

Profile: BF	Page No.: 32
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.287	37.349	-28.713	74.000	7.938	PK
2	*	15720.000	47.489	32.128	-26.511	74.000	15.361	PK

Profile: BF	Page No.: 47
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.719	34.659	-30.281	74.000	9.060	PK
2	*	17235.000	48.248	29.766	-25.752	74.000	18.482	PK

Profile: BF	Page No.: 48
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.189	34.129	-30.811	74.000	9.060	PK
2	*	17235.000	48.289	29.807	-25.711	74.000	18.482	PK

Profile: BF	Page No.: 49
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.284	34.825	-29.716	74.000	9.459	PK
2	*	17355.000	49.028	31.289	-24.972	74.000	17.738	PK

Profile: BF	Page No.: 50
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.028	34.569	-29.972	74.000	9.459	PK
2	*	17355.000	49.183	31.444	-24.817	74.000	17.738	PK

Profile: BF	Page No.: 51
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.293	33.317	-30.707	74.000	9.976	PK
2	*	17475.000	50.186	32.834	-23.814	74.000	17.352	PK

Profile: BF	Page No.: 52
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.285	34.309	-29.715	74.000	9.976	PK
2	*	17475.000	49.387	32.035	-24.613	74.000	17.352	PK

Profile: BF	Page No.: 53
Engineer:blank	
Site: AC5	Time: 2018/08/27 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.286	35.597	-30.714	74.000	7.689	PK
2	*	15570.000	46.279	29.721	-27.721	74.000	16.558	PK

Profile: BF	Page No.: 54
Engineer:blank	
Site: AC5	Time: 2018/08/27 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.285	35.596	-30.715	74.000	7.689	PK
2	*	15570.000	46.585	30.027	-27.415	74.000	16.558	PK

Profile: BF	Page No.: 55
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.275	37.154	-29.725	74.000	7.121	PK
2	*	15690.000	46.284	30.555	-27.716	74.000	15.729	PK

Profile: BF	Page No.: 56
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.274	37.153	-29.726	74.000	7.121	PK
2	*	15690.000	45.284	29.555	-28.716	74.000	15.729	PK

Profile: BF	Page No.: 69
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.285	34.917	-29.715	74.000	9.367	PK
2	*	17265.000	49.286	31.057	-24.714	74.000	18.230	PK

Profile: BF	Page No.: 70
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.287	33.919	-30.713	74.000	9.367	PK
2	*	17265.000	49.032	30.803	-24.968	74.000	18.230	PK

Profile: BF	Page No.: 71
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.198	33.637	-30.802	74.000	9.560	PK
2	*	17385.000	48.295	31.491	-25.705	74.000	16.803	PK

Profile: BF	Page No.: 72
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.285	34.724	-29.715	74.000	9.560	PK
2	*	17385.000	48.021	31.217	-25.979	74.000	16.803	PK

Profile: BF	Page No.: 73
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.287	37.346	-29.713	74.000	6.941	PK
2	*	15540.000	45.285	29.649	-28.715	74.000	15.637	PK

Profile: BF	Page No.: 74
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.031	36.090	-30.969	74.000	6.941	PK
2	*	15540.000	45.290	29.654	-28.710	74.000	15.637	PK

Profile: BF	Page No.: 75
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.028	35.503	-30.972	74.000	7.525	PK
2	*	15660.000	45.018	29.191	-28.982	74.000	15.828	PK

Profile: BF	Page No.: 76
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.382	35.857	-30.618	74.000	7.525	PK
2	*	15660.000	44.986	29.159	-29.014	74.000	15.828	PK

Profile: BF	Page No.: 77
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.018	36.080	-29.982	74.000	7.938	PK
2	*	15720.000	47.298	31.937	-26.702	74.000	15.361	PK

Profile: BF	Page No.: 78
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.297	36.359	-29.703	74.000	7.938	PK
2	*	15720.000	44.769	29.408	-29.231	74.000	15.361	PK

Profile: BF	Page No.: 93
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.838	34.778	-30.162	74.000	9.060	PK
2	*	17235.000	49.383	30.901	-24.617	74.000	18.482	PK

Profile: BF	Page No.: 94
Engineer: blank	
Site: AC5	Time: 2018/08/27 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.382	34.322	-30.618	74.000	9.060	PK
2	*	17235.000	50.283	31.801	-23.717	74.000	18.482	PK

Profile: BF	Page No.: 95
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 13:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.928	35.469	-29.072	74.000	9.459	PK
2	*	17355.000	48.828	31.089	-25.172	74.000	17.738	PK

Profile: BF	Page No.: 96
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.211	34.752	-29.789	74.000	9.459	PK
2	*	17355.000	48.827	31.088	-25.173	74.000	17.738	PK

Profile: BF	Page No.: 97
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 13:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.300	34.324	-29.700	74.000	9.976	PK
2	*	17475.000	50.298	32.946	-23.702	74.000	17.352	PK

Profile: BF	Page No.: 98
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.029	34.053	-29.971	74.000	9.976	PK
2	*	17475.000	49.200	31.848	-24.800	74.000	17.352	PK

Profile: BF	Page No.: 99
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 13:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.933	36.244	-30.067	74.000	7.689	PK
2	*	15570.000	44.828	28.270	-29.172	74.000	16.558	PK

Profile: BF	Page No.: 100
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.828	37.139	-29.172	74.000	7.689	PK
2	*	15570.000	45.299	28.741	-28.701	74.000	16.558	PK

Profile: BF	Page No.: 101
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 13:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.393	37.272	-29.607	74.000	7.121	PK
2	*	15690.000	45.929	30.200	-28.071	74.000	15.729	PK

Profile: BF	Page No.: 102
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 13:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.929	37.808	-29.071	74.000	7.121	PK
2	*	15690.000	45.298	29.569	-28.702	74.000	15.729	PK

Profile: BF	Page No.: 115
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.294	34.926	-29.706	74.000	9.367	PK
2	*	17265.000	48.945	30.716	-25.055	74.000	18.230	PK

Profile: BF	Page No.: 116
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.394	36.026	-28.606	74.000	9.367	PK
2	*	17265.000	50.223	31.994	-23.777	74.000	18.230	PK

Profile: BF	Page No.: 117
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.939	35.378	-29.061	74.000	9.560	PK
2	*	17385.000	48.835	32.031	-25.165	74.000	16.803	PK

Profile: BF	Page No.: 118
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.293	34.732	-29.707	74.000	9.560	PK
2	*	17385.000	47.987	31.183	-26.013	74.000	16.803	PK

Profile: BF	Page No.: 119
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	44.939	37.186	-29.061	74.000	7.752	PK
2		15630.000	43.998	27.995	-30.002	74.000	16.003	PK

Profile: BF	Page No.: 120
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.339	36.586	-29.661	74.000	7.752	PK
2	*	15630.000	44.865	28.862	-29.135	74.000	16.003	PK

Profile: BF	Page No.: 127
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.299	34.965	-29.701	74.000	9.334	PK
2	*	17325.000	49.576	32.131	-24.424	74.000	17.446	PK

Profile: BF	Page No.: 128
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.484	34.150	-30.516	74.000	9.334	PK
2	*	17325.000	49.388	31.943	-24.612	74.000	17.446	PK

Profile: BF	Page No.: 129
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.927	38.986	-28.073	74.000	6.941	PK
2	*	15540.000	47.297	31.661	-26.703	74.000	15.637	PK

Profile: BF	Page No.: 130
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.929	37.988	-29.071	74.000	6.941	PK
2	*	15540.000	46.299	30.663	-27.701	74.000	15.637	PK

Profile: BF	Page No.: 131
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.837	36.312	-30.163	74.000	7.525	PK
2	*	15660.000	45.826	29.999	-28.174	74.000	15.828	PK

Profile: BF	Page No.: 132
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.847	36.322	-30.153	74.000	7.525	PK
2	*	15660.000	45.927	30.100	-28.073	74.000	15.828	PK

Profile: BF	Page No.: 133
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.928	36.990	-29.072	74.000	7.938	PK
2	*	15720.000	45.726	30.365	-28.274	74.000	15.361	PK

Profile: BF	Page No.: 134
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.929	36.991	-29.071	74.000	7.938	PK
2	*	15720.000	45.927	30.566	-28.073	74.000	15.361	PK

Profile: BF	Page No.: 149
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.287	35.227	-29.713	74.000	9.060	PK
2	*	17235.000	47.328	28.846	-26.672	74.000	18.482	PK

Profile: BF	Page No.: 150
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.833	34.773	-30.167	74.000	9.060	PK
2	*	17235.000	48.283	29.801	-25.717	74.000	18.482	PK

Profile: BF	Page No.: 151
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	44.929	35.470	-29.071	74.000	9.459	PK
2	*	17355.000	48.887	31.148	-25.113	74.000	17.738	PK

Profile: BF	Page No.: 152
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.882	34.423	-30.118	74.000	9.459	PK
2	*	17355.000	48.844	31.105	-25.156	74.000	17.738	PK

Profile: BF	Page No.: 153
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.827	33.851	-30.173	74.000	9.976	PK
2	*	17475.000	49.284	31.932	-24.716	74.000	17.352	PK

Profile: BF	Page No.: 154
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.838	33.862	-30.162	74.000	9.976	PK
2	*	17475.000	48.384	31.032	-25.616	74.000	17.352	PK

Profile: BF	Page No.: 171
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.933	34.565	-30.067	74.000	9.367	PK
2	*	17265.000	50.822	32.593	-23.178	74.000	18.230	PK

Profile: BF	Page No.: 172
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.833	35.465	-29.167	74.000	9.367	PK
2	*	17265.000	49.383	31.154	-24.617	74.000	18.230	PK

Profile: BF	Page No.: 173
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.829	34.268	-30.171	74.000	9.560	PK
2	*	17385.000	48.288	31.484	-25.712	74.000	16.803	PK

Profile: BF	Page No.: 174
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.838	34.277	-30.162	74.000	9.560	PK
2	*	17385.000	49.837	33.033	-24.163	74.000	16.803	PK

Profile: BF	Page No.: 175
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.928	38.175	-28.072	74.000	7.752	PK
2		15630.000	43.837	27.834	-30.163	74.000	16.003	PK

Profile: BF	Page No.: 176
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10520.000	44.827	36.965	-29.173	74.000	7.862	PK
2		15630.000	44.293	28.290	-29.707	74.000	16.003	PK

Profile: BF	Page No.: 183
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.833	34.499	-30.167	74.000	9.334	PK
2	*	17325.000	49.832	32.387	-24.168	74.000	17.446	PK

Profile: BF	Page No.: 184
Engineer: blank	
Site: AC5	Time: 2018/08/28 - 16:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 110V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	43.928	34.594	-30.072	74.000	9.334	PK
2	*	17325.000	48.827	31.382	-25.173	74.000	17.446	PK