



Profile: 1872112R	Page No.: 1
Engineer: Tommie	
Site: AC5AC5	Time: 2018/08/29 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.245	39.304	-27.755	74.000	6.941	PK
2	*	15540.000	48.209	32.573	-25.791	74.000	15.637	PK

Profile: 1872112R	Page No.: 2
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.293	38.352	-28.707	74.000	6.941	PK
2	*	15535.000	52.642	36.710	-21.358	74.000	15.932	PK

Profile: 1872112R	Page No.: 3
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.209	37.684	-28.791	74.000	7.525	PK
2	*	15660.000	46.293	30.466	-27.707	74.000	15.828	PK

Profile: 1872112R	Page No.: 4
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.293	37.768	-28.707	74.000	7.525	PK
2	*	15660.000	47.293	31.466	-26.707	74.000	15.828	PK

Profile: 1872112R	Page No.: 5
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	46.355	38.417	-27.645	74.000	7.938	PK
2	*	15720.000	47.394	32.033	-26.606	74.000	15.361	PK

Profile: 1872112R	Page No.: 6
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.283	37.345	-28.717	74.000	7.938	PK
2	*	15720.000	47.038	31.677	-26.962	74.000	15.361	PK

Profile: 1872112R	Page No.: 21
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.294	36.234	-28.706	74.000	9.060	PK
2	*	17325.000	50.298	32.853	-23.702	74.000	17.446	PK

Profile: 1872112R	Page No.: 22
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	46.394	37.334	-27.606	74.000	9.060	PK
2	*	17235.000	50.028	31.546	-23.972	74.000	18.482	PK

Profile: 1872112R	Page No.: 23
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	47.293	37.834	-26.707	74.000	9.459	PK
2	*	17355.000	50.239	32.500	-23.761	74.000	17.738	PK

Profile: 1872112R	Page No.: 24
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	48.330	38.871	-25.670	74.000	9.459	PK
2	*	17355.000	50.393	32.654	-23.607	74.000	17.738	PK

Profile: 1872112R	Page No.: 25
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.330	36.354	-27.670	74.000	9.976	PK
2	*	17475.000	51.394	34.042	-22.606	74.000	17.352	PK

Profile: 1872112R	Page No.: 26
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	46.394	36.418	-27.606	74.000	9.976	PK
2	*	17475.000	50.329	32.977	-23.671	74.000	17.352	PK

Profile: 1872112R	Page No.: 27
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	46.239	39.298	-27.761	74.000	6.941	PK
2	*	15540.000	47.394	31.758	-26.606	74.000	15.637	PK

Profile: 1872112R	Page No.: 28
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.394	38.453	-28.606	74.000	6.941	PK
2	*	15540.000	46.394	30.758	-27.606	74.000	15.637	PK

Profile: 1872112R	Page No.: 29
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.394	37.869	-28.606	74.000	7.525	PK
2	*	15660.000	46.394	30.567	-27.606	74.000	15.828	PK

Profile: 1872112R	Page No.: 30
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.209	36.684	-29.791	74.000	7.525	PK
2	*	15660.000	46.393	30.566	-27.607	74.000	15.828	PK

Profile: 1872112R	Page No.: 31
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.293	37.355	-28.707	74.000	7.938	PK
2	*	15720.000	46.394	31.033	-27.606	74.000	15.361	PK

Profile: 1872112R	Page No.: 32
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.293	37.355	-28.707	74.000	7.938	PK
2	*	15720.000	46.329	30.968	-27.671	74.000	15.361	PK

Profile: 1872112R	Page No.: 47
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.293	36.233	-28.707	74.000	9.060	PK
2	*	17235.000	49.038	30.556	-24.962	74.000	18.482	PK

Profile: 1872112R	Page No.: 48
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	45.394	36.334	-28.606	74.000	9.060	PK
2	*	17235.000	50.329	31.847	-23.671	74.000	18.482	PK

Profile: 1872112R	Page No.: 49
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.293	36.834	-27.707	74.000	9.459	PK
2	*	17355.000	50.394	32.655	-23.606	74.000	17.738	PK

Profile: 1872112R	Page No.: 50
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	46.978	37.519	-27.022	74.000	9.459	PK
2	*	17355.000	50.976	33.237	-23.024	74.000	17.738	PK

Profile: 1872112R	Page No.: 51
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.395	35.419	-28.605	74.000	9.976	PK
2	*	17475.000	49.048	31.696	-24.952	74.000	17.352	PK

Profile: 1872112R	Page No.: 52
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.938	35.962	-28.062	74.000	9.976	PK
2	*	17475.000	50.087	32.735	-23.913	74.000	17.352	PK

Profile: 1872112R	Page No.: 53
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.393	36.704	-29.607	74.000	7.689	PK
2	*	15570.000	46.969	30.411	-27.031	74.000	16.558	PK

Profile: 1872112R	Page No.: 54
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.109	37.420	-28.891	74.000	7.689	PK
2	*	15570.000	46.210	29.652	-27.790	74.000	16.558	PK

Profile: 1872112R	Page No.: 55
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.330	38.209	-28.670	74.000	7.121	PK
2	*	15690.000	46.329	30.600	-27.671	74.000	15.729	PK

Profile: 1872112R	Page No.: 56
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.231	39.110	-27.769	74.000	7.121	PK
2	*	15690.000	47.202	31.473	-26.798	74.000	15.729	PK

Profile: 1872112R	Page No.: 69
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.293	34.925	-29.707	74.000	9.367	PK
2	*	17265.000	50.039	31.810	-23.961	74.000	18.230	PK

Profile: 1872112R	Page No.: 70
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.293	34.925	-29.707	74.000	9.367	PK
2	*	17265.000	49.193	30.964	-24.807	74.000	18.230	PK

Profile: 1872112R	Page No.: 71
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.209	34.648	-29.791	74.000	9.560	PK
2	*	17385.000	49.039	32.235	-24.961	74.000	16.803	PK

Profile: 1872112R	Page No.: 72
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.295	34.734	-29.705	74.000	9.560	PK
2	*	17385.000	49.937	33.133	-24.063	74.000	16.803	PK

Profile: 1872112R	Page No.: 73
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10360.000	45.294	38.353	-28.706	74.000	6.941	PK
2		15540.000	45.097	29.461	-28.903	74.000	15.637	PK

Profile: 1872112R	Page No.: 74
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	44.104	37.163	-29.896	74.000	6.941	PK
2	*	15540.000	46.309	30.673	-27.691	74.000	15.637	PK

Profile: 1872112R	Page No.: 75
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.209	36.684	-29.791	74.000	7.525	PK
2	*	15660.000	46.209	30.382	-27.791	74.000	15.828	PK

Profile: 1872112R	Page No.: 76
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.984	37.459	-29.016	74.000	7.525	PK
2	*	15660.000	46.943	31.116	-27.057	74.000	15.828	PK

Profile: 1872112R	Page No.: 77
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.294	37.356	-28.706	74.000	7.938	PK
2	*	15720.000	46.293	30.932	-27.707	74.000	15.361	PK

Profile: 1872112R	Page No.: 78
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.205	37.267	-28.795	74.000	7.938	PK
2	*	15720.000	46.030	30.669	-27.970	74.000	15.361	PK

Profile: 1872112R	Page No.: 93
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.938	35.878	-29.062	74.000	9.060	PK
2	*	17235.000	49.294	30.812	-24.706	74.000	18.482	PK

Profile: 1872112R	Page No.: 94
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.943	34.883	-30.057	74.000	9.060	PK
2	*	17235.000	49.293	30.811	-24.707	74.000	18.482	PK

Profile: 1872112R	Page No.: 95
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.294	35.835	-28.706	74.000	9.459	PK
2	*	17355.000	49.209	31.470	-24.791	74.000	17.738	PK

Profile: 1872112R	Page No.: 96
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.295	35.836	-28.705	74.000	9.459	PK
2	*	17355.000	49.210	31.471	-24.790	74.000	17.738	PK

Profile: 1872112R	Page No.: 97
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	45.295	35.319	-28.705	74.000	9.976	PK
2	*	17475.000	50.194	32.842	-23.806	74.000	17.352	PK

Profile: 1872112R	Page No.: 98
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.294	34.318	-29.706	74.000	9.976	PK
2	*	17475.000	50.294	32.942	-23.706	74.000	17.352	PK

Profile: 1872112R	Page No.: 99
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.293	37.604	-28.707	74.000	7.689	PK
2	*	15570.000	45.748	29.190	-28.252	74.000	16.558	PK

Profile: 1872112R	Page No.: 100
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.294	36.605	-29.706	74.000	7.689	PK
2	*	15570.000	46.294	29.736	-27.706	74.000	16.558	PK

Profile: 1872112R	Page No.: 101
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	46.293	39.172	-27.707	74.000	7.121	PK
2	*	15690.000	46.330	30.601	-27.670	74.000	15.729	PK

Profile: 1872112R	Page No.: 102
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.294	38.173	-28.706	74.000	7.121	PK
2	*	15690.000	45.394	29.665	-28.606	74.000	15.729	PK

Profile: 1872112R	Page No.: 115
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.985	34.424	-30.015	74.000	9.560	PK
2	*	17385.000	49.029	32.225	-24.971	74.000	16.803	PK

Profile: 1872112R	Page No.: 116
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	45.293	35.732	-28.707	74.000	9.560	PK
2	*	17385.000	49.293	32.489	-24.707	74.000	16.803	PK

Profile: 1872112R	Page No.: 117
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.293	36.732	-27.707	74.000	9.560	PK
2	*	17385.000	49.384	32.580	-24.616	74.000	16.803	PK

Profile: 1872112R	Page No.: 118
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5795MHz by 802.11ac40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	46.293	36.732	-27.707	74.000	9.560	PK
2	*	17385.000	49.294	32.490	-24.706	74.000	16.803	PK

Profile: 1872112R	Page No.: 119
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.293	37.540	-28.707	74.000	7.752	PK
2		15630.000	45.293	29.290	-28.707	74.000	16.003	PK

Profile: 1872112R	Page No.: 120
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5210MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	46.738	38.985	-27.262	74.000	7.752	PK
2		15630.000	45.384	29.381	-28.616	74.000	16.003	PK

Profile: 1872112R	Page No.: 127
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	46.393	37.059	-27.607	74.000	9.334	PK
2	*	17325.000	50.293	32.848	-23.707	74.000	17.446	PK

Profile: 1872112R	Page No.: 128
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5775MHz by 802.11ac80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.203	34.869	-29.797	74.000	9.334	PK
2	*	17325.000	50.029	32.584	-23.971	74.000	17.446	PK

Profile: 1872112R	Page No.: 129
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.299	38.358	-28.701	74.000	6.941	PK
2	*	15540.000	46.293	30.657	-27.707	74.000	15.637	PK

Profile: 1872112R	Page No.: 130
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	45.294	38.353	-28.706	74.000	6.941	PK
2	*	15540.000	46.329	30.693	-27.671	74.000	15.637	PK

Profile: 1872112R	Page No.: 131
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.209	37.684	-28.791	74.000	7.525	PK
2	*	15660.000	46.329	30.502	-27.671	74.000	15.828	PK

Profile: 1872112R	Page No.: 132
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	45.209	37.684	-28.791	74.000	7.525	PK
2	*	15660.000	46.329	30.502	-27.671	74.000	15.828	PK

Profile: 1872112R	Page No.: 133
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10480.000	46.293	38.355	-27.707	74.000	7.938	PK
2		15720.000	46.293	30.932	-27.707	74.000	15.361	PK

Profile: 1872112R	Page No.: 134
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 15:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.293	37.355	-28.707	74.000	7.938	PK
2	*	15720.000	46.393	31.032	-27.607	74.000	15.361	PK

Profile: 1872112R	Page No.: 149
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.298	35.238	-29.702	74.000	9.060	PK
2	*	17235.000	49.292	30.810	-24.708	74.000	18.482	PK

Profile: 1872112R	Page No.: 150
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5745MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.293	35.233	-29.707	74.000	9.060	PK
2	*	17235.000	49.298	30.816	-24.702	74.000	18.482	PK

Profile: 1872112R	Page No.: 151
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.299	35.840	-28.701	74.000	9.459	PK
2	*	17355.000	49.293	31.554	-24.707	74.000	17.738	PK

Profile: 1872112R	Page No.: 152
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5785MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	45.283	35.824	-28.717	74.000	9.459	PK
2	*	17355.000	49.283	31.544	-24.717	74.000	17.738	PK

Profile: 1872112R	Page No.: 153
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.930	34.954	-29.070	74.000	9.976	PK
2	*	17475.000	50.283	32.931	-23.717	74.000	17.352	PK

Profile: 1872112R	Page No.: 154
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5825MHz by 802.11ax20	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.293	34.317	-29.707	74.000	9.976	PK
2	*	17475.000	50.283	32.931	-23.717	74.000	17.352	PK

Profile: 1872112R	Page No.: 155
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.293	36.604	-29.707	74.000	7.689	PK
2	*	15570.000	46.293	29.735	-27.707	74.000	16.558	PK

Profile: 1872112R	Page No.: 156
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.293	35.604	-30.707	74.000	7.689	PK
2	*	15570.000	47.293	30.735	-26.707	74.000	16.558	PK

Profile: 1872112R	Page No.: 157
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.295	37.174	-29.705	74.000	7.121	PK
2	*	15690.000	45.394	29.665	-28.606	74.000	15.729	PK

Profile: 1872112R	Page No.: 158
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	45.293	38.172	-28.707	74.000	7.121	PK
2	*	15690.000	45.394	29.665	-28.606	74.000	15.729	PK

Profile: 1872112R	Page No.: 171
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.330	35.962	-28.670	74.000	9.367	PK
2	*	17265.000	50.329	32.100	-23.671	74.000	18.230	PK

Profile: 1872112R	Page No.: 172
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5755MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	45.243	35.875	-28.757	74.000	9.367	PK
2	*	17265.000	50.384	32.155	-23.616	74.000	18.230	PK

Profile: 1872112R	Page No.: 173
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.294	34.733	-29.706	74.000	9.560	PK
2	*	17385.000	50.394	33.590	-23.606	74.000	16.803	PK

Profile: 1872112R	Page No.: 174
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5795MHz by 802.11ax40	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	44.293	34.732	-29.707	74.000	9.560	PK
2	*	17385.000	49.399	32.595	-24.601	74.000	16.803	PK

Profile: 1872112R	Page No.: 175
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.394	37.641	-28.606	74.000	7.752	PK
2		15630.000	44.294	28.291	-29.706	74.000	16.003	PK

Profile: 1872112R	Page No.: 176
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax80	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	10420.000	45.330	37.577	-28.670	74.000	7.752	PK
2		15630.000	44.298	28.295	-29.702	74.000	16.003	PK

Profile: 1872112R	Page No.: 183
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.298	34.964	-29.702	74.000	9.334	PK
2	*	17325.000	51.398	33.953	-22.602	74.000	17.446	PK

Profile: 1872112R	Page No.: 184
Engineer: Tommie	
Site: AC5	Time: 2018/08/29 - 17:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5775MHz by 802.11ax80	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11550.000	44.384	35.050	-29.616	74.000	9.334	PK
2	*	17325.000	50.283	32.838	-23.717	74.000	17.446	PK