


Annex A.5 LTE Spurious Emission at Antenna Terminals

1. LTE_Band14(Part 90)


1.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2985
30	778	0.1	RMS	777.6	-69.91	-13	Pass	7480
778	808	0.1	RMS	788.35	20.31	60	Pass	401
808	1000	0.1	RMS	808	-66.54	-13	Pass	1920
1000	3000	1	RMS	1576.288	-42.24	-13	Pass	2000
3000	10000	1	RMS	7472.639	-49.04	-13	Pass	7000




1.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2985
30	778	0.1	RMS	777.6	-70.07	-13	Pass	7480
778	808	0.1	RMS	788.35	19.64	60	Pass	401
808	1000	0.1	RMS	808	-66.72	-13	Pass	1920
1000	3000	1	RMS	1576.288	-43.44	-13	Pass	2000
3000	10000	1	RMS	7466.638	-49.11	-13	Pass	7000




1.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2985
30	778	0.1	RMS	752.097	-70.28	-13	Pass	7480
778	808	0.1	RMS	790.825	20.38	60	Pass	401
808	1000	0.1	RMS	813.303	-66.88	-13	Pass	1920
1000	3000	1	RMS	1581.291	-41.09	-13	Pass	2000
3000	10000	1	RMS	7469.639	-49.08	-13	Pass	7000




1.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23330, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2985
30	778	0.1	RMS	745.696	-70.4	-13	Pass	7480
778	808	0.1	RMS	790.825	19.75	60	Pass	401
808	1000	0.1	RMS	810.501	-67.56	-13	Pass	1920
1000	3000	1	RMS	1581.291	-42.2	-13	Pass	2000
3000	10000	1	RMS	7471.639	-49	-13	Pass	7000




**1.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-74.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	Pass	2985
30	778	0.1	RMS	733.094	-70.23	-13	Pass	7480
778	808	0.1	RMS	793.3	20.03	60	Pass	401
808	1000	0.1	RMS	810.201	-66.05	-13	Pass	1920
1000	3000	1	RMS	1586.293	-40	-13	Pass	2000
3000	10000	1	RMS	7469.639	-49.08	-13	Pass	7000




**1.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	Pass	2985
30	778	0.1	RMS	718.892	-70.16	-13	Pass	7480
778	808	0.1	RMS	793.3	19.59	60	Pass	401
808	1000	0.1	RMS	810.201	-66.52	-13	Pass	1920
1000	3000	1	RMS	1586.293	-40.82	-13	Pass	2000
3000	10000	1	RMS	7467.638	-49.07	-13	Pass	7000




**1.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2985
30	778	0.1	RMS	777.9	-69.05	-13	Pass	7480
778	808	0.1	RMS	788.575	20.72	60	Pass	401
808	1000	0.1	RMS	808.3	-66.66	-13	Pass	1920
1000	3000	1	RMS	1576.288	-43	-13	Pass	2000
3000	10000	1	RMS	7466.638	-49.11	-13	Pass	7000



**1.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	Pass	2985
30	778	0.1	RMS	777.9	-69.43	-13	Pass	7480
778	808	0.1	RMS	788.575	19.91	60	Pass	401
808	1000	0.1	RMS	808.3	-66.84	-13	Pass	1920
1000	3000	1	RMS	1576.288	-44.18	-13	Pass	2000
3000	10000	1	RMS	7465.638	-49.06	-13	Pass	7000



2. LTE_Band26(Part 22)


2.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.08	-13	Pass	2985
30	804	0.1	RMS	751.693	-70.19	-13	Pass	7740
804	860	0.1	RMS	824.236	20.29	60	Pass	560
860	1000	0.1	RMS	869.307	-69.68	-13	Pass	1400
1000	3000	1	RMS	1648.324	-42.36	-13	Pass	2000
3000	10000	1	RMS	7468.638	-48.87	-13	Pass	7000




2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.04	-13	Pass	2985
30	804	0.1	RMS	742.692	-70.19	-13	Pass	7740
804	860	0.1	RMS	824.236	19.23	60	Pass	560
860	1000	0.1	RMS	905.833	-63.8	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.45	-13	Pass	2000
3000	10000	1	RMS	7469.639	-48.88	-13	Pass	7000




**2.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.72	-13	Pass	2985
30	804	0.1	RMS	738.292	-70.06	-13	Pass	7740
804	860	0.1	RMS	836.057	20.24	60	Pass	560
860	1000	0.1	RMS	881.415	-69.77	-13	Pass	1400
1000	3000	1	RMS	1671.336	-42.29	-13	Pass	2000
3000	10000	1	RMS	7473.639	-48.95	-13	Pass	7000




2.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-75.66	-13	Pass	2985
30	804	0.1	RMS	733.791	-70.27	-13	Pass	7740
804	860	0.1	RMS	836.057	19.33	60	Pass	560
860	1000	0.1	RMS	881.115	-69.53	-13	Pass	1400
1000	3000	1	RMS	1671.336	-43.61	-13	Pass	2000
3000	10000	1	RMS	7469.639	-48.94	-13	Pass	7000




**2.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.86	-13	Pass	2985
30	804	0.1	RMS	722.289	-70.25	-13	Pass	7740
804	860	0.1	RMS	847.878	19.97	60	Pass	560
860	1000	0.1	RMS	879.614	-69.68	-13	Pass	1400
1000	3000	1	RMS	1695.348	-42.45	-13	Pass	2000
3000	10000	1	RMS	7469.639	-48.91	-13	Pass	7000




2.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-75.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.56	-13	Pass	2985
30	804	0.1	RMS	722.189	-70.17	-13	Pass	7740
804	860	0.1	RMS	847.878	19.1	60	Pass	560
860	1000	0.1	RMS	893.024	-69.64	-13	Pass	1400
1000	3000	1	RMS	1695.348	-43.71	-13	Pass	2000
3000	10000	1	RMS	7470.639	-48.94	-13	Pass	7000




2.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-76.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.43	-13	Pass	2985
30	804	0.1	RMS	746.293	-70.13	-13	Pass	7740
804	860	0.1	RMS	824.236	20.23	60	Pass	560
860	1000	0.1	RMS	870.107	-69.64	-13	Pass	1400
1000	3000	1	RMS	1648.324	-42.16	-13	Pass	2000
3000	10000	1	RMS	7469.639	-48.93	-13	Pass	7000




2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.44	-13	Pass	2985
30	804	0.1	RMS	750.893	-70.26	-13	Pass	7740
804	860	0.1	RMS	824.236	19.51	60	Pass	560
860	1000	0.1	RMS	870.708	-69.65	-13	Pass	1400
1000	3000	1	RMS	1648.324	-43.42	-13	Pass	2000
3000	10000	1	RMS	7469.639	-48.91	-13	Pass	7000




2.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.63	-13	Pass	2985
30	804	0.1	RMS	748.493	-70.13	-13	Pass	7740
804	860	0.1	RMS	835.256	20.17	60	Pass	560
860	1000	0.1	RMS	907.934	-68.04	-13	Pass	1400
1000	3000	1	RMS	1670.335	-42.76	-13	Pass	2000
3000	10000	1	RMS	7469.639	-48.95	-13	Pass	7000




2.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.13	-13	Pass	2985
30	804	0.1	RMS	737.191	-70.28	-13	Pass	7740
804	860	0.1	RMS	835.256	19.17	60	Pass	560
860	1000	0.1	RMS	881.315	-69.6	-13	Pass	1400
1000	3000	1	RMS	1670.335	-44.11	-13	Pass	2000
3000	10000	1	RMS	7470.639	-48.94	-13	Pass	7000




**2.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-75.75	-13	Pass	2985
30	804	0.1	RMS	742.792	-70.16	-13	Pass	7740
804	860	0.1	RMS	846.275	20.04	60	Pass	560
860	1000	0.1	RMS	891.823	-69.55	-13	Pass	1400
1000	3000	1	RMS	1692.346	-43.5	-13	Pass	2000
3000	10000	1	RMS	7468.638	-48.82	-13	Pass	7000




2.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.01	-13	Pass	2985
30	804	0.1	RMS	720.289	-70.2	-13	Pass	7740
804	860	0.1	RMS	846.275	19.11	60	Pass	560
860	1000	0.1	RMS	909.335	-65.15	-13	Pass	1400
1000	3000	1	RMS	1692.346	-44.74	-13	Pass	2000
3000	10000	1	RMS	7470.639	-48.84	-13	Pass	7000




2.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.03	-13	Pass	2985
30	804	0.1	RMS	734.391	-70.19	-13	Pass	7740
804	860	0.1	RMS	824.336	20.25	60	Pass	560
860	1000	0.1	RMS	869.707	-69.67	-13	Pass	1400
1000	3000	1	RMS	1648.324	-41.29	-13	Pass	2000
3000	10000	1	RMS	7471.639	-48.94	-13	Pass	7000




2.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.83	-13	Pass	2985
30	804	0.1	RMS	729.69	-70.27	-13	Pass	7740
804	860	0.1	RMS	824.336	19.44	60	Pass	560
860	1000	0.1	RMS	869.707	-69.75	-13	Pass	1400
1000	3000	1	RMS	1648.324	-42.46	-13	Pass	2000
3000	10000	1	RMS	7469.639	-48.8	-13	Pass	7000




**2.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.32	-13	Pass	2985
30	804	0.1	RMS	730.891	-70.09	-13	Pass	7740
804	860	0.1	RMS	834.354	20.17	60	Pass	560
860	1000	0.1	RMS	880.114	-69.4	-13	Pass	1400
1000	3000	1	RMS	1668.334	-42.08	-13	Pass	2000
3000	10000	1	RMS	7469.639	-48.9	-13	Pass	7000




2.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-76.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.94	-13	Pass	2985
30	804	0.1	RMS	729.59	-70.18	-13	Pass	7740
804	860	0.1	RMS	834.354	19.51	60	Pass	560
860	1000	0.1	RMS	879.814	-69.5	-13	Pass	1400
1000	3000	1	RMS	1668.334	-43.19	-13	Pass	2000
3000	10000	1	RMS	7471.639	-48.94	-13	Pass	7000




2.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-75.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.32	-13	Pass	2985
30	804	0.1	RMS	723.89	-70.11	-13	Pass	7740
804	860	0.1	RMS	844.372	19.87	60	Pass	560
860	1000	0.1	RMS	890.522	-69.46	-13	Pass	1400
1000	3000	1	RMS	1688.344	-42.23	-13	Pass	2000
3000	10000	1	RMS	7467.638	-48.92	-13	Pass	7000




2.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.34	-13	Pass	2985
30	804	0.1	RMS	736.691	-70.1	-13	Pass	7740
804	860	0.1	RMS	844.372	19.31	60	Pass	560
860	1000	0.1	RMS	911.036	-65.51	-13	Pass	1400
1000	3000	1	RMS	1688.344	-43.11	-13	Pass	2000
3000	10000	1	RMS	7471.639	-48.9	-13	Pass	7000




**2.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.31	-13	Pass	2985
30	804	0.1	RMS	730.691	-70.1	-13	Pass	7740
804	860	0.1	RMS	824.637	19.81	60	Pass	560
860	1000	0.1	RMS	877.813	-69.57	-13	Pass	1400
1000	3000	1	RMS	1648.324	-41.77	-13	Pass	2000
3000	10000	1	RMS	7469.639	-48.91	-13	Pass	7000




2.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.23	-13	Pass	2985
30	804	0.1	RMS	758.294	-70.08	-13	Pass	7740
804	860	0.1	RMS	824.637	19.04	60	Pass	560
860	1000	0.1	RMS	878.213	-69.54	-13	Pass	1400
1000	3000	1	RMS	1648.324	-42.77	-13	Pass	2000
3000	10000	1	RMS	7465.638	-48.93	-13	Pass	7000




**2.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.36	-13	Pass	2985
30	804	0.1	RMS	717.889	-70.15	-13	Pass	7740
804	860	0.1	RMS	832.05	20.02	60	Pass	560
860	1000	0.1	RMS	879.214	-69.44	-13	Pass	1400
1000	3000	1	RMS	1663.332	-42.99	-13	Pass	2000
3000	10000	1	RMS	7472.639	-48.89	-13	Pass	7000




2.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.16	-13	Pass	2985
30	804	0.1	RMS	737.391	-70.12	-13	Pass	7740
804	860	0.1	RMS	832.05	19.2	60	Pass	560
860	1000	0.1	RMS	880.415	-69.39	-13	Pass	1400
1000	3000	1	RMS	1663.332	-44.26	-13	Pass	2000
3000	10000	1	RMS	7468.638	-48.92	-13	Pass	7000




**2.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.28	-13	Pass	2985
30	804	0.1	RMS	734.591	-70.09	-13	Pass	7740
804	860	0.1	RMS	839.564	20.36	60	Pass	560
860	1000	0.1	RMS	891.823	-69.51	-13	Pass	1400
1000	3000	1	RMS	1678.339	-41.75	-13	Pass	2000
3000	10000	1	RMS	7468.638	-48.86	-13	Pass	7000




2.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-75.53	-13	Pass	2985
30	804	0.1	RMS	741.992	-70.23	-13	Pass	7740
804	860	0.1	RMS	839.564	19.41	60	Pass	560
860	1000	0.1	RMS	892.523	-69.37	-13	Pass	1400
1000	3000	1	RMS	1678.339	-42.83	-13	Pass	2000
3000	10000	1	RMS	7468.638	-48.94	-13	Pass	7000




**2.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.87	-13	Pass	2985
30	804	0.1	RMS	724.69	-70.2	-13	Pass	7740
804	860	0.1	RMS	824.837	20.48	60	Pass	560
860	1000	0.1	RMS	905.833	-65.84	-13	Pass	1400
1000	3000	1	RMS	1649.325	-41.02	-13	Pass	2000
3000	10000	1	RMS	7468.638	-48.9	-13	Pass	7000




2.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.27	-13	Pass	2985
30	804	0.1	RMS	745.392	-70.17	-13	Pass	7740
804	860	0.1	RMS	824.837	19.62	60	Pass	560
860	1000	0.1	RMS	881.115	-69.44	-13	Pass	1400
1000	3000	1	RMS	1649.325	-42.08	-13	Pass	2000
3000	10000	1	RMS	7468.638	-48.98	-13	Pass	7000




**2.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-75.35	-13	Pass	2985
30	804	0.1	RMS	744.092	-70.18	-13	Pass	7740
804	860	0.1	RMS	829.846	20.43	60	Pass	560
860	1000	0.1	RMS	879.014	-69.38	-13	Pass	1400
1000	3000	1	RMS	1659.33	-41.97	-13	Pass	2000
3000	10000	1	RMS	7470.639	-48.92	-13	Pass	7000




2.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-75.17	-13	Pass	2985
30	804	0.1	RMS	739.992	-70.17	-13	Pass	7740
804	860	0.1	RMS	829.846	19.63	60	Pass	560
860	1000	0.1	RMS	880.615	-69.4	-13	Pass	1400
1000	3000	1	RMS	1659.33	-43.36	-13	Pass	2000
3000	10000	1	RMS	7472.639	-48.95	-13	Pass	7000




**2.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.68	-13	Pass	2985
30	804	0.1	RMS	715.589	-70.18	-13	Pass	7740
804	860	0.1	RMS	834.855	20.52	60	Pass	560
860	1000	0.1	RMS	890.021	-69.45	-13	Pass	1400
1000	3000	1	RMS	1669.335	-41.65	-13	Pass	2000
3000	10000	1	RMS	7468.638	-48.94	-13	Pass	7000



2.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-75.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-74.83	-13	Pass	2985
30	804	0.1	RMS	736.491	-70.23	-13	Pass	7740
804	860	0.1	RMS	834.855	19.69	60	Pass	560
860	1000	0.1	RMS	880.014	-69.51	-13	Pass	1400
1000	3000	1	RMS	1669.335	-42.7	-13	Pass	2000
3000	10000	1	RMS	7472.639	-48.89	-13	Pass	7000



3. LTE_Band26(Part 90)


3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-70.14	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.13	-13	Pass	2985
30	809	0.1	Peak	808.6	-54.59	-13	Pass	7790
809	854	0.1	Peak	814.212	24.61	60	Pass	450
854	1000	0.1	Peak	965.276	-59.09	-13	Pass	1460
1000	3000	1	Peak	1628.314	-34.45	-13	Pass	2000
3000	10000	1	Peak	7759.68	-37.58	-13	Pass	7000




3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.8	-13	Pass	2985
30	809	0.1	Peak	808.6	-55.09	-13	Pass	7790
809	854	0.1	Peak	814.312	25.34	60	Pass	450
854	1000	0.1	Peak	940.159	-58.8	-13	Pass	1460
1000	3000	1	Peak	1628.314	-34.49	-13	Pass	2000
3000	10000	1	Peak	7132.59	-37.25	-13	Pass	7000




3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-70.07	-13	Pass	401
0.15	30	0.01	Peak	0.16	-67.53	-13	Pass	2985
30	809	0.1	Peak	807.6	-56.89	-13	Pass	7790
809	854	0.1	Peak	818.521	24.86	60	Pass	450
854	1000	0.1	Peak	967.478	-58.75	-13	Pass	1460
1000	3000	1	Peak	1637.319	-33.97	-13	Pass	2000
3000	10000	1	Peak	7294.614	-37.18	-13	Pass	7000




3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66.26	-13	Pass	2985
30	809	0.1	Peak	808.5	-58.48	-13	Pass	7790
809	854	0.1	Peak	818.521	25.05	60	Pass	450
854	1000	0.1	Peak	935.356	-59.23	-13	Pass	1460
1000	3000	1	Peak	1637.319	-34.02	-13	Pass	2000
3000	10000	1	Peak	7846.692	-37.68	-13	Pass	7000




**3.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66.73	-13	Pass	2985
30	809	0.1	Peak	808.7	-58.46	-13	Pass	7790
809	854	0.1	Peak	822.831	24.64	60	Pass	450
854	1000	0.1	Peak	871.512	-58.81	-13	Pass	1460
1000	3000	1	Peak	1645.323	-33.25	-13	Pass	2000
3000	10000	1	Peak	7522.646	-37.73	-13	Pass	7000




3.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.39	-13	Pass	401
0.15	30	0.01	Peak	0.16	-66.64	-13	Pass	2985
30	809	0.1	Peak	808.8	-58.91	-13	Pass	7790
809	854	0.1	Peak	822.931	25.36	60	Pass	450
854	1000	0.1	Peak	971.581	-59.26	-13	Pass	1460
1000	3000	1	Peak	1645.323	-33.77	-13	Pass	2000
3000	10000	1	Peak	8929.847	-37.44	-13	Pass	7000




3.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-69.52	-13	Pass	401
0.15	30	0.01	Peak	0.17	-66.04	-13	Pass	2985
30	809	0.1	Peak	809	-54.07	-13	Pass	7790
809	854	0.1	Peak	814.212	24.63	60	Pass	450
854	1000	0.1	Peak	860.504	-58.79	-13	Pass	1460
1000	3000	1	Peak	1628.314	-34.63	-13	Pass	2000
3000	10000	1	Peak	7470.639	-37.55	-13	Pass	7000




3.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.67	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66.1	-13	Pass	2985
30	809	0.1	Peak	807.6	-38.11	-13	Pass	7790
809	854	0.1	Peak	814.212	25.62	60	Pass	450
854	1000	0.1	Peak	885.922	-59.27	-13	Pass	1460
1000	3000	1	Peak	1628.314	-34.59	-13	Pass	2000
3000	10000	1	Peak	7449.636	-37.62	-13	Pass	7000




3.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.073	-68.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.08	-13	Pass	2985
30	809	0.1	Peak	807.8	-57.57	-13	Pass	7790
809	854	0.1	Peak	817.82	24.99	60	Pass	450
854	1000	0.1	Peak	999.5	-59	-13	Pass	1460
1000	3000	1	Peak	1635.318	-34.08	-13	Pass	2000
3000	10000	1	Peak	7582.655	-37.22	-13	Pass	7000




3.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.81	-13	Pass	2985
30	809	0.1	Peak	808.8	-58.57	-13	Pass	7790
809	854	0.1	Peak	817.82	25.02	60	Pass	450
854	1000	0.1	Peak	861.805	-58.82	-13	Pass	1460
1000	3000	1	Peak	1635.318	-33.75	-13	Pass	2000
3000	10000	1	Peak	7470.639	-36.45	-13	Pass	7000




3.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.64	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66.87	-13	Pass	2985
30	809	0.1	Peak	809	-58.54	-13	Pass	7790
809	854	0.1	Peak	821.327	24.96	60	Pass	450
854	1000	0.1	Peak	866.408	-58.88	-13	Pass	1460
1000	3000	1	Peak	1642.321	-33.54	-13	Pass	2000
3000	10000	1	Peak	7508.644	-37.46	-13	Pass	7000




3.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-69.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-67.52	-13	Pass	2985
30	809	0.1	Peak	807.2	-59.39	-13	Pass	7790
809	854	0.1	Peak	821.327	24.91	60	Pass	450
854	1000	0.1	Peak	892.326	-58.48	-13	Pass	1460
1000	3000	1	Peak	1642.321	-33.59	-13	Pass	2000
3000	10000	1	Peak	7858.694	-37.76	-13	Pass	7000




3.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.77	-13	Pass	2985
30	809	0.1	Peak	808.5	-55.4	-13	Pass	7790
809	854	0.1	Peak	814.312	24.82	60	Pass	450
854	1000	0.1	Peak	866.108	-58.38	-13	Pass	1460
1000	3000	1	Peak	1628.314	-34.16	-13	Pass	2000
3000	10000	1	Peak	7463.638	-37.29	-13	Pass	7000




3.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66.41	-13	Pass	2985
30	809	0.1	Peak	808.9	-55.01	-13	Pass	7790
809	854	0.1	Peak	814.312	25.21	60	Pass	450
854	1000	0.1	Peak	981.687	-59.14	-13	Pass	1460
1000	3000	1	Peak	1628.314	-34.36	-13	Pass	2000
3000	10000	1	Peak	7433.633	-37.66	-13	Pass	7000




3.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.073	-69.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66.56	-13	Pass	2985
30	809	0.1	Peak	808.2	-57.47	-13	Pass	7790
809	854	0.1	Peak	816.918	24.86	60	Pass	450
854	1000	0.1	Peak	891.926	-58.93	-13	Pass	1460
1000	3000	1	Peak	1633.317	-33.75	-13	Pass	2000
3000	10000	1	Peak	7518.646	-37.88	-13	Pass	7000




3.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.02	-13	Pass	401
0.15	30	0.01	Peak	0.17	-66.28	-13	Pass	2985
30	809	0.1	Peak	808.7	-57.4	-13	Pass	7790
809	854	0.1	Peak	816.817	25.39	60	Pass	450
854	1000	0.1	Peak	914.742	-59.07	-13	Pass	1460
1000	3000	1	Peak	1633.317	-34.17	-13	Pass	2000
3000	10000	1	Peak	7576.654	-37.89	-13	Pass	7000




3.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-70.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66.93	-13	Pass	2985
30	809	0.1	Peak	808.7	-58.61	-13	Pass	7790
809	854	0.1	Peak	819.323	25.04	60	Pass	450
854	1000	0.1	Peak	872.813	-57.93	-13	Pass	1460
1000	3000	1	Peak	1638.319	-34.21	-13	Pass	2000
3000	10000	1	Peak	7465.638	-37.38	-13	Pass	7000




3.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.99	-13	Pass	401
0.15	30	0.01	Peak	0.16	-66.86	-13	Pass	2985
30	809	0.1	Peak	808.7	-58.59	-13	Pass	7790
809	854	0.1	Peak	819.323	25.23	60	Pass	450
854	1000	0.1	Peak	985.39	-58.55	-13	Pass	1460
1000	3000	1	Peak	1638.319	-33.89	-13	Pass	2000
3000	10000	1	Peak	7989.713	-37.37	-13	Pass	7000




**3.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66	-13	Pass	2985
30	809	0.1	Peak	808.2	-51.05	-13	Pass	7790
809	854	0.1	Peak	814.612	25.39	60	Pass	450
854	1000	0.1	Peak	987.191	-59.17	-13	Pass	1460
1000	3000	1	Peak	1629.315	-33.83	-13	Pass	2000
3000	10000	1	Peak	7469.639	-36.94	-13	Pass	7000



3.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.59	-13	Pass	401
0.15	30	0.01	Peak	0.15	-66.92	-13	Pass	2985
30	809	0.1	Peak	808.6	-52.1	-13	Pass	7790
809	854	0.1	Peak	814.512	25.44	60	Pass	450
854	1000	0.1	Peak	876.515	-59.12	-13	Pass	1460
1000	3000	1	Peak	1629.315	-33.97	-13	Pass	2000
3000	10000	1	Peak	7630.662	-37.29	-13	Pass	7000



END