



4.8.2.36 11N20_165 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6906.6953	53.30	12.42	74.00	20.70	150	85	Vertical
2	6957.6979	44.47	12.61	54.00	9.53	150	313	Vertical
3	11650.0000	39.92	-3.16	54.00	14.08	150	342	Vertical
4	11650.0000	50.92	-3.16	74.00	23.08	150	285	Vertical
5	17475.0000	56.27	0.02	74.00	17.73	150	116	Vertical
6	17475.0000	44.98	0.02	54.00	9.02	150	144	Vertical
7	17554.4777	47.13	1.05	54.00	6.87	150	257	Vertical




4.8.2.37 11N20_36 ANT 1_Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6773.4887	44.53	11.92	54.00	9.47	150	47	Horizontal
2	6999.7000	53.63	12.77	74.00	20.37	150	332	Horizontal
3	10360.0000	38.87	-5.35	54.00	15.13	150	189	Horizontal
4	10360.0000	48.88	-5.35	74.00	25.12	150	275	Horizontal
5	15540.0000	49.14	-3.26	74.00	24.86	150	358	Horizontal
6	15540.0000	37.63	-3.26	54.00	16.37	150	358	Horizontal
7	17531.3766	45.54	0.75	54.00	8.46	150	218	Horizontal




4.8.2.38 11N20_44 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6965.7983	53.99	12.64	74.00	20.01	150	359	Horizontal
2	10440.0000	39.27	-4.92	54.00	14.73	150	302	Horizontal
3	10440.0000	50.81	-4.92	74.00	23.19	150	103	Horizontal
4	15660.0000	39.63	-3.54	54.00	14.37	150	330	Horizontal
5	15660.0000	51.06	-3.54	74.00	22.94	150	302	Horizontal
6	17537.9769	46.96	0.84	54.00	7.04	150	245	Horizontal



4.8.2.39 11N20_48 ANT 1_ Horizontal




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6978.6989	54.21	12.69	74.00	19.79	150	218	Horizontal
2	6994.5997	44.48	12.75	54.00	9.52	150	161	Horizontal
3	10480.0000	39.66	-4.49	54.00	14.34	150	274	Horizontal
4	10480.0000	50.85	-4.49	74.00	23.15	150	330	Horizontal
5	15720.0000	53.10	-2.65	74.00	20.90	150	75	Horizontal
6	15720.0000	40.75	-2.65	54.00	13.25	150	18	Horizontal
7	17538.5269	46.91	0.84	54.00	7.09	150	75	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.8.2.40 11N20_52 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6881.7941	44.49	12.33	54.00	9.51	150	161	Horizontal
2	6952.2976	53.71	12.59	74.00	20.29	150	104	Horizontal
3	10520.0000	39.55	-4.37	54.00	14.45	150	46	Horizontal
4	10520.0000	51.19	-4.37	74.00	22.81	150	18	Horizontal
5	15780.0000	52.19	-2.36	74.00	21.81	150	357	Horizontal
6	15780.0000	40.84	-2.36	54.00	13.16	150	46	Horizontal
7	17542.9271	47.17	0.90	54.00	6.83	150	301	Horizontal




4.8.2.41 11N20_60 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6905.1953	44.28	12.42	54.00	9.72	150	220	Horizontal
2	6915.6958	53.37	12.46	74.00	20.63	150	358	Horizontal
3	10600.0000	39.82	-4.75	54.00	14.18	150	329	Horizontal
4	10600.0000	51.07	-4.75	74.00	22.93	150	330	Horizontal
5	15900.0000	50.01	-3.75	74.00	23.99	150	246	Horizontal
6	15900.0000	39.49	-3.75	54.00	14.51	150	272	Horizontal
7	17555.0278	46.95	1.05	54.00	7.05	150	160	Horizontal




4.8.2.42 11N20_64 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6902.1951	53.43	12.41	74.00	20.57	150	359	Horizontal
2	6972.3986	44.76	12.67	54.00	9.24	150	46	Horizontal
3	10640.0000	40.13	-4.69	54.00	13.87	150	160	Horizontal
4	10640.0000	52.35	-4.69	74.00	21.65	150	47	Horizontal
5	15960.0000	50.00	-3.70	74.00	24.00	150	356	Horizontal
6	15960.0000	39.83	-3.70	54.00	14.17	150	356	Horizontal
7	17558.8779	46.97	1.10	54.00	7.03	150	188	Horizontal



4.8.2.43 11N20_100 ANT 1_ Horizontal




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6928.8964	53.78	12.51	74.00	20.22	150	333	Horizontal
2	6961.8981	44.51	12.63	54.00	9.49	150	18	Horizontal
3	11000.0000	39.74	-4.28	54.00	14.26	150	160	Horizontal
4	11000.0000	51.08	-4.28	74.00	22.92	150	18	Horizontal
5	16500.0000	51.78	-3.62	74.00	22.22	150	189	Horizontal
6	16500.0000	41.00	-3.62	54.00	13.00	150	46	Horizontal
7	17542.3771	47.18	0.89	54.00	6.82	150	74	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.8.2.44 11N20_116 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6900.6950	44.37	12.40	54.00	9.63	150	75	Horizontal
2	6972.0986	54.44	12.67	74.00	19.56	150	218	Horizontal
3	11160.0000	40.80	-3.43	54.00	13.20	150	135	Horizontal
4	11160.0000	51.80	-3.43	74.00	22.20	150	192	Horizontal
5	16740.0000	52.02	-3.33	74.00	21.98	150	192	Horizontal
6	16740.0000	41.64	-3.33	54.00	12.36	150	163	Horizontal
7	17529.7265	46.96	0.73	54.00	7.04	150	220	Horizontal




4.8.2.45 11N20_140 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6932.1966	53.57	12.52	74.00	20.43	150	18	Horizontal
2	6982.8991	44.70	12.71	54.00	9.30	150	332	Horizontal
3	11400.0000	40.21	-4.42	54.00	13.79	150	300	Horizontal
4	11400.0000	50.91	-4.42	74.00	23.09	150	103	Horizontal
5	17100.0000	55.00	-3.09	74.00	19.00	150	159	Horizontal
6	17100.0000	43.67	-3.09	54.00	10.33	150	131	Horizontal
7	17540.1770	47.55	0.86	54.00	6.45	150	328	Horizontal



4.8.2.46 11N20_149 ANT 1_ Horizontal




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6831.0916	53.99	12.14	74.00	20.01	150	18	Horizontal
2	6871.8936	44.80	12.29	54.00	9.20	150	190	Horizontal
3	11490.0000	38.08	-5.65	54.00	15.92	150	300	Horizontal
4	11490.0000	49.22	-5.65	74.00	24.78	150	159	Horizontal
5	17235.0000	56.60	-1.47	74.00	17.40	150	103	Horizontal
6	17235.0000	45.01	-1.47	54.00	8.99	150	244	Horizontal
7	17533.0267	47.01	0.77	54.00	6.99	150	328	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.8.2.47 11N20_157 ANT 1_ Horizontal




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6931.5966	54.52	12.52	74.00	19.48	150	360	Horizontal
2	6979.2990	44.64	12.69	54.00	9.36	150	18	Horizontal
3	11570.0000	39.60	-3.87	54.00	14.40	150	190	Horizontal
4	11570.0000	49.92	-3.87	74.00	24.08	150	275	Horizontal
5	17355.0000	55.59	-1.07	74.00	18.41	150	246	Horizontal
6	17355.0000	45.17	-1.07	54.00	8.83	150	103	Horizontal
7	17622.6811	47.14	1.04	54.00	6.86	150	219	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.8.2.48 11N20_165 ANT 1_ Horizontal




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6832.2916	44.85	12.14	54.00	9.15	150	331	Horizontal
2	6966.0983	54.72	12.64	74.00	19.28	150	18	Horizontal
3	11650.0000	40.14	-3.16	54.00	13.86	150	328	Horizontal
4	11650.0000	51.58	-3.16	74.00	22.42	150	356	Horizontal
5	17475.0000	56.58	0.02	74.00	17.42	150	18	Horizontal
6	17475.0000	44.81	0.02	54.00	9.19	150	272	Horizontal
7	17559.4280	47.04	1.11	54.00	6.96	150	46	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4.8.2.49 11N40_38 ANT 1_Vertical




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6868.2934	54.17	12.28	74.00	19.83	150	313	Vertical
2	6988.8994	44.39	12.73	54.00	9.61	150	313	Vertical
3	10380.0000	38.67	-5.36	54.00	15.33	150	258	Vertical
4	10380.0000	49.38	-5.36	74.00	24.62	150	198	Vertical
5	15570.0000	51.18	-4.02	74.00	22.82	150	57	Vertical
6	15570.0000	38.98	-4.02	54.00	15.02	150	198	Vertical
7	17533.0267	47.09	0.77	54.00	6.91	150	342	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.8.2.50 11N40_46 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6908.1954	44.39	12.43	54.00	9.61	150	113	Vertical
2	6956.1978	54.62	12.61	74.00	19.38	150	28	Vertical
3	10460.0000	39.82	-4.70	54.00	14.18	150	173	Vertical
4	10460.0000	51.09	-4.70	74.00	22.91	150	342	Vertical
5	15690.0000	52.51	-2.93	74.00	21.49	150	116	Vertical
6	15690.0000	40.64	-2.93	54.00	13.36	150	314	Vertical
7	17528.0764	46.85	0.71	54.00	7.15	150	88	Vertical



4.8.2.51 11N40_54 ANT 1_Vertical




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6902.4951	53.85	12.41	74.00	20.15	150	53	Vertical
2	6995.4998	44.36	12.75	54.00	9.64	150	1	Vertical
3	10540.0000	39.71	-4.46	54.00	14.29	150	286	Vertical
4	10540.0000	51.03	-4.46	74.00	22.97	150	32	Vertical
5	15810.0000	51.69	-2.42	74.00	22.31	150	286	Vertical
6	15810.0000	40.78	-2.42	54.00	13.22	150	342	Vertical
7	17540.1770	47.04	0.86	54.00	6.96	150	342	Vertical






4.8.2.52 11N40_62 ANT 1_Veritical



NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6836.4918	44.32	12.16	54.00	9.68	150	168	Vertical
2	6984.9993	53.99	12.71	74.00	20.01	150	22	Vertical
3	10620.0000	39.63	-4.72	54.00	14.37	150	114	Vertical
4	10620.0000	50.81	-4.72	74.00	23.19	150	172	Vertical
5	15930.0000	51.72	-3.73	74.00	22.28	150	144	Vertical
6	15930.0000	39.77	-3.73	54.00	14.23	150	258	Vertical
7	17553.3777	47.16	1.03	54.00	6.84	150	285	Vertical



4.8.2.53 11N40_102 ANT 1_Vertical




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6927.9964	44.41	12.50	54.00	9.59	150	114	Vertical
2	6996.3998	53.25	12.76	74.00	20.75	150	228	Vertical
3	11020.0000	39.77	-4.09	54.00	14.23	150	144	Vertical
4	11020.0000	51.06	-4.09	74.00	22.94	150	4	Vertical
5	16530.0000	52.72	-3.84	74.00	21.28	150	257	Vertical
6	16530.0000	41.07	-3.84	54.00	12.93	150	285	Vertical
7	17533.5767	47.57	0.78	54.00	6.43	150	88	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.8.2.54 11N40_110 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6876.6938	53.83	12.31	74.00	20.17	150	142	Vertical
2	6919.2960	44.68	12.47	54.00	9.32	150	142	Vertical
3	11100.0000	40.37	-3.36	54.00	13.63	150	257	Vertical
4	11100.0000	52.20	-3.36	74.00	21.80	150	314	Vertical
5	16650.0000	52.42	-4.20	74.00	21.58	150	144	Vertical
6	16650.0000	41.35	-4.20	54.00	12.65	150	116	Vertical
7	17540.7270	47.09	0.87	54.00	6.91	150	200	Vertical




4.8.2.55 11N40_134 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6888.6944	53.56	12.36	74.00	20.44	150	228	Vertical
2	6981.3991	44.35	12.70	54.00	9.65	150	313	Vertical
3	11340.0000	40.19	-4.59	54.00	13.81	150	159	Vertical
4	11340.0000	51.51	-4.59	74.00	22.49	150	131	Vertical
5	17010.0000	52.78	-3.20	74.00	21.22	150	328	Vertical
6	17010.0000	41.48	-3.20	54.00	12.52	150	215	Vertical
7	17528.0764	46.88	0.71	54.00	7.12	150	159	Vertical




4.8.2.56 11N40_151 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6935.1968	44.34	12.53	54.00	9.66	150	194	Vertical
2	6953.7977	53.95	12.60	74.00	20.05	150	166	Vertical
3	11510.0000	38.01	-5.50	54.00	15.99	150	46	Vertical
4	11510.0000	50.41	-5.50	74.00	23.59	150	18	Vertical
5	17265.0000	56.08	-1.33	74.00	17.92	150	329	Vertical
6	17265.0000	45.21	-1.33	54.00	8.79	150	356	Vertical
7	17542.3771	47.15	0.89	54.00	6.85	150	329	Vertical




4.8.2.57 11N40_159 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6942.6971	44.20	12.56	54.00	9.80	150	57	Vertical
2	6970.2985	53.34	12.66	74.00	20.66	150	285	Vertical
3	11590.0000	39.74	-3.32	54.00	14.26	150	131	Vertical
4	11590.0000	51.55	-3.32	74.00	22.45	150	18	Vertical
5	17385.0000	56.89	-1.02	74.00	17.11	150	131	Vertical
6	17385.0000	44.76	-1.02	54.00	9.24	150	159	Vertical
7	17546.7773	47.04	0.95	54.00	6.96	150	302	Vertical




4.8.2.58 11N40_38 ANT 1_Horizontal



NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6898.2949	54.55	12.39	74.00	19.45	150	276	Horizontal
2	6971.4986	44.36	12.66	54.00	9.64	150	190	Horizontal
3	10380.0000	38.58	-5.36	54.00	15.42	150	359	Horizontal
4	10380.0000	49.93	-5.36	74.00	24.07	150	75	Horizontal
5	15570.0000	50.37	-4.02	74.00	23.63	150	279	Horizontal
6	15570.0000	38.95	-4.02	54.00	15.05	150	306	Horizontal
7	17548.9774	47.19	0.98	54.00	6.81	150	217	Horizontal




4.8.2.59 11N40_46 ANT 1_Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.8955	53.40	12.44	74.00	20.60	150	254	Horizontal
2	6925.2963	44.10	12.49	54.00	9.90	150	223	Horizontal
3	10460.0000	39.79	-4.70	54.00	14.21	150	356	Horizontal
4	10460.0000	50.16	-4.70	74.00	23.84	150	187	Horizontal
5	15690.0000	51.53	-2.93	74.00	22.47	150	356	Horizontal
6	15690.0000	40.83	-2.93	54.00	13.17	150	102	Horizontal
7	17537.9769	47.29	0.84	54.00	6.71	150	244	Horizontal




4.8.2.60 11N40_54 ANT 1_Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6893.7947	53.66	12.38	74.00	20.34	150	76	Horizontal
2	6944.4972	44.28	12.56	54.00	9.72	150	220	Horizontal
3	10540.0000	39.58	-4.46	54.00	14.42	150	47	Horizontal
4	10540.0000	49.76	-4.46	74.00	24.24	150	18	Horizontal
5	15810.0000	52.71	-2.42	74.00	21.29	150	18	Horizontal
6	15810.0000	40.92	-2.42	54.00	13.08	150	217	Horizontal
7	17533.0267	47.27	0.77	54.00	6.73	150	104	Horizontal




4.8.2.61 11N40_62 ANT 1_Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6938.4969	44.28	12.54	54.00	9.72	150	219	Horizontal
2	6939.6970	54.23	12.55	74.00	19.77	150	358	Horizontal
3	10620.0000	39.55	-4.72	54.00	14.45	150	107	Horizontal
4	10620.0000	50.68	-4.72	74.00	23.32	150	334	Horizontal
5	15930.0000	51.37	-3.73	74.00	22.63	150	164	Horizontal
6	15930.0000	39.99	-3.73	54.00	14.01	150	306	Horizontal
7	17540.7270	47.22	0.87	54.00	6.78	150	164	Horizontal



4.8.2.62 11N40_102 ANT 1_Horizontal




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6860.7930	43.94	12.25	54.00	10.06	150	189	Horizontal
2	6900.0950	53.59	12.40	74.00	20.41	150	189	Horizontal
3	11020.0000	39.49	-4.09	54.00	14.51	150	160	Horizontal
4	11020.0000	52.23	-4.09	74.00	21.77	150	301	Horizontal
5	16530.0000	52.60	-3.84	74.00	21.40	150	75	Horizontal
6	16530.0000	41.88	-3.84	54.00	12.12	150	104	Horizontal
7	17550.6275	47.23	1.00	54.00	6.77	150	18	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.8.2.63 11N40_110 ANT 1_Horizontal



NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6855.9928	44.19	12.23	54.00	9.81	150	75	Horizontal
2	6891.3946	54.40	12.37	74.00	19.60	150	18	Horizontal
3	11100.0000	40.47	-3.36	54.00	13.53	150	356	Horizontal
4	11100.0000	51.56	-3.36	74.00	22.44	150	75	Horizontal
5	16650.0000	51.69	-4.20	74.00	22.31	150	356	Horizontal
6	16650.0000	41.67	-4.20	54.00	12.33	150	46	Horizontal
7	17546.2273	47.21	0.94	54.00	6.79	150	75	Horizontal



4.8.2.64 11N40_134 ANT 1_Horizontal




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6909.0955	44.61	12.43	54.00	9.39	150	75	Horizontal
2	6972.9987	53.80	12.67	74.00	20.20	150	358	Horizontal
3	11340.0000	39.89	-4.59	54.00	14.11	150	172	Horizontal
4	11340.0000	50.17	-4.59	74.00	23.83	150	4	Horizontal
5	17010.0000	51.89	-3.20	74.00	22.11	150	87	Horizontal
6	17010.0000	41.75	-3.20	54.00	12.25	150	313	Horizontal
7	17536.8768	46.93	0.82	54.00	7.07	150	4	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.8.2.65 11N40_151 ANT 1_Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6960.6980	53.28	12.62	74.00	20.72	150	247	Horizontal
2	6966.6983	44.36	12.65	54.00	9.64	150	104	Horizontal
3	11510.0000	38.46	-5.50	54.00	15.54	150	342	Horizontal
4	11510.0000	49.12	-5.50	74.00	24.88	150	88	Horizontal
5	17265.0000	56.55	-1.33	74.00	17.45	150	145	Horizontal
6	17265.0000	45.48	-1.33	54.00	8.52	150	314	Horizontal
7	17801.4401	47.24	-0.77	54.00	6.76	150	88	Horizontal




4.8.2.66 11N40_159 ANT 1_Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6904.2952	53.33	12.42	74.00	20.67	150	342	Horizontal
2	6992.4996	44.57	12.74	54.00	9.43	150	255	Horizontal
3	11590.0000	39.38	-3.32	54.00	14.62	150	115	Horizontal
4	11590.0000	51.31	-3.32	74.00	22.69	150	228	Horizontal
5	17385.0000	55.88	-1.02	74.00	18.12	150	31	Horizontal
6	17385.0000	45.33	-1.02	54.00	8.67	150	201	Horizontal
7	17536.8768	47.31	0.82	54.00	6.69	150	115	Horizontal




4.8.2.67 11AC20_36 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6881.7941	54.03	12.33	74.00	19.97	150	166	Vertical
2	6924.3962	44.31	12.49	54.00	9.69	150	199	Vertical
3	10360.0000	38.39	-5.35	54.00	15.61	150	272	Vertical
4	10360.0000	50.05	-5.35	74.00	23.95	150	187	Vertical
5	15540.0000	50.99	-3.26	74.00	23.01	150	356	Vertical
6	15540.0000	39.86	-3.26	54.00	14.14	150	300	Vertical
7	17532.4766	47.17	0.77	54.00	6.83	150	244	Vertical




4.8.2.68 11AC20_44 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6899.1950	54.61	12.40	74.00	19.39	150	247	Vertical
2	6972.9987	45.50	12.67	54.00	8.50	150	276	Vertical
3	10440.0000	39.15	-4.92	54.00	14.85	150	18	Vertical
4	10440.0000	49.97	-4.92	74.00	24.03	150	159	Vertical
5	15660.0000	50.30	-3.54	74.00	23.70	150	46	Vertical
6	15660.0000	39.80	-3.54	54.00	14.20	150	187	Vertical
7	17534.6767	46.97	0.79	54.00	7.03	150	159	Vertical



4.8.2.69 11AC20_48 ANT 1_Vertical




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6900.6950	53.87	12.40	74.00	20.13	150	55	Vertical
2	6990.9996	44.23	12.74	54.00	9.77	150	198	Vertical
3	10480.0000	40.11	-4.49	54.00	13.89	150	300	Vertical
4	10480.0000	51.05	-4.49	74.00	22.95	150	46	Vertical
5	15720.0000	51.73	-2.65	74.00	22.27	150	46	Vertical
6	15720.0000	41.00	-2.65	54.00	13.00	150	131	Vertical
7	17536.3268	47.02	0.81	54.00	6.98	150	187	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.8.2.70 11AC20_52 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6924.9963	44.31	12.49	54.00	9.69	150	26	Vertical
2	6928.2964	53.48	12.50	74.00	20.52	150	112	Vertical
3	10520.0000	40.08	-4.37	54.00	13.92	150	18	Vertical
4	10520.0000	51.67	-4.37	74.00	22.33	150	188	Vertical
5	15780.0000	52.12	-2.36	74.00	21.88	150	188	Vertical
6	15780.0000	40.58	-2.36	54.00	13.42	150	328	Vertical
7	17538.5269	47.00	0.84	54.00	7.00	150	18	Vertical



4.8.2.71 11AC20_60 ANT 1_Vertical




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6884.4942	53.60	12.34	74.00	20.40	150	167	Vertical
2	6891.3946	44.78	12.37	54.00	9.22	150	313	Vertical
3	10600.0000	39.62	-4.75	54.00	14.38	150	192	Vertical
4	10600.0000	51.35	-4.75	74.00	22.65	150	337	Vertical
5	15900.0000	50.91	-3.75	74.00	23.09	150	46	Vertical
6	15900.0000	39.24	-3.75	54.00	14.76	150	164	Vertical
7	17531.3766	46.96	0.75	54.00	7.04	150	252	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.8.2.72 11AC20_64 ANT 1_Vertical




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6924.6962	44.49	12.49	54.00	9.51	150	342	Vertical
2	6968.1984	53.74	12.65	74.00	20.26	150	2	Vertical
3	10640.0000	39.96	-4.69	54.00	14.04	150	358	Vertical
4	10640.0000	51.31	-4.69	74.00	22.69	150	18	Vertical
5	15960.0000	50.81	-3.70	74.00	23.19	150	103	Vertical
6	15960.0000	39.52	-3.70	54.00	14.48	150	220	Vertical
7	17535.7768	47.27	0.81	54.00	6.73	150	277	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.8.2.73 11AC20_100 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6902.7951	44.30	12.41	54.00	9.70	150	142	Vertical
2	6988.2994	53.78	12.73	74.00	20.22	150	285	Vertical
3	11000.0000	39.92	-4.28	54.00	14.08	150	243	Vertical
4	11000.0000	50.44	-4.28	74.00	23.56	150	75	Vertical
5	16500.0000	53.14	-3.62	74.00	20.86	150	243	Vertical
6	16500.0000	40.99	-3.62	54.00	13.01	150	356	Vertical
7	17558.8779	47.17	1.10	54.00	6.83	150	18	Vertical



4.8.2.74 11AC20_116 ANT 1_Vertical




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6673.8837	53.81	11.59	74.00	20.19	150	228	Vertical
2	6979.5990	44.76	12.69	54.00	9.24	150	285	Vertical
3	11160.0000	40.55	-3.43	54.00	13.45	150	18	Vertical
4	11160.0000	52.01	-3.43	74.00	21.99	150	356	Vertical
5	16740.0000	52.80	-3.33	74.00	21.20	150	328	Vertical
6	16740.0000	41.03	-3.33	54.00	12.97	150	74	Vertical
7	17557.2279	47.11	1.08	54.00	6.89	150	244	Vertical






4.8.2.75 11AC20_140 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6882.6941	44.28	12.33	54.00	9.72	150	85	Vertical
2	6885.0943	54.23	12.34	74.00	19.77	150	285	Vertical
3	11400.0000	39.90	-4.42	54.00	14.10	150	356	Vertical
4	11400.0000	52.13	-4.42	74.00	21.87	150	328	Vertical
5	17100.0000	54.97	-3.09	74.00	19.03	150	244	Vertical
6	17100.0000	43.67	-3.09	54.00	10.33	150	102	Vertical
7	17537.9769	47.28	0.84	54.00	6.72	150	102	Vertical




4.8.2.76 11AC20_149 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6885.3943	44.38	12.34	54.00	9.62	150	342	Vertical
2	6960.6980	53.82	12.62	74.00	20.18	150	28	Vertical
3	11490.0000	37.97	-5.65	54.00	16.03	150	215	Vertical
4	11490.0000	50.11	-5.65	74.00	23.89	150	159	Vertical
5	17235.0000	55.72	-1.47	74.00	18.28	150	272	Vertical
6	17235.0000	45.28	-1.47	54.00	8.72	150	102	Vertical
7	17535.2268	47.02	0.80	54.00	6.98	150	215	Vertical




4.8.2.77 11AC20_157 ANT 1_Vertical



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6837.3919	44.81	12.16	54.00	9.19	150	246	Vertical
2	6930.3965	54.57	12.51	74.00	19.43	150	18	Vertical
3	11570.0000	39.66	-3.87	54.00	14.34	150	18	Vertical
4	11570.0000	50.40	-3.87	74.00	23.60	150	187	Vertical
5	17355.0000	56.27	-1.07	74.00	17.73	150	272	Vertical
6	17355.0000	44.89	-1.07	54.00	9.11	150	131	Vertical
7	17537.4269	47.05	0.83	54.00	6.95	150	300	Vertical



4.8.2.78 11AC20_165 ANT 1_Vertical




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6892.5946	45.01	12.37	54.00	8.99	150	161	Vertical
2	6944.7972	54.49	12.57	74.00	19.51	150	331	Vertical
3	11650.0000	39.73	-3.16	54.00	14.27	150	18	Vertical
4	11650.0000	51.53	-3.16	74.00	22.47	150	47	Vertical
5	17475.0000	55.25	0.02	74.00	18.75	150	75	Vertical
6	17475.0000	44.49	0.02	54.00	9.51	150	75	Vertical
7	17553.3777	47.16	1.03	54.00	6.84	150	103	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.8.2.79 11AC20_36 ANT 1_Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6870.9936	53.83	12.29	74.00	20.17	150	357	Horizontal
2	6898.2949	44.88	12.39	54.00	9.12	150	246	Horizontal
3	10360.0000	38.65	-5.35	54.00	15.35	150	342	Horizontal
4	10360.0000	49.72	-5.35	74.00	24.28	150	257	Horizontal
5	15540.0000	50.40	-3.26	74.00	23.60	150	285	Horizontal
6	15540.0000	39.37	-3.26	54.00	14.63	150	32	Horizontal
7	17526.9763	47.11	0.70	54.00	6.89	150	32	Horizontal



4.8.2.80 11AC20_44 ANT 1_ Horizontal




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6895.5948	43.70	12.38	54.00	10.30	150	306	Horizontal
2	6942.9972	53.24	12.56	74.00	20.76	150	278	Horizontal
3	10440.0000	39.35	-4.92	54.00	14.65	150	303	Horizontal
4	10440.0000	50.99	-4.92	74.00	23.01	150	0	Horizontal
5	15660.0000	50.90	-3.54	74.00	23.10	150	161	Horizontal
6	15660.0000	39.72	-3.54	54.00	14.28	150	0	Horizontal
7	17534.6767	47.04	0.79	54.00	6.96	150	77	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.8.2.81 11AC20_48 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6894.6947	45.07	12.38	54.00	8.93	150	222	Horizontal
2	6953.1977	54.65	12.60	74.00	19.35	150	47	Horizontal
3	10480.0000	40.14	-4.49	54.00	13.86	150	342	Horizontal
4	10480.0000	50.77	-4.49	74.00	23.23	150	200	Horizontal
5	15720.0000	51.79	-2.65	74.00	22.21	150	115	Horizontal
6	15720.0000	40.70	-2.65	54.00	13.30	150	228	Horizontal
7	17803.0902	47.49	-0.78	54.00	6.51	150	30	Horizontal




4.8.2.82 11AC20_52 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6885.9943	43.78	12.35	54.00	10.22	150	275	Horizontal
2	6930.0965	53.30	12.51	74.00	20.70	150	161	Horizontal
3	10520.0000	50.19	-4.37	74.00	23.81	150	285	Horizontal
4	10520.0000	39.75	-4.37	54.00	14.25	150	172	Horizontal
5	15780.0000	51.75	-2.36	74.00	22.25	150	228	Horizontal
6	15780.0000	40.85	-2.36	54.00	13.15	150	144	Horizontal
7	17529.1765	47.40	0.72	54.00	6.60	150	285	Horizontal



4.8.2.83 11AC20_60 ANT 1_ Horizontal




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6895.8948	44.48	12.38	54.00	9.52	150	18	Horizontal
2	6990.9996	54.48	12.74	74.00	19.52	150	303	Horizontal
3	10600.0000	39.76	-4.75	54.00	14.24	150	311	Horizontal
4	10600.0000	50.87	-4.75	74.00	23.13	150	198	Horizontal
5	15900.0000	50.51	-3.75	74.00	23.49	150	57	Horizontal
6	15900.0000	38.97	-3.75	54.00	15.03	150	29	Horizontal
7	17556.6778	46.97	1.08	54.00	7.03	150	85	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.8.2.84 11AC20_64 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6974.7987	44.33	12.68	54.00	9.67	150	249	Horizontal
2	6978.3989	53.61	12.69	74.00	20.39	150	220	Horizontal
3	10640.0000	40.06	-4.69	54.00	13.94	150	285	Horizontal
4	10640.0000	51.80	-4.69	74.00	22.20	150	227	Horizontal
5	15960.0000	50.83	-3.70	74.00	23.17	150	106	Horizontal
6	15960.0000	39.87	-3.70	54.00	14.13	150	106	Horizontal
7	17552.8276	47.03	1.03	54.00	6.97	150	227	Horizontal




4.8.2.85 11AC20_100 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6856.2928	53.57	12.23	74.00	20.43	150	161	Horizontal
2	6984.9993	44.51	12.71	54.00	9.49	150	189	Horizontal
3	11000.0000	39.41	-4.28	54.00	14.59	150	4	Horizontal
4	11000.0000	50.80	-4.28	74.00	23.20	150	59	Horizontal
5	16500.0000	52.10	-3.62	74.00	21.90	150	59	Horizontal
6	16500.0000	41.33	-3.62	54.00	12.67	150	88	Horizontal
7	17522.0261	47.09	0.63	54.00	6.91	150	59	Horizontal




4.8.2.86 11AC20_116 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6904.5952	44.31	12.42	54.00	9.69	150	281	Horizontal
2	6986.7993	53.43	12.72	74.00	20.57	150	75	Horizontal
3	11160.0000	40.87	-3.43	54.00	13.13	150	58	Horizontal
4	11160.0000	52.12	-3.43	74.00	21.88	150	201	Horizontal
5	16740.0000	53.43	-3.33	74.00	20.57	150	115	Horizontal
6	16740.0000	40.93	-3.33	54.00	13.07	150	342	Horizontal
7	17533.0267	47.12	0.77	54.00	6.88	150	3	Horizontal




4.8.2.87 11AC20_140 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6964.8982	44.47	12.64	54.00	9.53	150	135	Horizontal
2	6965.1983	54.97	12.64	74.00	19.03	150	18	Horizontal
3	11400.0000	40.58	-4.42	54.00	13.42	150	284	Horizontal
4	11400.0000	53.35	-4.42	74.00	20.65	150	137	Horizontal
5	17100.0000	54.24	-3.09	74.00	19.76	150	225	Horizontal
6	17100.0000	43.81	-3.09	54.00	10.19	150	109	Horizontal
7	17557.7779	47.39	1.09	54.00	6.61	150	109	Horizontal



4.8.2.88 11AC20_149 ANT 1_ Horizontal




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6862.8931	44.14	12.26	54.00	9.86	150	132	Horizontal
2	6961.8981	53.86	12.63	74.00	20.14	150	190	Horizontal
3	11490.0000	38.53	-5.65	54.00	15.47	150	136	Horizontal
4	11490.0000	50.48	-5.65	74.00	23.52	150	281	Horizontal
5	17235.0000	55.71	-1.47	74.00	18.29	150	50	Horizontal
6	17235.0000	45.09	-1.47	54.00	8.91	150	196	Horizontal
7	17557.2279	47.18	1.08	54.00	6.82	150	196	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


4.8.2.89 11AC20_157 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.8955	54.88	12.44	74.00	19.12	150	57	Horizontal
2	6960.0980	45.24	12.62	54.00	8.76	150	3	Horizontal
3	11570.0000	39.59	-3.87	54.00	14.41	150	196	Horizontal
4	11570.0000	50.75	-3.87	74.00	23.25	150	314	Horizontal
5	17355.0000	55.16	-1.07	74.00	18.84	150	20	Horizontal
6	17355.0000	45.56	-1.07	54.00	8.44	150	20	Horizontal
7	17541.2771	47.62	0.88	54.00	6.38	150	78	Horizontal



4.8.2.90 11AC20_165 ANT 1_ Horizontal



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6992.4996	45.34	12.74	54.00	8.66	150	313	Horizontal
2	6993.0997	54.94	12.74	74.00	19.06	150	3	Horizontal
3	11650.0000	39.82	-3.16	54.00	14.18	150	200	Horizontal
4	11650.0000	51.00	-3.16	74.00	23.00	150	32	Horizontal
5	17475.0000	55.99	0.02	74.00	18.01	150	285	Horizontal
6	17475.0000	44.73	0.02	54.00	9.27	150	313	Horizontal
7	17535.7768	47.01	0.81	54.00	6.99	150	172	Horizontal

