


BLE_500K_2402_High	4,804.000	52.51	74.00	21.49	40.23	54.00	13.77	H	0
	7,205.500	54.98	74.00	19.02	42.67	54.00	11.33	H	5.7
	9,608.000	48.10	74.00	25.90	36.69	54.00	17.31	V	0
	12,011.000	48.74	74.00	25.26	35.41	54.00	18.59	H	237.6
	14,414.000	48.39	74.00	25.61	36.44	54.00	17.56	V	2.3
	16,815.000	52.84	74.00	21.16	40.70	54.00	13.30	H	1.7
BLE_500K_2440_High	4,879.000	52.98	74.00	21.02	40.30	54.00	13.70	H	360
	7,319.000	55.24	74.00	18.76	42.91	54.00	11.09	H	206.6
	9,760.000	47.50	74.00	26.50	35.34	54.00	18.66	H	217.3
	12,200.500	48.63	74.00	25.37	35.64	54.00	18.36	H	357.7
	14,642.000	49.82	74.00	24.18	37.12	54.00	16.88	H	217.3
	17,079.500	53.60	74.00	20.40	40.53	54.00	13.47	H	360.1
BLE_500K_2480_High	4,960.500	53.52	74.00	20.48	40.46	54.00	13.54	V	145.6
	7,399.500	55.58	74.00	18.42	43.28	54.00	10.72	H	277.2
	9,919.500	48.04	74.00	25.96	34.64	54.00	19.36	H	142.7
	12,400.500	48.44	74.00	25.56	36.13	54.00	17.87	H	142.7
	14,880.000	49.81	74.00	24.19	37.04	54.00	16.96	H	217.3
	17,359.500	52.34	74.00	21.66	39.94	54.00	14.06	H	1.8


Test Mode & Test Freq.[MHz]	Frequency [MHz]	QPK Level [dBμV/m]	QPK Limit [dBμV/m]	QPK Margin [dB]	Pol.	Azimuth [deg]
BLE_1M_2440_Low	32.371	20.34	40.00	19.66	V	360
	48.376	17.57	40.00	22.43	V	265.9
	144.514	13.80	43.50	29.70	V	225.9
	216.617	20.63	46.00	25.37	V	248.6
	264.848	23.27	46.00	22.73	V	210.4
	462.189	18.41	46.00	27.59	V	265.9

Test Graphs_Band Edges



BLE_500K_2402



BLE_500K_2480



Test Graphs_Spurious Emission



BLE_1M_2402_High

BLE_1M_2440_High




BLE_1M_2480_High


BLE_2M_2402_High




BLE_2M_2440_High




BLE_2M_2480_High




BLE_125K_2402_High




BLE_125K_2440_High




BLE_125K_2480_High



BLE_500K_2402_High






B.2 Duty Cycle

Test Result

Test Mode	Antenna	Frequency [MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
BLE_1M	Ant1	2402	0.39	0.62	62.90	2.01
BLE_1M	Ant1	2440	0.39	0.62	62.90	2.01
BLE_1M	Ant1	2480	0.39	0.62	62.90	2.01
BLE_2M	Ant1	2402	0.23	0.62	37.10	4.31
BLE_2M	Ant1	2440	0.23	0.62	37.10	4.31
BLE_2M	Ant1	2480	0.23	0.62	37.10	4.31
BLE_125K	Ant1	2402	3.11	3.75	82.93	0.81
BLE_125K	Ant1	2440	3.11	3.75	82.93	0.81
BLE_125K	Ant1	2480	3.11	3.75	82.93	0.81
BLE_500K	Ant1	2402	1.07	1.87	57.22	2.42
BLE_500K	Ant1	2440	1.07	1.87	57.22	2.42
BLE_500K	Ant1	2480	1.07	1.87	57.22	2.42

Test Graphs



NTNV-BLE_2M-Ant1-2440



NTNV-BLE_2M-Ant1-2480



NTNV-BLE_125K-Ant1-2402



NTNV-BLE_125K-Ant1-2440



NTNV-BLE_125K-Ant1-2480



NTNV-BLE_500K-Ant1-2402



NTNV-BLE_500K-Ant1-2440



NTNV-BLE_500K-Ant1-2480



Appendix C – The EUT Appearance

Refer to “Attachment 1: External Photograph” and “ Attachment 2: Internal Photograph” file.

Appendix D – Test Setup Photograph

Refer to “Attachment 5: RF Test Setup Photograph” file.

*****End of the Report*****