



Hildesheim

26 March 2018

From

Our Reference

Tel

Report

Topic **A-IVI Scope 2, Test concept AIVICMFB0**
Description Comparison lead variants and test concept

Product Type: Radio-Navigation-System

Model Names: AIVICMFB0

Brand: Robert Bosch Car Multimedia GmbH

From

Our Reference

Tel

Hildesheim
26 March 2018

Report

Topic A-IVI Scope 2, Test concept AIVICMFB0

Contend

1 Introduction and test concept.....3

2 Comparison.....3

2.1 Main PCBs.....3

2.2 SXM Module (all US / CAN variants)5

2.3 Switch PCBs5

Hildesheim

26 March 2018

From

Our Reference

Tel

Report

Topic

A-IVI Scope 2, Test concept AIVICMFB0

1 Introduction and test concept

The Model name **AIVICMFB0** covers different variants of a car multimedia systems with BT/WLAN functionality.

The lead variants are

NAV ROW for different markets

and

DA US for US and Canada market only.

Variant NAV ROW is used as surrogate for the product family AIVICMFB0. All tests are performed with test samples of this variant.

Variant DA US is used for additional worst case spot testing for radiated test.

2 Comparison

NAV ROW contains navigation functionality (route guidance based on GNSS reception).

DA US do not support route guidance (GNSS reception) but contains broadcast receiver for HD and SXM.

Synergies:

All PCB's are identical, only different insertion

BT/WLAN module and circuit including antennas are identical

SW is from one build and only configured to the different functions / regions

Differences in Insertion:

Circuit	DA US	NAV ROW
GNSS (SMD on mainboard)	No	Yes
DAB (SMD on mainboard)	No	Yes
XM (module on mainboard)	Yes	No
HD (SMD on mainboard)	Yes	No
Processor / RAM / eMMC	i.MX6 Dlite / 2x256MB / 8GB	i.MX6 Dlite / 2x256MB / 32GB
Gyro (SMD on mainboard)	No	Yes
AM / FM Frontends	1	3

Hildesheim
26 March 2018

From

Our Reference





Tel

Report

Topic A-IVI Scope 2, Test concept AIVICMFB0

2.1 Main PCBs

For all AIVICMFB0 variants main PCB 'D' is used.
Circuit and layout name / version: A-IVI_MB_D_V02

DA US	NAV ROW
Insertion for USA / CANADA with XM Tuner	Insertion for rest of world
	
Top side	Top side
	
Bottom side	Bottom side

Hildesheim

26 March 2018

From

Our Reference

Tel

Report

Topic

A-IVI Scope 2, Test concept AIVICMFB0

2.2 SXM Module (all US / CAN variants)



2.3 Switch PCBs

For all AIVICMFB0 variants switch PCB 'CMFB' is used.
Circuit and layout name / version: A-IVI_SB_CMF-B_V01
BT/WLAN module and antennas are placed on the switch PCB.

