







TX G mode CH06 (10 Harmonic of the frequency)




TX G mode CH11 (10 Harmonic of the frequency)




Test Mode :	TX N-20M Mode_ANT 1
-------------	---------------------




TX N-20M mode CH01





TX N-20M mode CH11






TX N-20M mode CH01 (10 Harmonic of the frequency)



TX N-20M mode CH06 (10 Harmonic of the frequency)



TX N-20M mode CH11 (10 Harmonic of the frequency)




Test Mode :	TX N-20M Mode_ANT 2
-------------	---------------------

TX N-20M mode CH01






TX N-20M mode CH11






TX N-20M mode CH01 (10 Harmonic of the frequency)



TX N-20M mode CH06 (10 Harmonic of the frequency)




TX N-20M mode CH11 (10 Harmonic of the frequency)



Test Mode :	TX N-40M Mode_ANT 1
--------------------	----------------------------



TX N-40M mode CH03





TX N-40M mode CH09






TX N-40M mode CH03 (10 Harmonic of the frequency)



TX N-40M mode CH06 (10 Harmonic of the frequency)



TX N-40M mode CH09 (10 Harmonic of the frequency)




Test Mode :	TX N-40M Mode_ANT 2
--------------------	----------------------------




TX N-40M mode CH03






TX N-40M mode CH09






TX N-40M mode CH03 (10 Harmonic of the frequency)



TX N-40M mode CH06 (10 Harmonic of the frequency)



TX N-40M mode CH09 (10 Harmonic of the frequency)



ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode :TX B Mode_CH01/06/11_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	2.00	1.58	8.00	Complies
2437	3.07	2.03	8.00	Complies
2462	1.09	1.29	8.00	Complies


TX CH01



TX CH06




TX CH11



Test Mode :TX B Mode_CH01/06/11_ANT 2

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-11.19	0.08	8.00	Complies
2437	-10.71	0.08	8.00	Complies
2462	-8.00	0.16	8.00	Complies

TX CH01



TX CH06



TX CH11




Test Mode :TX B Mode_CH01/06/11_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	2.20	1.66	8.00	Complies
2437	3.25	2.11	8.00	Complies
2462	1.59	1.44	8.00	Complies


Test Mode :TX G Mode_CH01/06/11_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-14.66	0.03	8.00	Complies
2437	-10.13	0.10	8.00	Complies
2462	-12.96	0.05	8.00	Complies


TX CH01



TX CH06




TX CH11




Test Mode :TX G Mode_CH01/06/11_ANT 2

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-15.40	0.03	8.00	Complies
2437	-11.36	0.07	8.00	Complies
2462	-12.99	0.05	8.00	Complies


TX CH01



TX CH06



TX CH11




Test Mode :TX G Mode_CH01/06/11_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-12.00	0.06	8.00	Complies
2437	-7.69	0.17	8.00	Complies
2462	-9.96	0.10	8.00	Complies


Test Mode : TX N-20M Mode_CH01/06/11_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-14.97	0.03	8.00	Complies
2437	-10.79	0.08	8.00	Complies
2462	-14.59	0.03	8.00	Complies


TX CH01



TX CH06




TX CH11




Test Mode : TX N-20M Mode_CH01/06/11_ANT 2

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-14.89	0.03	8.00	Complies
2437	-11.54	0.07	8.00	Complies
2462	-13.61	0.04	8.00	Complies


TX CH01



TX CH06



TX CH11




Test Mode : TX N-20M Mode_CH01/06/11_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-11.92	0.06	8.00	Complies
2437	-8.14	0.15	8.00	Complies
2462	-11.06	0.08	8.00	Complies


Test Mode : TX N-40M Mode_CH03/06/09_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-20.48	0.01	8.00	Complies
2437	-15.39	0.03	8.00	Complies
2452	-17.91	0.02	8.00	Complies


TX CH03



TX CH06




TX CH09




Test Mode : TX N-40M Mode_CH03/06/09_ANT 2

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-20.45	0.01	8.00	Complies
2437	-14.98	0.03	8.00	Complies
2452	-18.67	0.01	8.00	Complies


TX CH03



TX CH06



TX CH09




Test Mode : TX N-40M Mode_CH03/06/09_Total

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-17.45	0.02	8.00	Complies
2437	-12.17	0.06	8.00	Complies
2452	-15.26	0.03	8.00	Complies

APPENDIX – VERIFY DATA

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2452.000	72.51	31.20	103.71	74.00	29.71	peak	No Limit
2	*	2452.000	63.92	31.20	95.12	54.00	41.12	AVG	No Limit
3		2483.500	35.41	31.31	66.72	74.00	-7.28	peak	
4		2483.500	20.96	31.31	52.27	54.00	-1.73	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4904.000	60.09	-11.34	48.75	74.00	-25.25	peak	
2		4904.000	49.51	-11.34	38.17	54.00	-15.83	AVG	
3		9808.000	54.44	1.27	55.71	74.00	-18.29	peak	
4	*	9808.000	48.12	1.27	49.39	54.00	-4.61	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2452.000	71.21	31.20	102.41	74.00	28.41	peak	No Limit
2	*	2452.000	62.69	31.20	93.89	54.00	39.89	AVG	No Limit
3		2483.623	32.16	31.31	63.47	74.00	-10.53	peak	
4		2483.623	18.03	31.31	49.34	54.00	-4.66	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4904.000	64.23	-11.34	52.89	74.00	-21.11	peak	
2		4904.000	51.59	-11.34	40.25	54.00	-13.75	AVG	
3		9808.000	53.97	1.27	55.24	74.00	-18.76	peak	
4	*	9808.000	45.18	1.27	46.45	54.00	-7.55	AVG	