


CITROËN Connect Nav

Ref. 1948_038_002_2

CITROËN Connect Nav

Ref. 1948_038_001_3



GPS satellite navigation - Applications - Multimedia audio system - Bluetooth[®] telephone

Ref. 1724_051_002_7

Contents

- First steps [2](#)
- Steering mounted controls [3](#)
- Menus [4](#)
- Voice commands [5](#)
- Navigation [13](#)
- Connected navigation [15](#)
- Applications [18](#)
- Radio [23](#)
- DAB radio (Digital Audio Broadcasting) [24](#)
- Media [25](#)
- Telephone [27](#)
- Settings [31](#)
- Frequently asked questions [33](#)



Tip

The different functions and settings described vary according to the version and configuration of your vehicle.



WARNING

As a safety measure and because it requires sustained attention by the driver, the pairing of a Bluetooth mobile telephone with the Bluetooth hands-free system of your audio system must be done with the **vehicle stationary** and the ignition on.

**Tip**

The system is protected in such a way that it will only operate in your vehicle.

The display of the message **Energy Economy Mode** signals that a change to standby is imminent.

**Tip**

The link below gives access to OSS (Open Source Software) codes for the system.

<https://www.groupe-psa.com/fr/oss/>

<https://www.groupe-psa.com/en/oss/>

First steps

Ref. 1837_001_001_2

Ref. 1727_051_001_4



With the engine running, a press mutes the sound.

With the ignition off, a press turns the system on.

Increase or decrease the volume using the wheel or the "plus" or "minus" buttons (depending on the equipment).

Use the menu buttons on either side of or below the touch screen for access to the menus, then press the virtual buttons in the touch screen.

Depending on the model, use the "Source" or "Menu" buttons to access the menus, then press the virtual buttons in the touch screen.

You can display the menu at any time by pressing the screen briefly with three fingers.

All of the touch areas of the screen are white.

Press the back arrow to go back a level.

Press "OK" to confirm.

**WARNING**

The touch screen is of the "capacitive" type.

To clean the screen, use a soft, non-abrasive cloth (spectacles cloth) with no additional cleaning product.

Do not use sharp objects on the screen.

Do not touch the screen with wet hands.

Ref. 1725_062_001_4

Certain information is displayed permanently in the side bars or in the upper bar of the touch screen (depending on equipment):

- Reminder of the air conditioning information (depending on version), and direct access to the corresponding menu.
- Go directly to the selection of the audio source, to the list of radio stations (or list of titles depending on the source).
- Go to the "Notifications" of messages, emails, map updates and, depending on the services, the navigation notifications.
- Go to the settings for the touch screen and the digital instrument panel.



Selecting the sound source (depending on equipment):

- FM / DAB / AM radio stations (depending on equipment).
- Telephone connected via Bluetooth and multimedia broadcast Bluetooth (streaming).
- USB memory stick.
- Media player connected via the auxiliary socket (depending on equipment).
- CD Player (depending on equipment).
- Video (depending on equipment).

**Tip**

In the "Settings" menu you can create a profile for just one person or a group of people with shared interests, with the possibility of entering multiple settings (radio presets, audio settings, navigation history, contact favourites, etc.); these settings are taken into account automatically.

**Tip**

In very hot conditions, the volume may be limited to protect the system. It may go into standby (screen and sound off) for at least 5 minutes

The return to normal takes place when the temperature in the passenger compartment has dropped.

Steering mounted controls

Ref. 1845_004_001_2

Ref. 1748_030_002_5



Voice commands:

This control is located on the steering wheel or at the end of the lighting control stalk (depending on equipment).

Short press, system voice commands.

Long press, smartphone voice commands via the system.



Increase volume.



Mute / Restore the sound (depending on equipment).

Or

Mute by pressing the volume increase and decrease buttons simultaneously (depending on equipment).

Restore the sound by pressing one of the two volume buttons.



Decrease volume.



Media (short press): change the multimedia source.



Telephone (short press): start telephone call.

Call in progress (short press): access telephone menu.

Telephone (long press): reject an incoming call, end call; when no call is in progress, access telephone menu.



Radio (rotate): automatic search for the previous / next station.

Media (rotate): previous / next track, move through a list.

Short press: confirm a selection; if nothing selected, access to presets.

LIST

Radio: display the list of stations.

Media: display the list of tracks.

Radio (press and hold): update the list of stations received.

Menus

Ref. 1838_004_001_3

Connected navigation

Ref. 1727_052_003_3

Depending on equipment / Depending on version.



Enter navigation settings and choose a destination.

Use services available in real time, depending on equipment.



Applications

Ref. 1727_052_004_3

Depending on equipment / Depending on version.



Operate certain applications on a smartphone connected via CarPlay[®], MirrorLink[™] (available depending on the country) or Android Auto.

Check the state of the Bluetooth[®] and Wi-Fi connections.




Radio Media

Ref. 1727_052_005_3

Depending on equipment / Depending on version.



Select an audio source, a radio station, display photographs.




Telephone

Ref. 1727_052_006_3

Depending on equipment / Depending on version.



Connect a telephone via Bluetooth[®], read messages and emails and send quick messages.




Settings

Ref. 1727_052_007_3

Depending on equipment / Depending on version.



Configure a personal profile and/or configure the sound (balance, ambience, etc.) and the display (language, units, date, time, etc.).



Vehicle

Ref. 1727_052_008_3

Depending on equipment / Depending on version.



Activate, deactivate or configure certain vehicle functions.



Air conditioning

Ref. 1727_052_002_2

Depending on equipment / Depending on version.



Manage the different temperature and air flow settings.



Voice commands

Ref. 1845_005_001_2

Steering mounted controls

Ref. 1381_039_002_3



Pressing this button activates the voice commands function.



WARNING

To ensure that voice commands are always recognised by the system, please observe the following recommendations:

- **speak natural language in a normal tone without breaking up words or raising your voice.**
- always wait for the "beep" (audible signal) before speaking.
- for optimum operation, it is recommended that the windows and sunroof are closed to avoid exterior interference (depending on version),
- before making a voice command, ask other passengers not to speak.

First steps

Ref. 1381_033_002_3



Example of a "voice command" for navigation:

"Navigate to address 11 Regent Street, London"

Example of a "voice command" for the radio and media:

"Play artist Madonna"

Example of a "voice command" for the telephone:

"Call David"



WARNING

The voice commands, with a choice of 17 languages (Arabic, Brazilian, Czech, Danish, Dutch, English, Farsi, French, German, Italian, Norwegian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish), are made using the language previously chosen and set in the system.

For some voice commands, there are alternative synonyms.

Example: Guide to / Navigate to / Go to / ...

The voice commands in Arabic for: "Navigate to address" and "Display POI in the city", are not available.

Information - Using the system

Ref. 1381_034_001_2

**Tip**

Press the Push To Talk voice control button and tell me what you'd like after the tone. Remember you can interrupt me at any time by pressing this button. If you press it again while I'm waiting for you to speak, it'll end the conversation. If you need to interrupt the action in progress, say "cancel". If you want to undo something and start over, say "undo". To get information and tips at any time, just say "help". If you ask to me do something and there's some information missing that I need, I'll give you some examples or take you through it step by step. There's more information available in "novice" mode. You can set the dialogue mode to "expert" when you feel comfortable.



When the voice commands are activated, by briefly pressing the button help is displayed on the touchscreen, offering various menus and allowing you to interact with system by voice.



Upon selecting a menu item you have a choice of commands.



Global voice commands

Ref. 1381_031_002_2

**Tip**

These commands can be made from any screen page after pressing the "Voice commands" button located on the steering wheel, as long as there is no telephone call in progress.

 Voice commands	 Help messages
	There are lots of topics I can help you with. You can say: "help with phone", "help with navigation", "help with media" or "help with radio". For an overview on how to use voice controls, you can say "help with voice controls".
	Say "yes" if I got that right. Otherwise, say "no" and we'll start that again.
Set dialogue mode as expert - novice	
Select profile 1 / Select profile John	
Increase temperature	
Decrease temperature	

"Navigation" voice commands

Ref. 1381_035_002_2



Tip

These commands can be made from any screen page after pressing the "Voice commands" button located on the steering wheel, as long as there is no telephone call in progress.

 Voice commands	 Help messages
Navigate home	To start guidance, say "navigate to" and then the address, the contact name, or the intersection. For example, "navigate to address 11 Regent Street, London", "navigate to contact, John", or "navigate to intersection with Regent Street, London". You can specify if it's a preferred address or a point of interest. For example, "navigate to preferred destination, Tennis club", "navigate to point of interest, Heathrow Airport", or just say, "navigate home". To see points of interest on a map, you can say things like "show point of interest hotels in Banbury" or "show point of interest nearby petrol stations". For more information, say "point of interest" or "help with route guidance". To choose a destination, say "guide to line three" or "select the second line". If you cannot find the destination but the street is correct, say, for example, "select street line three". To move
Navigate to work	
Navigate to preferred destination, Tennis Club	
Navigate to contact John	
Navigate to address 11 Regent Street, London	

 Voice commands	 Help messages
	around the list, say "next page" or "previous page". You can go back and start over by saying "undo", or say "cancel" to interrupt the current action.
What is the remaining distance?	You can say "deactivate" or "resume navigation". You can get information about your route by saying, for example, "remaining time", "remaining distance" or "arrival time". Say "help navigation" to learn more.
What is the remaining time?	
What is the time of arrival?	
Stop navigation	
Display point of interest	To display the POIs on the map, you can say "view point of interest hotel in Liverpool", "display point of interest parking nearby", "display point of interest hotel at destination" or "display point of interest service stations on the route". If you prefer to navigate directly to a point of interest, say "guide to point of interest service station nearby". If you feel that you have not been correctly understood, try to say the keyword "point of interest" before the point of interest. For example, say "navigate point of interest restaurant at the destination". To choose a point of interest, say "select the second line". If you are looking for a point of interest and you do not find it in the list, you can filter it by saying "select the POI type line 2" or "select city line three". To move around the list, say "next page" or "previous page".
Display point of interest service station nearby	
Navigate to point of interest Heathrow Airport in London	
Navigate to point of interest service station on the route	

**Tip**

Depending on the country, give the destination instructions (address) in the language used by the system.

"Radio Media" voice commands

Ref. 1381_036_002_2

**Tip**

These commands can be made from any screen page after pressing the "Voice commands" button located on the steering wheel, as long as there is no telephone call in progress.

 Voice commands	 Help messages
Turn on radio source - Bluetooth Streaming - ...	To select an audio source, say "turn on source" followed by the device name. For example, "turn on source, Bluetooth" or "turn on source, radio". Use the command "play" or "listen to" to select the type of music you'd like to hear. You can choose by "song", "artist", or "album". Just say "play artist, Madonna", "play song, Hey Jude", or "play album, Thriller".
Tune to channel Talksport	You can pick a radio station by saying "tune to" and the station name or frequency. For example "tune to channel Talksport" or "tune to 98.5 FM". To listen to a preset radio station, say, for example "tune to preset number five".
Listen to 98.5 FM / Set to 98.5 FM	
Listen to memory five	
What are we listening to?	To choose what you want to listen to, say "listen to" followed by your choice. For example, say "listen to the title Hey Jude", "listen to line 3" or "select line 2". You can go back and start over by saying "undo", or say "cancel" to interrupt the current action.
Listen to title Let it be	I did not understand what you want to listen to. Say "listen" followed by the name of a title, artist, or album. Say, for example, "listen to title Yellow Submarine", "listen to artist Madonna" or "listen to album Abbey Road". You can also say "select line two". To move around the list, say "next page" or "previous page". You can go back and start over by saying "undo", or say "cancel" to interrupt the current action.
Play artist Madonna	
Play album Thriller	


Tip

Media voice commands are available only for a USB connection.

"Telephone" voice commands

Ref. 1381_037_002_3


Tip

These commands can be made from any screen page after pressing the "Voice commands" button located on the steering wheel, as long as there is no telephone call in progress.

If there is no telephone connected by Bluetooth, a voice message announces: "Please first connect a telephone", and the voice session will be closed.

 Voice commands	 Help messages
Call contact John	To make a phone call, say "call" followed by the contact name, for example: "Call David Miller". You can also include the phone type, for example: "Call David Miller at home". To make a call by number, say "dial" followed by the phone number, for example, "Dial 107776 835 417". You can check your voicemail by saying "call voicemail". To send a text, say "send quick message to", followed by the contact, and then the name of the quick message you'd like to send. For example, "send quick message to David Miller, I'll be late". To display the list of calls, say "display calls". For more information on SMS, you can say "help with texting". To select a contact, say, for example, "select line three". You can browse the list by saying "next page" or "previous page". To undo your selection, say "undo". To cancel the current action and start again, say "cancel".
Call voicemail*	
Display calls*	

"Text message" voice commands

Ref. 1381_038_002_3



Tip

These commands can be made from any screen page after pressing the "Voice commands" button located on the steering wheel, as long as there is no telephone call in progress.

If there is no telephone connected by Bluetooth, a voice message announces: "Please first connect a telephone", and the voice session will be closed.



Tip

The voice commands function "Text messages" allows you to dictate and send an SMS.

Dictate your text taking care to make a short pause between each word.

At the end of the operation, the voice recognition system will automatically create an SMS.

 Voice commands	 Help messages
Send quick message to John, I'll be late	You can send a quick message by specifying the name of the recipient. To move around the list, say "go to the start", "go to the end", "next page" or "previous page". You can go back and start

 Voice commands	 Help messages
	over by saying "undo", or say "cancel" to interrupt the current action.
Send an SMS to John, I've just arrived	Please say "call" or "send quick message to", and then select a line from the list. To move around a list shown in the display, you can say "go to start", "go to end", "next page" or "previous page". To undo your selection, say "undo". To cancel the current action and start over, say "cancel".
Send an SMS to John at work, do not wait for me	
Listen to most recent message	To hear the last message, say "listen to most recent message". When you want to send a text, there's a set of quick messages ready for you to use. Just use the quick message name and say "send quick message to Bill Carter, I'll be late", for example. Check the phone menu for the list of the supported messages.

**Tip**

The system only sends pre-recorded "Quick messages".

Navigation

Ref. 1839_002_001_2

Choice of a destination

Ref. 1922_020_003_1

To a new destination

Ref. 1922_020_004_3



Press **Navigation** to display the primary page.

Press the **"MENU"** button to go to the secondary page.



Select **"Enter address"**.



Select the **"Country"**.



Enter the "**City**", the "**Street**" and the "**Number**" and confirm by pressing on the suggestions displayed.

OK

Press "**OK**" to select the "**Guidance criteria**".

And / Or



Select "**See on map**" to select the "**Guidance criteria**".

OK

Press "**OK**" to start navigation.



Tip

Zoom out / zoom in using the touch buttons or with two fingers on the screen.



Tip

In order to be able to use the navigation, it is necessary to fill in the "**City**", the "**Street**" and the "**Number**" on the virtual keyboard or take it from the list in "**Contact**" or in the "**History**" of addresses.



Tip

Without confirmation of the street number, you will be guided to one end of the street.

To a recent destination

Ref. 1922_021_002_3



Press **Navigation** to display the primary page.

Press the "**MENU**" button to go to the secondary page.



Select "**My destinations**".

Select the "**Recent**" tab.

Select the address chosen in the list to display the "**Guidance criteria**".

OK

Press **"OK"** to start navigation.



Tip

Select **"Position"** to visualise the arrival point geographically.

To **"My home"** or **"My work"**

Ref. 1922_023_001_4



Press **Navigation** to display the primary page.

Press the **"MENU"** button to go to the secondary page.



Select **"My destinations"**.

Select the **"Preferred"** tab.



Select **"My home"**.

Or



Select **"My work"**.

Or

Select a preset favourite destination.

To a contact in the directory

Ref. 1922_024_001_4



Press **Navigation** to display the primary page.

Press the **"MENU"** button to go to the secondary page.



Select **"My destinations"**.

Select the **"Contact"** tab.

Select a contact in the list to start navigation.

To points of interest (POI)

Ref. 1922_025_002_3

Points of Interest (POI) are listed in different categories.



Press **Navigation** to display the primary page.

Press the **"MENU"** button to go to the secondary page.



Select **"Points of interest"**.



Select the **"Travel"**, or **"Leisure"** or **"Commercial"** or **"Public"** or **"Geographic"** tab.

Or



Select **"Search"** to enter the name and address of a POI.

OK

Press **"OK"** to start calculation of the route.

To a point on the map

Ref. 1922_026_001_4



Press **Navigation** to display the primary page.

Explore the map by sliding a finger on the screen.

Select the destination by pressing on the map.



Tap the screen to place a marker and display the sub-menu.



Press this button to start navigation.

Or



Press this button to save the address displayed.



Tip

A long press on an item opens a list of POIs nearby.

To GPS coordinates

Ref. 1922_027_002_3



Press **Navigation** to display the primary page.

Explore the map by sliding a finger on the screen.

Touch the screen with a finger to go to the next image.



Press this button to display the world map.

Using the grid, select by zoom the desired country or region.



Press this button to display or enter the GPS coordinates.



A marker is displayed in the middle of the screen, with the "**Latitude**" and "**Longitude**" coordinates.

Choose the type of coordinates:

DMS for: Degrees, Minutes, Seconds.

DD for: Degrees, Decimals.



Press this button to start navigation.

Or



Press this button to save the address displayed.

OR



Press this button to enter the value for "**Latitude**" using the virtual keypad.

And



Press this button to enter the value for "**Longitude**" using the virtual keypad.

TMC (Traffic Message Channel)

Ref. 1735_010_002_1



Tip

TMC (Traffic Message Channel) messages are linked to a European standard on the broadcasting of traffic information via the RDS system on FM radio, transmitting traffic information in real time.

The TMC information is then displayed on a GPS Navigation system map and taken into account straight away during navigation, so as to avoid accidents, traffic jams and closed roads.



Tip

The display of danger zones depends on the legislation in force and subscription to the service.

Connected navigation

Ref. 1940_012_001_2

Ref. 1941_029_004_1

Depending on version

Depending on the equipment level of the vehicle

Network connection provided by the vehicle

Ref. 1941_029_005_1



OR

Network connection provided by the user

Ref. 1941_029_006_2



Tip

For the list of eligible smartphones, go to the brand's internet website in your country.



Connected navigation connection

Ref. 1941_030_004_1



WARNING

As a safety measure and because it requires sustained attention by the driver, using a smartphone when driving is prohibited.

All operations must be done with the **vehicle stationary**.



Tip

For access to connected navigation, you can use the connection provided by the vehicle via the "Emergency or assistance call" services or use your smartphone as a modem.

Activate and enter settings for sharing the smartphone connection.

Network connection provided by the vehicle

Ref. 1941_030_005_1



The system is automatically connected to the modem included for the "Emergency or assistance calls" services and does not require a connection provided by the user via their smartphone.

Network connection provided by the user

Ref. 1941_030_006_3

USB connection



Connect a USB cable.

The smartphone charges when connected by a USB cable.

Bluetooth connection



Activate the Bluetooth function on the telephone and ensure that it is visible to all (see the "Applications" section).

Wi-Fi connection



Select a Wi-Fi network found by the system and connect.

**Tip**

This function is only available if it has been activated either via the "Notifications" or via the "Applications" menu.



Press "**Notifications**".



Select Wi-Fi to activate it.

OR



Press **Applications** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Wi-Fi network connection**".



Select the "**Secured**" or "**Not secured**" or "**Stored**" tab.



Select a network.



Using the virtual keypad, enter the "**Key**" for the Wi-Fi network and the "**Password**".

OK

Press "**OK**" to start the connection.

**Tip**

Restrictions of use:

- With CarPlay[®], connection sharing is only with a Wi-Fi connection.
- With MirrorLink[™], connection sharing is only with a USB connection.

The quality of services depends on the quality of the network connection.



With the arrival of "TOMTOM TRAFFIC", the services are available.

**Tip**

The services offered with connected navigation are as follows.

A Connected Services pack:

- Weather,
- Filling stations,
- Car park,
- Traffic,
- POI local search.

A Danger zone pack (option).

**Tip**

The principles and standards are constantly changing; for the communication process between the smartphone and the system to work correctly, we recommend that you **update the operating system of the smartphone as well as the date and time of the smartphone and the system.**

Settings specific to connected navigation

Ref. 1880_021_001_4

**Tip**

In the "Settings" menu you can create a profile for just one person or a group of people with shared interests, with the possibility of entering multiple settings (radio presets, audio settings, navigation history, contact favourites, etc.); these settings are taken into account automatically.



Press **Navigation** to display the primary page.

Press the **"MENU"** button to go to the secondary page.



Select **"Settings"**.

Select **"Map"**.



Activate or deactivate:

- **"Allow declaration of danger zones"**.

- **"Guidance to final destination on foot"**

These settings must be made according to each profile.

Select **"Alerts"**.



Activate or deactivate **"Advise of car parks nearby"**.



Activate or deactivate **"Filling station alert"**.



Activate or deactivate **"Risk areas alert"**.



Next, select this button.



Activate: **"Safety zones alert"**



Activate: **"Give an audible warning"**



Activate or deactivate **"Advise of POI 1 nearby"**.



Activate or deactivate **"Advise of POI 2 nearby"**.



WARNING

For access to connected navigation, you must select the option: **"Authorise sending information"** in "Settings".



Tip

You can access the "Notifications" at any time in the top bar.



Tip

The display of danger zones depends on the legislation in force and subscription to the service.

Declaration of "Danger zones"

Ref. 1880_026_002_3



WARNING

To distribute information on the declaration of danger zones, you should check the option:
"Allow declaration of danger zones".



Press **Navigation** to display the primary page.



Press the **"Declare a new danger zone"** button located in the side bars or the upper bar of the touch screen (depending on equipment).



Select the option **"Type"** to choose the type of "danger zone".



Select the **"Speed"** option and enter it using the virtual keypad.

OK

Press **"OK"** to save and distribute the information.

Authorize sending information

Ref. 1880_022_002_1



Press **Settings** to display the primary page.

Press the **"OPTIONS"** button to go to the secondary page.



Select **"System settings"**.



Select the **"Privacy mode"** tab.



Activate or deactivate:

- "Activating privacy mode".
- "Deactivating geolocation data"
- "Deactivating privacy mode"

"Danger zones" pack updates

Ref. 1880_022_001_3



Press **Settings** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**System settings**".



Select the "**System info**" tab.



Select "**View**" to display the versions of the different modules installed in the system.



Select "**Update(s) due**".



Tip

You can download the system and map updates from the Brand's website.

The update procedure can also be found on the website.



Tip

Once you have downloaded the updates, the installation on the vehicle must be done with the engine running and vehicle stationary.

Display the weather

Ref. 1880_020_001_4



Press **Navigation** to display the primary page.



Press this button to display the list of services.



Select "**View map**".



Select "**Weather**".



Press this button to display primary information.



Press this button to display the detailed weather information.



Tip

The temperature displayed at 6 a.m. will be the maximum temperature for the day.

The temperature displayed at 6 p.m. will be the minimum temperature for the night.

Applications

Ref. 1839_004_001_2

Connectivity

Ref. 1921_032_001_3



Press **Applications** to display the primary page.

Press "**Connectivity**" to go to the **CarPlay**[®], **MirrorLink**[™] or **Android Auto** functions.

CarPlay[®] smartphone connection

Ref. 1941_043_001_3

**WARNING**

As a safety measure and because it requires sustained attention by the driver, using a smartphone when driving is prohibited.

All operations must be done with the **vehicle stationary**.

**Tip**

The synchronisation of a personal smartphone allows users to display applications compatible with the smartphone's CarPlay[®] technology on the vehicle screen when the smartphone's CarPlay[®] function has been previously activated.

As the principles and standards are constantly changing, **it is recommended that you keep your smartphone's operating system updated**.

For the list of eligible smartphones, go to the brand's internet website in your country.



Connect a USB cable. The smartphone charges when connected by a USB cable.



Press on **"Telephone"** to display the CarPlay[®] interface.

Or



Connect a USB cable. The smartphone charges when connected by a USB cable.



From the system, press **"Applications"** to display the primary page.

Press **"Connectivity"** to go to the CarPlay[®] function.



Press **"CarPlay"** to display the CarPlay[®] interface.

**Tip**

On connecting the USB cable, the CarPlay[®] function deactivates the system's Bluetooth[®] mode.

MirrorLink[™] smartphone connection

Ref. 1941_044_001_3

Available depending on the country of sale.

**WARNING**

As a safety measure and because it requires sustained attention by the driver, using a smartphone when driving is prohibited.

All operations must be done with the **vehicle stationary**.

**Tip**

The synchronisation of a personal smartphone allows users to display applications adapted for the smartphone's MirrorLink™ technology on the vehicle screen.

The principles and standards are constantly changing, for the communication process between the smartphone and the system to operate, it is essential that the smartphone is unlocked; **update the operating system of the smartphone as well as the date and time of the smartphone and the system**.

For the list of eligible smartphones, go to the brand's internet website in your country.

**WARNING**

As a safety measure, applications can only be viewed with the vehicle stationary; display is interrupted once the vehicle is moving.

**Tip**

The **MirrorLink™** function requires the use of a compatible smartphone and applications.



When connecting a smartphone to the system, it is recommended that Bluetooth® is started on the smartphone



Connect a USB cable. The smartphone charges when connected by a USB cable.



From the system, press "**Applications**" to display the primary page.

Press "**Connectivity**" to go to the MirrorLink™ function.



Press "**MirrorLink™**" to start the application in the system.

Depending on the smartphone, it may be necessary to activate the "**MirrorLink™**" function.

OK

During the procedure, several screen pages relating to certain functions are displayed.

Accept to start and complete the connection.

Once the connection is established, a page is displayed with the applications already downloaded to your smartphone and adapted to MirrorLink™ technology.

Access to the different audio sources remains accessible in the margin of the MirrorLink™ display, using touch buttons in the upper bar.

Access to the menus for the system is possible at any time using the dedicated buttons.

**Tip**

There may be a wait for the availability of applications, depending on the quality of your network.

Android Auto smartphone connection

Ref. 1941_045_001_2

**WARNING**

As a safety measure and because it requires sustained attention by the driver, using a smartphone when driving is prohibited.

All operations must be done with the **vehicle stationary**.

**Tip**

The synchronisation of a personal smartphone allows users to display applications adapted for the smartphone's Android Auto technology on the vehicle screen.

The principles and standards are constantly changing, for the communication process between the smartphone and the system to operate, it is essential that the smartphone is unlocked; **update the operating system of the smartphone as well as the date and time of the smartphone and the system**.

For the list of eligible smartphones, go to the brand's internet website in your country.

**WARNING**

As a safety measure, applications can only be viewed with the vehicle stationary; display is interrupted once the vehicle is moving.

**Tip**

The **"Android Auto"** function requires the use of a compatible smartphone and applications.



Connect a USB cable. The smartphone charges when connected by a USB cable.



From the system, press **"Applications"** to display the primary page.

Press **"Connectivity"** to go to the Android Auto function.



Press "**Android Auto**" to start the application in the system.

OK

During the procedure, several screen pages relating to certain functions are displayed.

Accept to start and complete the connection.

Different audio sources remain accessible in the margin of the Android Auto display, using touch buttons in the upper bar.

Access to the menus for the system is possible at any time using the dedicated buttons.



Tip

In Android Auto mode, the function to display the menu by pressing the screen briefly with three fingers is deactivated.



Tip

There may be a wait for the availability of applications, depending on the quality of your network.

Vehicle apps

Ref. 1921_033_001_3



Press **Applications** to display the primary page.

Press "**Vehicle Apps**" to display the applications home page.

Internet Browser

Ref. 1921_031_001_3



Press **Applications** to display the primary page.

Press "**Connectivity**" to go to the "**Internet Browser**" function.

Press "**Internet Browser**" to display the browser home page.



Select your country of residence.

OK

Press "**OK**" to save and start the browser.

**Tip**

Connection to the internet is via one of the network connections provided by the vehicle or the user.

Bluetooth connection[®]

Ref. 1742_025_005_1

**WARNING**

As a safety measure and because they require prolonged attention on the part of the driver, the operations for pairing of the Bluetooth mobile telephone with the Bluetooth hands-free system of your audio system must be carried out with the **vehicle stationary** and the ignition on.

**Tip**

Activate the Bluetooth function on the telephone and ensure that it is "visible to all" (telephone configuration).

Procedure from the telephone

Ref. 1742_025_006_1



Select the system name in the list of devices detected.

In the system, accept the connection request from the telephone.

**WARNING**

To complete the pairing, whichever procedure used (from the telephone or from the system), ensure that the code is the same in the system and in the telephone.

Procedure from the system

Ref. 1742_025_007_3



Press **Applications** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Press "**Bluetooth connection**".



Select "**Search**".

The list of telephones detected is displayed.

**Tip**

If the pairing procedure fails, it is recommended that you deactivate and then reactivate the Bluetooth function in your telephone.



Select the name of the chosen telephone in the list.

**Tip**

Depending on the type of telephone, you may be asked to accept or not the transfer of your contacts and messages.

Connection sharing

Ref. 1742_025_008_1

The system offers to connect the telephone with 3 profiles:

- **"Telephone"** (hands-free kit, telephone only),
- **"Streaming"** (streaming: wireless playing of the audio files on the telephone),
- **"Mobile internet data"**.

**Tip**

The **"Mobile internet data"** profile must be activated for connected navigation (where the vehicle does not have "Emergency and assistance call" services), having first activated sharing of this connection on your smartphone.



Select one or more profiles.

OK

Press **"OK"** to confirm.

Wi-Fi connection

Ref. 1742_026_002_3

Network connection via the smartphone's Wi-Fi.



Press **Applications** to display the primary page.

Press the **"OPTIONS"** button to go to the secondary page.



Select **"Wi-Fi network connection"**.



Select the "**Secured**" or "**Not secured**" or "**Stored**" tab.



Select a network.



Using the virtual keypad, enter the "**Key**" for the Wi-Fi network and the "**Password**".

OK

Press "**OK**" to start the connection.



Tip

The Wi-Fi connection and the sharing of the Wi-Fi connection are exclusive.

Wi-Fi connection sharing

Ref. 1742_029_002_3

Creation of a local Wi-Fi network by the system.



Press **Applications** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Share Wi-Fi connection**".

Select the "**Activation**" tab to activate or deactivate sharing of the Wi-Fi connection.

And / Or

Select the "**Settings**" tab to change the name of the system network and the password.

OK

Press "**OK**" to confirm.



Tip

To protect against unauthorised access and to make your systems as secure as possible, the use of a complex security code or password is recommended.

Manage connections

Ref. 1742_030_002_3



Press **Applications** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Manage connection**".

With this function you can view the access to connected services, the availability of connected services and modify the connection mode.

Radio

Ref. 1358_041_003_2

Selecting a station

Ref. 1358_041_004_3



Press **Radio Media** to display the primary page.

Press "**Frequency**".



Press one of the buttons for an automatic search for radio stations.

Or



Move the cursor for a manual search for frequencies up or down.

Or



Press **Radio Media** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Radio stations**" in the secondary page.

Press "**Frequency**".



Enter the values using the virtual keypad.

First enter the units then click on the decimals zone to enter the figures after the decimal point.

OK

Press "**OK**" to confirm.



WARNING

Radio reception may be affected by the use of electrical equipment not approved by the Brand, such as a USB charger connected to the 12 V socket.

The exterior environment (hills, buildings, tunnels, basement car parks, etc.) may block reception, including in RDS mode. This is a normal effect of the way in which radio waves are transmitted and does not indicate any failure of the audio equipment.

Presetting a station

Ref. 1876_007_002_2

Select a radio station or frequency.

(refer to the corresponding section)

Press "**Presets**".



Make a long press on one of the buttons to preset the station.

Changing waveband

Ref. 1875_011_003_1



Press **Radio Media** to display the primary page.

To change the waveband, press "Band..." displayed at the top right of the screen.

Activate / Deactivate the RDS

Ref. 1737_011_002_3



Press **Radio Media** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Radio settings**".

Select "**General**".



Activate / Deactivate "**Station tracking**".

OK

Press "**OK**" to confirm.



Tip

RDS, if activated, enables you to continue listening to the same station by automatically retuning to alternative frequencies. However, in certain conditions, coverage of this RDS station may not be assured throughout the entire country as radio stations do not cover 100% of the territory. This explains the loss of reception of a station during a journey.

Display text information

Ref. 1737_012_002_3



Tip

The "Radio Text" function allows information transmitted by the radio station and related to the station or the song playing to be displayed.



Press **Radio Media** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Radio settings**".

Select "**General**".



Activate / Deactivate "**Display radio text**".

OK

Press "**OK**" to confirm.

Play TA messages

Ref. 1737_013_002_1



WARNING

The TA (Traffic Announcement) function gives priority to TA alert messages. To operate, this function needs good reception of a radio station that carries this type of message. While traffic information is being broadcast, the current media is automatically interrupted so that the TA message can be heard. Normal play of the media previously playing is resumed at the end of the message.

Select "**Announcements**".



Activate / Deactivate "**Traffic announcement**".

OK

Press "**OK**" to confirm.

DAB (Digital Audio Broadcasting) radio

Ref. 1504_042_002_2

Terrestrial Digital Radio

Ref. 1504_042_003_3



WARNING

Digital radio provides higher quality reception.

The various "multiplex/set" offer a choice of radio stations arranged in alphabetical order.



Press **Radio Media** to display the primary page.

Press "Band..." at the top right of the screen to display the **DAB** waveband.

DAB-FM tracking

Ref. 1504_043_002_3



Tip

DAB does not cover 100% of the territory.

When the digital radio signal is poor, "DAB-FM tracking" allows you to continue listening to the same station, by automatically switching to the corresponding FM analogue station (if there is one).



Press **Radio Media** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Radio settings**".

Select "**General**".



Activate / Deactivate "**FM-DAB Tracking**".



Activate / Deactivate "**Station tracking**".

OK

Press "**OK**".



Tip

If "DAB-FM tracking" is activated, there is a difference of a few seconds when the system switches to FM analogue radio with sometimes a variation in volume.

Once the digital signal quality is restored, the system automatically changes back to DAB.



WARNING


If the DAB station being listened to is not available on FM ("**DAB-FM**" option greyed out), or "DAB-FM tracking" is not activated, the sound will cut out while the digital signal is too weak.

Media

Ref. 1739_025_003_2

USB port

Ref. 1739_025_004_2



Insert the USB memory stick in the USB port or connect the USB device to the USB port using a suitable cable (not supplied).

**WARNING**

To protect the system, do not use a USB hub.

The system builds playlists (in temporary memory), an operation which can take from a few seconds to several minutes at the first connection.


Reduce the number of non-music files and the number of folders to reduce the waiting time.

The playlists are updated every time the ignition is switched off or a USB memory stick is connected. The lists are memorised: if they are not modified, the subsequent loading time will be shorter.

Auxiliary socket (AUX)

Ref. 1740_018_002_3

Depending on equipment



This source is only available if "Auxiliary input" has been checked in the audio settings.

Connect the portable device (MP3 player, etc.) to the jack socket using an audio cable (not supplied).

First adjust the volume of your portable device (to a high level). Then adjust the volume of your audio system.

Operation of controls is via the portable device.

CD player

Ref. 1739_027_001_3

Depending on equipment

Insert the CD in the player.

Selecting the source

Ref. 1739_028_001_3



Press **Radio Media** to display the primary page.

Select "**Source**".

Choose the source.

Watch a video

Ref. 1739_028_004_1

**WARNING**

For safety reasons and because of required sustained attention of the driver, viewing a video is only possible when the **vehicle is stopped** and the ignition is switched on; as soon as movement resumes, the video stops.

Insert a USB memory stick in the USB port.

**Tip**

Video control commands are accessible only through the touchscreen.



Press **Radio Media** to display the primary page.

Select "**Source**".



Select **Video** to start the video.



To remove the USB memory stick, press the pause button to stop the video, then remove the memory stick.

Bluetooth[®] audio streaming

Ref. 1802_023_002_1

Streaming allows you to listen to music from your smartphone.

The Bluetooth profile must be activated, first adjust the volume on your portable device (to a high level).

Then adjust the volume of your audio system.

If play does not start automatically, it may be necessary to start the audio playback from the telephone.

Control is from the portable device or by using the system's touch buttons.

**WARNING**

Once connected in streaming mode, the telephone is considered to be a media source.

Connecting Apple[®] players

Ref. 1892_009_001_1

Connect the Apple[®] player to the USB port using a suitable cable (not supplied).

Play starts automatically.

Control is via the audio system.

**Tip**

The classifications available are those of the portable device connected (artists / albums / genres / playlists / audiobooks / podcasts).

The default classification used is by artists. To modify the classification used, return to the first level of the menu then select the desired classification (playlists for example) and confirm to go down through the menu to the desired track.

The version of software in the audio system may not be compatible with the generation of your Apple[®] player.

Information and advice

Ref. 1738_019_002_2

**WARNING**

The system supports USB mass storage devices, BlackBerry[®] devices or Apple[®] players via USB ports. The adapter cable is not supplied.

Device management is done by the audio system controls.

Other peripherals, not recognised on connection, must be connected to the auxiliary socket using a Jack cable (not supplied) or via Bluetooth streaming, depending on compatibility.

**WARNING**

To protect the system, do not use a USB hub.

The audio equipment will only play audio files with ".wma", ".aac", ".flac", ".ogg" and ".mp3" file extensions and with a bitrate of between 32 Kbps and 320 Kbps.

It also supports VBR (Variable Bitrate) mode.

No other file types (.mp4, etc.) can be played.

Files of the ".wma" type should be to the wma 9 standard.

The sampling rates supported are 32, 44 and 48 kHz.

To avoid any playback or display issues, it is advisable to create file names that have less than 20 characters and without using any special characters (e.g.: « ? . ; ù).

Use only USB memory sticks in FAT32 format (File Allocation Table).

**Tip**

It is recommended that the original USB cable for the portable device is used.

CD player (depending on equipment).

In order to be able to play a burned CDR or CDRW, select ISO 9660 level 1, 2 or Joliet standards if possible when burning the CD.

If the disc is burned in another format, it may not be played correctly.

It is recommended that the same burning standard is always used on an individual disc, with the lowest speed possible (4x maximum) for the best acoustic quality.

In the particular case of a multi-session CD, the Joliet standard is recommended.

Telephone

Ref. 1843_009_001_2

Pairing a Bluetooth® telephone

Ref. 1742_027_005_1



WARNING

As a safety measure and because it requires sustained attention by the driver, the pairing of a Bluetooth mobile telephone with the Bluetooth hands-free system of your audio system must be done with the **vehicle stationary** and the ignition on.



Tip

Activate the Bluetooth function on the telephone and ensure that it is "visible to all" (telephone configuration).

Procedure from the telephone

Ref. 1742_027_006_1



Select the system name in the list of devices detected.

In the system, accept the connection request from the telephone.



WARNING

To complete the pairing, whichever procedure used (from the telephone or from the system), ensure that the code is the same in the system and in the telephone.

Procedure from the system

Ref. 1742_027_007_4



Press **Telephone** to display the primary page.



Press "**Bluetooth search**".

Or



Select "**Search**".

The list of telephones detected is displayed.

**Tip**

If the pairing procedure fails, it is recommended that you deactivate and then reactivate the Bluetooth function in your telephone.



Select the name of the chosen telephone in the list.

Connection sharing

Ref. 1742_027_008_1

The system offers to connect the telephone with 3 profiles:

- **"Telephone"** (hands-free kit, telephone only),
- **"Streaming"** (streaming: wireless playing of the audio files on the telephone),
- **"Mobile internet data"**.

**Tip**

Activation of the profile; **"Mobile internet data"** is obligatory for connected navigation having first activated sharing of this connection on your smartphone.



Select one or more profiles.

OK

Press **"OK"** to confirm.

**Tip**

Depending on the type of telephone, you may be asked to accept or not the transfer of your contacts and messages.

Automatic reconnection

Ref. 1742_028_002_3

**Tip**

On return to the vehicle, if the last telephone connected is present again, it is automatically recognised and within around 30 seconds after switching on the ignition the pairing is done without any action on your part, (Bluetooth activated).

To modify the connection profile:



Press **Telephone** to display the primary page.

Press the **"OPTIONS"** button to go to the secondary page.



Select **"Bluetooth connection"** to display the list of paired devices.



Press the "details" button.



Select one or more profiles.

OK

Press **"OK"** to confirm.



WARNING

The ability of the system to connect to just one profile depends on the telephone.

All three profiles may connect by default.



WARNING

The available services depend on the network, SIM card, and the devices' Bluetooth compatibility. Consult your telephone's manual and your operator to find out which services are available to you.



Tip

The profiles compatible with the system are: HFP, OPP, PBAP, A2DP, AVRCP, MAP and PAN.

Go to the Brand's website for more information (compatibility, additional help, etc.).

Managing paired telephones

Ref. 1361_032_001_4



Tip

This function allows the connection or disconnection of a peripheral device as well as the deletion of a pairing.



Press **Telephone** to display the primary page.

Press the **"OPTIONS"** button to go to the secondary page.



Select "**Bluetooth connection**" to display the list of paired devices.



Press on the name of the telephone chosen in the list to disconnect it.

Press again to connect it.

Deleting a telephone

Ref. 1361_032_002_1



Select the basket at top right of the screen to display a basket alongside the telephone chosen.



Press the basket alongside the telephone chosen to delete it.

Receiving a call

Ref. 1743_022_001_3

An incoming call is announced by a ring and a superimposed display in the screen.



Make a short press on the steering mounted telephone button to accept an incoming call.

And



Make a long press



on the steering mounted telephone button to reject the call.

Or



Select "**End call**" on the touch screen.

Making a call

Ref. 1744_040_001_1

**WARNING**

Using the telephone is not recommended while driving.

Park the vehicle.

Make the call using the steering mounted controls.

Calling a new number

Ref. 1744_040_002_4



Press **Telephone** to display the primary page.



Enter the phone number using the digital keypad.



Press "**Call**" to start the call.

Calling a contact

Ref. 1744_041_001_4



Press **Telephone** to display the primary page.



Or make a long press



on the steering mounted button.

Select "**Contact**".

Select the desired contact from the list offered.



Select "**Call**".

Calling a recently used number

Ref. 1744_043_001_4



Press **Telephone** to display the primary page.

Or



Make a long press



on the steering mounted button.

Select "**Calls**".

Select the desired contact from the list offered.



Tip

It is always possible to make a call directly from the telephone; as a safety measure, first park the vehicle.

Managing contacts / entries

Ref. 1865_014_002_3



Press **Telephone** to display the primary page.

Select "**Contact**".



Select "**Create**" to add a new contact.

In the "**Telephone**" tab, enter the telephone numbers for the contact.

In the "**Address**" tab, enter the addresses for the contact.

In the "**Email**" tab, enter the email addresses for the contact.



Tip

The "**Email**" function allows email addresses to be entered for a contact, but the system is not able to send emails.

Managing messages

Ref. 1865_015_002_3



Press **Telephone** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Messages**" to display the list of messages.



Select the "**All**" or "**Incoming**" or "**Sent**" tab.



Select the detail of the message chosen in one of the lists.



Press "**Answer**" to send a quick message stored in the system.



Press "**Call**" to start the call.



Press "**Play**" to hear the message.



WARNING

Access to "**Messages**" depends on the compatibility of the smartphone and the integral system.

Depending on the smartphone, access to your messages or email may be slow.



Tip

The services available depend on the network, the SIM card and the compatibility of the Bluetooth devices used.

Check in the manual for your smartphone and with your service provider for the services available to you.

Managing quick messages

Ref. 1865_020_002_3



Press **Telephone** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Quick messages**" to display the list of messages.



Select the "**Delayed**" or "**My arrival**" or "**Not available**" or "**Other**" tab with the possibility of creating new messages.



Press "**Create**" to write a new message.



Select the message chosen in one of the lists.



Press "**Transfer**" to select the addressee(s).



Press "**Play**" to start playing the message.

Managing email

Ref. 1865_016_002_3



Press **Telephone** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Email**" to display the list of messages.



Select the "**Incoming**" or "**Sent**" or "**Not read**" tab.

Select the message chosen in one of the lists.



Press "**Play**" to start playing the message.

**WARNING**

Access to **"Email"** depends on the compatibility of the smartphone and the integral system.

Configuration

Ref. 1879_002_001_2

Audio settings

Ref. 1880_023_002_3



Press **Settings** to display the primary page.



Select **"Audio settings"**.

Select **"Ambience"**.

Or

"Balance"

Or

"Sound".

Or

"Voice".

Or

"Ringtone".

OK

Press **"OK"** to save the settings.

**WARNING**

The sound balance (or spatialisation with the Arkamys[®] system) is audio processing that allows the quality of the sound to be adapted according to the number of passengers in the vehicle.

Available only with the front and rear speakers configuration.

**Tip**

The audio settings **Ambience** (6 optional ambiances) and **Bass**, **Medium** and **Treble** are different and independent for each audio source.

Activate or Deactivate **"Loudness"**.

The settings for "**Balance**" (All passengers, Driver and Front only) are common to all sources.

Activate or Deactivate "**Touch tones**", "**Volume linked to speed**" and "**Auxiliary input**".

**Tip**

Onboard audio: the Sound Staging of Arkamys[®] optimises the distribution of sound in the passenger compartment.

Profile settings

Ref. 1880_024_002_3

**WARNING**

As a safety measure and because it requires the sustained attention of the driver, changes to settings must only be done with the **vehicle stationary**.



Press **Settings** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Setting of the profiles**".

Select "**Profile 1**" or "**Profile 2**" or "**Profile 3**" or "**Common profile**".



Press this button to enter a name for the profile using the virtual keypad.

OK

Press "**OK**" to confirm.



Press this button to add a photograph to the profile.



Insert a USB memory stick containing the photograph in the USB port.

Select the photograph.

OK

Press **"OK"** to accept the transfer of the photograph.

OK

Press **"OK"** again to save the settings.



Tip

The framing for the photograph is square; the system reshapes the original photograph if in another format.



Press this button to initialise the profile selected.



WARNING

Initialisation of the profile selected activates the English language by default.

Select a **"Profile"** (1 or 2 or 3) to associate the **"Audio settings"** with it.



Select **"Audio settings"**.

Select **"Ambience"**.

Or

"Balance"

Or

"Sound".

Or

"Voice".

Or

"Ringtone".

OK

Press **"OK"** to save the settings.

Modifying system settings

Ref. 1745_026_002_3



Press **Settings** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Screen configuration**".

Select "**Animation**".



Activate or deactivate: "**Automatic scrolling**".

Select "**Brightness**".



Move the cursor to adjust the brightness of the screen and/or of the instrument panel.



Press **Settings** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**System settings**".

Select "**Units**" to change the units of distance, fuel consumption and temperature.

Select "**Factory settings**" to return to the initial settings.



WARNING

Resetting the system to "Factory Settings" activates English by default, as well as Fahrenheit degrees, and turns off daylight saving (summer) time.

Select "**System info**" to display the versions of the different modules installed in the system.

Select the language

Ref. 1880_025_001_4



Press **Settings** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Languages**" to change the language.

Setting the date

Ref. 1745_027_002_3



Press **Settings** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Set time-date**".

Select "**Date**".



Press this button to define the date.

OK

Press "**OK**" to confirm.



Select the display format of the date.



Tip

Adjustment of the time and date is only available if "GPS synchronisation" is deactivated.

Setting the time

Ref. 1745_029_002_3



Press **Settings** to display the primary page.

Press the "**OPTIONS**" button to go to the secondary page.



Select "**Set time-date**".

Select "**Time**".



Press this button to adjust the time using the virtual keypad.

OK

Press "**OK**" to confirm.



Press this button to define the time zone.



Select the display format for the time (12h / 24h).



Activate or deactivate summer time (+1 hour).



Activate or deactivate synchronisation with GPS (UTC).

OK

Press "**OK**" to confirm.



Tip

The system does not automatically manage the change between winter and summer time (depending on the country of sale).

Colour schemes

Ref. 1745_028_001_3

Depending on equipment / Depending on version.



WARNING

As a safety measure, the procedure for changing the colour scheme is only possible when the **vehicle is stationary**.



Press **Settings** to display the primary page.



Select **"Colour schemes"**.



Select a colour scheme in the list then press **"OK"** to confirm.



Tip

Every time the colour scheme is changed, the system restarts, temporarily displaying a black screen.

Frequently asked questions

Ref. 1847_001_001_2

Ref. 1507_051_001_3

The following information groups together the answers to the most frequently asked questions concerning your system.

Navigation

Ref. 1507_051_002_2

QUESTION	RESPONSE	SOLUTION
The route calculation is not successful.	The guidance criteria may be in conflict with the current location (exclusion of toll roads on a toll road).	Check the route settings in the "Navigation" menu.
The POIs do not appear.	The POIs have not been selected.	Select the POIs in the list of POIs.
The audible warning of "Danger zones" does not work.	The audible warning is not active or the volume is too low.	Activate the audible warning in the "Navigation" menu and check the voice volume in the audio settings.
The system does not suggest a detour around an incident on the route.	The guidance criteria do not take account of TMC messages.	Select setting for the "Traffic info" function in the list of route settings (Without, Manual or Automatic).
I receive a "Danger zone" alert which is not on my route.	Other than guidance, the system announces all "Danger zones" positioned in a cone located in front of the vehicle. It may provide an alert for "Danger zones" located on nearby or parallel roads.	Zoom in on the map to see the exact position of the "Danger zone". Select "On the route" to no longer receive alerts other than navigation instructions or to reduce the time for the announcement.

QUESTION	RESPONSE	SOLUTION
Certain traffic jams along the route are not indicated in real time.	On starting, it is several minutes before the system begins to receive the traffic information.	Wait until the traffic information is being received correctly (display of the traffic information icons on the map).
	In certain countries, only major routes (motorways, etc.) are listed for the traffic information.	This is perfectly normal. The system is dependent on the traffic information available.
The altitude is not displayed.	On starting, the initialisation of the GPS may take up to 3 minutes to receive more than 4 satellites correctly.	Wait until the system has started up completely so that there is GPS coverage by at least 4 satellites.
	Depending on the geographical environment (tunnel, etc.) or the weather, the conditions of reception of the GPS signal may vary.	This behaviour is normal. The system is dependent on the GPS signal reception conditions.
My navigation is no longer connected.	During start-up and in certain geographical areas, the connection may be unavailable.	Check that the connected services are activated (settings, contract).

Radio

Ref. 1507_051_003_1

QUESTION	RESPONSE	SOLUTION
The reception quality of the tuned radio station gradually deteriorates or the stored stations are not working (no sound, 87.5 MHz is displayed, etc.).	The vehicle is too far from the transmitter of the station or no transmitter is present in the geographical area.	Activate the "RDS" function by means of the short-cut menu to enable the system to check whether there is a more powerful transmitter in the geographical area.
	The environment (hills, buildings, tunnels, basement car parks, etc.) block reception, including in RDS mode.	This phenomenon is normal and does not indicate a failure of the audio equipment.
	The aerial is absent or has been damaged (for example when going through a car wash or into an underground car park).	Have the aerial checked by a dealer.
I cannot find some radio stations in the list of stations received. The name of the radio station changes.	The station is not received or has changed its name in the list. Some radio stations send other information in place of their name (the title of the song for example). The system interprets these details as the station name.	Press on the "Update list" button in the "Radio stations" secondary menu.

Media

Ref. 1507_051_004_1

QUESTION	RESPONSE	SOLUTION
Playback of my USB memory stick starts only after a very long wait (around 2 to 3 minutes).	Some files supplied with the memory stick may greatly slow down access to reading the memory stick (multiplication by 10 of the catalogue time).	Delete the files supplied with the memory stick and limit the number of sub-folders in the file structure on the memory stick.
The CD is ejected every time or is not played.	The CD is upside down, cannot be read, does not contain audio files or contains audio files of a format not recognised by the audio system. The CD has been recorded in a format that is not compatible with the player (udf, etc.). The CD is protected by an anti-pirating system not recognised by the audio system.	Check that the CD is inserted in the player the right way up. Check the condition of the CD: the CD cannot be played if it is too badly damaged. Check the content in the case of a recorded CD: consult the advice in the "AUDIO" section. The audio system CD does not read DVDs. Due to poor quality, certain burned CDs will not be read by the audio system.
There is a long waiting period following the insertion of a CD or connection of a USB memory stick.	Upon insertion of a new key, the system reads a certain amount of data (directory, title, artist, etc.). This may take from a few seconds to a few minutes.	This is perfectly normal.
The CD sound is of poor quality.	The CD used is scratched or of poor quality.	Insert good quality CDs and store them in suitable conditions.
	The audio settings (bass, treble, ambience) are unsuitable.	Return bass and treble settings to 0, without selecting an ambience.
Some information characters in the currently playing media are not displayed correctly.	The audio system does not display some types of characters.	Use standard characters to name tracks and folders.
Playback of streaming files does not start.	The connected device does not automatically launch playback.	Start playback from the device.
Names of tracks and playing time are not displayed on the audio streaming screen.	The Bluetooth profile does not allow the transfer of this information.	

Telephone

Ref. 1507_051_005_1

QUESTION	RESPONSE	SOLUTION
I cannot connect my Bluetooth telephone.	The telephone's Bluetooth function may be switched off or the telephone may not be visible.	Check that your telephone has Bluetooth switched on. Check in the telephone settings that it is "visible to all".
	The Bluetooth telephone is not compatible with the system.	You can check the compatibility of your telephone at the Brand's website (services).
The volume of the telephone connected in Bluetooth mode is inaudible.	The sound depends on both the system and the telephone.	Increase the volume of the audio system, to maximum if required, and increase the volume of the telephone if necessary.
	Ambient noise affects the quality of the telephone call.	Reduce the ambient noise level (close the windows, reduce the booster fan speed, slow down, etc.).
Some contacts are duplicated in the list.	The options for synchronising contacts are synchronising the contacts on the SIM card, the contacts on the telephone, or both. When both synchronisations are selected, some contacts may be duplicated.	Select "Display SIM card contacts" or "Display telephone contacts".
The contacts are listed in alphabetical order.	Some telephones offer display options. Depending on the settings chosen, contacts can be transferred in a specific order.	Modify the telephone directory display settings.
The system does not receive SMS.	The Bluetooth mode does not permit sending SMS text messages to the system.	

Settings

Ref. 1507_051_006_1

QUESTION	RESPONSE	SOLUTION
When changing the setting of treble and bass, the equalizer setting is deselected. When changing the equalizer setting, the treble and bass settings are reset.	The selection of an equalizer setting imposes the settings for treble and bass and vice versa.	Modify the treble and bass or equalizer settings to obtain the desired musical ambience.
When changing the balance setting, distribution is deselected.	The selection of a distribution setting imposes the balance settings and vice versa.	Modify the balance setting or the distribution setting to obtain the desired sound quality.

QUESTION	RESPONSE	SOLUTION
When changing the distribution setting, the balance setting is deselected.		
There is a difference in sound quality between the different audio sources.	To allow for optimal listening quality, the audio settings can be tailored to different sound sources, which can generate audible differences when changing source.	Check that the audio settings are adapted to the sources listened to. It is recommended that the audio settings (Bass:, Treble:, Balance) be adjusted to the middle position, select the "None" musical ambience and set the loudness correction to the "Active" position in CD mode or to the "Inactive" position in radio mode.
When the engine is off, the system stops after several minutes of use.	When the engine is switched off, the system's operating time depends on the state of charge of the battery. In normal off state, the system automatically goes into energy economy mode to maintain an adequate charge in the battery.	Start then vehicle's engine to increase the charge of the battery.
The date and time cannot be set.	Setting of the date and time is only available if the synchronisation with the satellites is deactivated.	Settings menu / Options / Time-Date setting. Select the "Time" tab and deactivate the "GPS synchronisation" (UTC).

Annex

Regulatory Notices

Type: Car Multimedia System

Model: NAC EUR wave 3

Manufacturer: Continental Automotive Czech Republic, s.r.o.

Europe

2014/53/EU Directive regulatory notices

This device has been evaluated against the essential requirements of the 2014/53/EU Directive.

Country	Directive 2014/53/EU SIMPLIFIED EU DECLARATION OF CONFORMITY The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:																				
Austria	see German																				
Belgium	see Dutch/ / French / German																				
Bulgaria	С настоящото Continental декларира, че този тип радиосъоръжение NAC EUR wave 3 е в съответствие с Директива 2014/53/ЕС. Цялостният текст на ЕС декларацията за съответствие може да се намери на следния интернет адрес: http://continental-homologation.com/psa Честотна лента: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Честотна лента:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Максимална мощност на предаване:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Честотна лента:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Максимална мощност на предаване:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Честотна лента:	[2400 – 2483.5] MHz	Максимална мощност на предаване:	+3.047 dBm	Честотна лента:	[2400 – 2483.5] MHz	Максимална мощност на предаване:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Честотна лента:	[2400 – 2483.5] MHz																				
Максимална мощност на предаване:	+3.047 dBm																				
Честотна лента:	[2400 – 2483.5] MHz																				
Максимална мощност на предаване:	+16.635 dBm																				
Croatian	Continental ovime izjavljuje da je radijska oprema tipa NAC EUR wave 3 u skladu s Direktivom 2014/53/EU. Cjeloviti tekst EU izjave o sukladnosti dostupan je na sljedećoj internetskoj adresi: http://continental-homologation.com/psa Frekvencijski pojas: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frekvencijski pojas:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimalna snaga odašiljanja:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frekvencijski pojas:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimalna snaga odašiljanja:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frekvencijski pojas:	[2400 – 2483.5] MHz	Maksimalna snaga odašiljanja:	+3.047 dBm	Frekvencijski pojas:	[2400 – 2483.5] MHz	Maksimalna snaga odašiljanja:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Frekvencijski pojas:	[2400 – 2483.5] MHz																				
Maksimalna snaga odašiljanja:	+3.047 dBm																				
Frekvencijski pojas:	[2400 – 2483.5] MHz																				
Maksimalna snaga odašiljanja:	+16.635 dBm																				
Cyprus	see Greek																				

Country	Directive 2014/53/EU SIMPLIFIED EU DECLARATION OF CONFORMITY The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:																				
Czech Republic	Tímto Continental prohlašuje, že typ rádiového zařízení NAC EUR wave 3 je v souladu se směrnicí 2014/53/EU. Úplné znění EU prohlášení o shodě je k dispozici na této internetové adrese: http://continental-homologation.com/psa Kmitočtové pásmo: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Kmitočtové pásmo:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximální vysílací výkon:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Kmitočtové pásmo:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximální vysílací výkon:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Kmitočtové pásmo:	[2400 – 2483.5] MHz	Maximální vysílací výkon:	+3.047 dBm	Kmitočtové pásmo:	[2400 – 2483.5] MHz	Maximální vysílací výkon:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Kmitočtové pásmo:	[2400 – 2483.5] MHz																				
Maximální vysílací výkon:	+3.047 dBm																				
Kmitočtové pásmo:	[2400 – 2483.5] MHz																				
Maximální vysílací výkon:	+16.635 dBm																				
Denmark	Hermed erklærer Continental, at radioudstyrstypen NAC EUR wave 3 er i overensstemmelse med direktiv 2014/53/EU. EU-overensstemmelseserklæringens fulde tekst kan findes på følgende internetadresse: http://continental-homologation.com/psa Frekvensbånd: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frekvensbånd:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimal sendeeffekt:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frekvensbånd:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimal sendeeffekt:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frekvensbånd:	[2400 – 2483.5] MHz	Maksimal sendeeffekt:	+3.047 dBm	Frekvensbånd:	[2400 – 2483.5] MHz	Maksimal sendeeffekt:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Frekvensbånd:	[2400 – 2483.5] MHz																				
Maksimal sendeeffekt:	+3.047 dBm																				
Frekvensbånd:	[2400 – 2483.5] MHz																				
Maksimal sendeeffekt:	+16.635 dBm																				
Estonia	Käesolevaga deklareerib Continental, et käesolev raadioseadme tüüp NAC EUR wave 3 vastab direktiivi 2014/53/EL nõuetele. ELi vastavusdeklaratsiooni täielik tekst on kättesaadav järgmisel internetiaadressil: http://continental-homologation.com/psa Sagedusriba: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Sagedusriba:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimaalne ülekandevõimsus:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Sagedusriba:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimaalne ülekandevõimsus:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Sagedusriba:	[2400 – 2483.5] MHz	Maksimaalne ülekandevõimsus:	+3.047 dBm	Sagedusriba:	[2400 – 2483.5] MHz	Maksimaalne ülekandevõimsus:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Sagedusriba:	[2400 – 2483.5] MHz																				
Maksimaalne ülekandevõimsus:	+3.047 dBm																				
Sagedusriba:	[2400 – 2483.5] MHz																				
Maksimaalne ülekandevõimsus:	+16.635 dBm																				

Country	Directive 2014/53/EU SIMPLIFIED EU DECLARATION OF CONFORMITY The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:																				
Finland	Continental vakuuttaa, että radiolaitetyyppi NAC EUR wave 3 on direktiivin 2014/53/EU mukainen. EU-vaatimustenmukaisuusvakuutuksen täysimittainen teksti on saatavilla seuraavassa internetosoitteessa: http://continental-homologation.com/psa Taajuusalue: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Taajuusalue:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimaalinen lähetysteho:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Taajuusalue:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimaalinen lähetysteho:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Taajuusalue:	[2400 – 2483.5] MHz	Maksimaalinen lähetysteho:	+3.047 dBm	Taajuusalue:	[2400 – 2483.5] MHz	Maksimaalinen lähetysteho:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Taajuusalue:	[2400 – 2483.5] MHz																				
Maksimaalinen lähetysteho:	+3.047 dBm																				
Taajuusalue:	[2400 – 2483.5] MHz																				
Maksimaalinen lähetysteho:	+16.635 dBm																				
France	Le soussigné, Continental, déclare que l'équipement radioélectrique du type NAC EUR wave 3 est conforme à la directive 2014/53/UE. Le texte complet de la déclaration UE de conformité est disponible à l'adresse internet suivante: http://continental-homologation.com/psa Bande de fréquences: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Bande de fréquences:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Puissance d'émission maximale:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Bande de fréquences:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Puissance d'émission maximale:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Bande de fréquences:	[2400 – 2483.5] MHz	Puissance d'émission maximale:	+3.047 dBm	Bande de fréquences:	[2400 – 2483.5] MHz	Puissance d'émission maximale:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Bande de fréquences:	[2400 – 2483.5] MHz																				
Puissance d'émission maximale:	+3.047 dBm																				
Bande de fréquences:	[2400 – 2483.5] MHz																				
Puissance d'émission maximale:	+16.635 dBm																				
Germany	Hiermit erklärt Continental, dass der Funkanlagentyp NAC EUR wave 3 der Richtlinie 2014/53/EU entspricht. Der vollständige Text der EU-Konformitätserklärung ist unter der folgenden Internetadresse verfügbar: http://continental-homologation.com/psa Frequenzband: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frequenzband:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximale Sendeleistung:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frequenzband:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximale Sendeleistung:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frequenzband:	[2400 – 2483.5] MHz	Maximale Sendeleistung:	+3.047 dBm	Frequenzband:	[2400 – 2483.5] MHz	Maximale Sendeleistung:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Frequenzband:	[2400 – 2483.5] MHz																				
Maximale Sendeleistung:	+3.047 dBm																				
Frequenzband:	[2400 – 2483.5] MHz																				
Maximale Sendeleistung:	+16.635 dBm																				

Country	Directive 2014/53/EU SIMPLIFIED EU DECLARATION OF CONFORMITY The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:																				
Greece	Με την παρούσα ο/η Continental, δηλώνει ότι ο ραδιοεξοπλισμός NAC EUR wave 3 πληροί την οδηγία 2014/53/EE. Το πλήρες κείμενο της δήλωσης συμμόρφωσης EE διατίθεται στην ακόλουθη ιστοσελίδα στο διαδίκτυο: http://continental-homologation.com/psa Ζώνη συχνοτήτων: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Ζώνη συχνοτήτων:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Μέγιστη ισχύς εκπομπής:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Ζώνη συχνοτήτων:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Μέγιστη ισχύς εκπομπής:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Ζώνη συχνοτήτων:	[2400 – 2483.5] MHz	Μέγιστη ισχύς εκπομπής:	+3.047 dBm	Ζώνη συχνοτήτων:	[2400 – 2483.5] MHz	Μέγιστη ισχύς εκπομπής:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Ζώνη συχνοτήτων:	[2400 – 2483.5] MHz																				
Μέγιστη ισχύς εκπομπής:	+3.047 dBm																				
Ζώνη συχνοτήτων:	[2400 – 2483.5] MHz																				
Μέγιστη ισχύς εκπομπής:	+16.635 dBm																				
Hungary	Continental igazolja, hogy a NAC EUR wave 3 típusú rádióberendezés megfelel a 2014/53/EU iránylvelvnek. Az EU-megfelelőségi nyilatkozat teljes szövege elérhető a következő internetes címen: http://continental-homologation.com/psa Frekvencia-szalag: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frekvencia-szalag:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximális jeladási teljesítmény:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frekvencia-szalag:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximális jeladási teljesítmény:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frekvencia-szalag:	[2400 – 2483.5] MHz	Maximális jeladási teljesítmény:	+3.047 dBm	Frekvencia-szalag:	[2400 – 2483.5] MHz	Maximális jeladási teljesítmény:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Frekvencia-szalag:	[2400 – 2483.5] MHz																				
Maximális jeladási teljesítmény:	+3.047 dBm																				
Frekvencia-szalag:	[2400 – 2483.5] MHz																				
Maximális jeladási teljesítmény:	+16.635 dBm																				
Ireland	Hereby, Continental declares that the radio equipment type NAC EUR wave 3 is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: http://continental-homologation.com/psa Frequency bands: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frequency band:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximum transmitter power:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frequency band:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximum transmitter power:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frequency band:	[2400 – 2483.5] MHz	Maximum transmitter power:	+3.047 dBm	Frequency band:	[2400 – 2483.5] MHz	Maximum transmitter power:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Frequency band:	[2400 – 2483.5] MHz																				
Maximum transmitter power:	+3.047 dBm																				
Frequency band:	[2400 – 2483.5] MHz																				
Maximum transmitter power:	+16.635 dBm																				

Country	Directive 2014/53/EU SIMPLIFIED EU DECLARATION OF CONFORMITY The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:																				
Italy	Il fabbricante, Continental, dichiara che il tipo di apparecchiatura radio NAC EUR wave 3 è conforme alla direttiva 2014/53/UE. Il testo completo della dichiarazione di conformità UE è disponibile al seguente indirizzo Internet: http://continental-homologation.com/psa Banda di frequenza: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Banda di frequenza:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Potenza di trasmissione massima:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Banda di frequenza:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Potenza di trasmissione massima:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Banda di frequenza:	[2400 – 2483.5] MHz	Potenza di trasmissione massima:	+3.047 dBm	Banda di frequenza:	[2400 – 2483.5] MHz	Potenza di trasmissione massima:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Banda di frequenza:	[2400 – 2483.5] MHz																				
Potenza di trasmissione massima:	+3.047 dBm																				
Banda di frequenza:	[2400 – 2483.5] MHz																				
Potenza di trasmissione massima:	+16.635 dBm																				
Latvia	Ar šo Continental deklarē, ka radioiekārta NAC EUR wave 3 atbilst Direktīvai 2014/53/ES. Pilns ES atbilstības deklarācijas teksts ir pieejams šādā interneta vietnē: http://continental-homologation.com/psa Frekvenču josla: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frekvenču josla:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimālā raidīšanas jauda:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frekvenču josla:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimālā raidīšanas jauda:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frekvenču josla:	[2400 – 2483.5] MHz	Maksimālā raidīšanas jauda:	+3.047 dBm	Frekvenču josla:	[2400 – 2483.5] MHz	Maksimālā raidīšanas jauda:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Frekvenču josla:	[2400 – 2483.5] MHz																				
Maksimālā raidīšanas jauda:	+3.047 dBm																				
Frekvenču josla:	[2400 – 2483.5] MHz																				
Maksimālā raidīšanas jauda:	+16.635 dBm																				
Lithuania	Aš, Continental, patvirtinu, kad radijo įrenginių tipas NAC EUR wave 3 atitinka Direktyvą 2014/53/ES. Visas ES atitikties deklaracijos tekstas prieinamas šiuo interneto adresu: http://continental-homologation.com/psa Dažnių juosta: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Dažnių juosta:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimali siųstuvo galia:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Dažnių juosta:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimali siųstuvo galia:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Dažnių juosta:	[2400 – 2483.5] MHz	Maksimali siųstuvo galia:	+3.047 dBm	Dažnių juosta:	[2400 – 2483.5] MHz	Maksimali siųstuvo galia:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Dažnių juosta:	[2400 – 2483.5] MHz																				
Maksimali siųstuvo galia:	+3.047 dBm																				
Dažnių juosta:	[2400 – 2483.5] MHz																				
Maksimali siųstuvo galia:	+16.635 dBm																				
Luxembourg	see German																				

Country	Directive 2014/53/EU SIMPLIFIED EU DECLARATION OF CONFORMITY The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:																				
Malta	B'dan, Continental, niddikjara li dan it-tip ta' tagħmir tar-radju NAC EUR wave 3 huwa konformi mad-Direttiva 2014/53/UE. It-test kollu tad-dikjarazzjoni ta' konformità tal-UE huwa disponibbli f'dan l-indirizz tal-Internet li ġej: http://continental-homologation.com/psa Medda ta' frekwenza: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Medda ta' frekwenza:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Energija Massima tat-Trasmissjoni:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Medda ta' frekwenza:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Energija Massima tat-Trasmissjoni:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Medda ta' frekwenza:	[2400 – 2483.5] MHz	Energija Massima tat-Trasmissjoni:	+3.047 dBm	Medda ta' frekwenza:	[2400 – 2483.5] MHz	Energija Massima tat-Trasmissjoni:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Medda ta' frekwenza:	[2400 – 2483.5] MHz																				
Energija Massima tat-Trasmissjoni:	+3.047 dBm																				
Medda ta' frekwenza:	[2400 – 2483.5] MHz																				
Energija Massima tat-Trasmissjoni:	+16.635 dBm																				
Netherlands	Hierbij verklaar ik, Continental, dat het type radioapparatuur NAC EUR wave 3 conform is met Richtlijn 2014/53/EU. De volledige tekst van de EU-conformiteitsverklaring kan worden geraadpleegd op het volgende internetadres: http://continental-homologation.com/psa Frequentieband: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frequentieband:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximaal zendvermogen:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frequentieband:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximaal zendvermogen:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frequentieband:	[2400 – 2483.5] MHz	Maximaal zendvermogen:	+3.047 dBm	Frequentieband:	[2400 – 2483.5] MHz	Maximaal zendvermogen:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Frequentieband:	[2400 – 2483.5] MHz																				
Maximaal zendvermogen:	+3.047 dBm																				
Frequentieband:	[2400 – 2483.5] MHz																				
Maximaal zendvermogen:	+16.635 dBm																				
Poland	Continental niniejszym oświadcza, że typ urządzenia radiowego NAC EUR wave 3 jest zgodny z dyrektywą 2014/53/UE. Pełny tekst deklaracji zgodności UE jest dostępny pod następującym adresem internetowym: http://continental-homologation.com/psa Pasmo częstotliwości: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Pasmo częstotliwości:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksymalna moc nadawania:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Pasmo częstotliwości:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksymalna moc nadawania:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Pasmo częstotliwości:	[2400 – 2483.5] MHz	Maksymalna moc nadawania:	+3.047 dBm	Pasmo częstotliwości:	[2400 – 2483.5] MHz	Maksymalna moc nadawania:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Pasmo częstotliwości:	[2400 – 2483.5] MHz																				
Maksymalna moc nadawania:	+3.047 dBm																				
Pasmo częstotliwości:	[2400 – 2483.5] MHz																				
Maksymalna moc nadawania:	+16.635 dBm																				

Country	Directive 2014/53/EU SIMPLIFIED EU DECLARATION OF CONFORMITY The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:																							
Portugal	O(a) abaixo assinado(a) Continental declara que o presente tipo de equipamento de rádio NAC EUR wave 3 está em conformidade com a Diretiva 2014/53/UE. O texto integral da declaração de conformidade está disponível no seguinte endereço de Internet: http://continental-homologation.com/psa <table><tr><td>Faixa de frequência:</td><td></td><td></td></tr><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Faixa de frequência:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Potência máxima de transmissão:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Faixa de frequência:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Potência máxima de transmissão:</td><td>+16.635 dBm</td></tr></table>	Faixa de frequência:			AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Faixa de frequência:	[2400 – 2483.5] MHz	Potência máxima de transmissão:	+3.047 dBm	Faixa de frequência:	[2400 – 2483.5] MHz	Potência máxima de transmissão:	+16.635 dBm
Faixa de frequência:																								
AM band:	LF Band	148.5kHz to 283.5kHz																						
	MF Band	526.5kHz to 1606.5kHz																						
FM band:	VHF Band II	87.5MHz to 108MHz																						
DAB band:	VHF Band III	174MHz to 240MHz																						
Faixa de frequência:	[2400 – 2483.5] MHz																							
Potência máxima de transmissão:	+3.047 dBm																							
Faixa de frequência:	[2400 – 2483.5] MHz																							
Potência máxima de transmissão:	+16.635 dBm																							
Romania	Prin prezenta, Continental declară că tipul de echipamente radio NAC EUR wave 3 este în conformitate cu Directiva 2014/53/UE. Textul integral al declarației UE de conformitate este disponibil la următoarea adresă internet: http://continental-homologation.com/psa <table><tr><td>Bandă de frecvențe:</td><td></td><td></td></tr><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Bandă de frecvențe:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Putere maximă de emisie:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Bandă de frecvențe:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Putere maximă de emisie:</td><td>+16.635 dBm</td></tr></table>	Bandă de frecvențe:			AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Bandă de frecvențe:	[2400 – 2483.5] MHz	Putere maximă de emisie:	+3.047 dBm	Bandă de frecvențe:	[2400 – 2483.5] MHz	Putere maximă de emisie:	+16.635 dBm
Bandă de frecvențe:																								
AM band:	LF Band	148.5kHz to 283.5kHz																						
	MF Band	526.5kHz to 1606.5kHz																						
FM band:	VHF Band II	87.5MHz to 108MHz																						
DAB band:	VHF Band III	174MHz to 240MHz																						
Bandă de frecvențe:	[2400 – 2483.5] MHz																							
Putere maximă de emisie:	+3.047 dBm																							
Bandă de frecvențe:	[2400 – 2483.5] MHz																							
Putere maximă de emisie:	+16.635 dBm																							
Slovak Republic	Continental týmto vyhlasuje, že rádiové zariadenie typu NAC EUR wave 3 je v súlade so smernicou 2014/53/EÚ. Úplné EÚ vyhlásenie o zhode je k dispozícii na tejto internetovej adrese: http://continental-homologation.com/psa <table><tr><td>Frekvenčné pásmo:</td><td></td><td></td></tr><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frekvenčné pásmo:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximálny vysielač výkon:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frekvenčné pásmo:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximálnv vysielač v výkon:</td><td>+16.635 dBm</td></tr></table>	Frekvenčné pásmo:			AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frekvenčné pásmo:	[2400 – 2483.5] MHz	Maximálny vysielač výkon:	+3.047 dBm	Frekvenčné pásmo:	[2400 – 2483.5] MHz	Maximálnv vysielač v výkon:	+16.635 dBm
Frekvenčné pásmo:																								
AM band:	LF Band	148.5kHz to 283.5kHz																						
	MF Band	526.5kHz to 1606.5kHz																						
FM band:	VHF Band II	87.5MHz to 108MHz																						
DAB band:	VHF Band III	174MHz to 240MHz																						
Frekvenčné pásmo:	[2400 – 2483.5] MHz																							
Maximálny vysielač výkon:	+3.047 dBm																							
Frekvenčné pásmo:	[2400 – 2483.5] MHz																							
Maximálnv vysielač v výkon:	+16.635 dBm																							

Country	Directive 2014/53/EU SIMPLIFIED EU DECLARATION OF CONFORMITY The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:																				
Slovenia	Continental potrjuje, da je tip radijske opreme NAC EUR wave 3 skladen z Direktivo 2014/53/EU. Celotno besedilo izjave EU o skladnosti je na voljo na naslednjem spletnem naslovu: http://continental-homologation.com/psa Frekvenčni pas: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frekvenčni pas:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimalna moč oddajanja:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frekvenčni pas:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maksimalna moč oddajanja:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frekvenčni pas:	[2400 – 2483.5] MHz	Maksimalna moč oddajanja:	+3.047 dBm	Frekvenčni pas:	[2400 – 2483.5] MHz	Maksimalna moč oddajanja:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Frekvenčni pas:	[2400 – 2483.5] MHz																				
Maksimalna moč oddajanja:	+3.047 dBm																				
Frekvenčni pas:	[2400 – 2483.5] MHz																				
Maksimalna moč oddajanja:	+16.635 dBm																				
Spain	Por la presente, Continental declara que el tipo de equipo radioeléctrico NAC EUR wave 3 es conforme con la Directiva 2014/53/UE. El texto completo de la declaración UE de conformidad está disponible en la dirección Internet siguiente: http://continental-homologation.com/psa Banda de frecuencias: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Banda de frecuencias:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Máxima potencia de transmisión:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Banda de frecuencias:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Máxima potencia de transmisión:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Banda de frecuencias:	[2400 – 2483.5] MHz	Máxima potencia de transmisión:	+3.047 dBm	Banda de frecuencias:	[2400 – 2483.5] MHz	Máxima potencia de transmisión:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Banda de frecuencias:	[2400 – 2483.5] MHz																				
Máxima potencia de transmisión:	+3.047 dBm																				
Banda de frecuencias:	[2400 – 2483.5] MHz																				
Máxima potencia de transmisión:	+16.635 dBm																				
Sweden	Härmed försäkrar Continental att denna typ av radioutrustning NAC EUR wave 3 överensstämmer med direktiv 2014/53/EU. Den fullständiga texten till EU-försäkran om överensstämmelse finns på följande webbadress: http://continental-homologation.com/psa Frekvensband: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frekvensband:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximal sändningseffekt:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frekvensband:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximal sändningseffekt:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frekvensband:	[2400 – 2483.5] MHz	Maximal sändningseffekt:	+3.047 dBm	Frekvensband:	[2400 – 2483.5] MHz	Maximal sändningseffekt:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Frekvensband:	[2400 – 2483.5] MHz																				
Maximal sändningseffekt:	+3.047 dBm																				
Frekvensband:	[2400 – 2483.5] MHz																				
Maximal sändningseffekt:	+16.635 dBm																				

Country	Directive 2014/53/EU SIMPLIFIED EU DECLARATION OF CONFORMITY The simplified EU declaration of conformity referred to in Article 10(9) shall be provided as follows:																				
United Kingdom	Hereby, Continental declares that the radio equipment type NAC EUR wave 3 is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address: http://continental-homologation.com/psa Frequency bands: <table><tr><td>AM band:</td><td>LF Band</td><td>148.5kHz to 283.5kHz</td></tr><tr><td></td><td>MF Band</td><td>526.5kHz to 1606.5kHz</td></tr><tr><td>FM band:</td><td>VHF Band II</td><td>87.5MHz to 108MHz</td></tr><tr><td>DAB band:</td><td>VHF Band III</td><td>174MHz to 240MHz</td></tr></table> Bluetooth v3.0+HS: <table><tr><td>Frequency band:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximum transmitter power:</td><td>+3.047 dBm</td></tr></table> WiFi 802.11 bgn HT20 <table><tr><td>Frequency band:</td><td>[2400 – 2483.5] MHz</td></tr><tr><td>Maximum transmitter power:</td><td>+16.635 dBm</td></tr></table>	AM band:	LF Band	148.5kHz to 283.5kHz		MF Band	526.5kHz to 1606.5kHz	FM band:	VHF Band II	87.5MHz to 108MHz	DAB band:	VHF Band III	174MHz to 240MHz	Frequency band:	[2400 – 2483.5] MHz	Maximum transmitter power:	+3.047 dBm	Frequency band:	[2400 – 2483.5] MHz	Maximum transmitter power:	+16.635 dBm
AM band:	LF Band	148.5kHz to 283.5kHz																			
	MF Band	526.5kHz to 1606.5kHz																			
FM band:	VHF Band II	87.5MHz to 108MHz																			
DAB band:	VHF Band III	174MHz to 240MHz																			
Frequency band:	[2400 – 2483.5] MHz																				
Maximum transmitter power:	+3.047 dBm																				
Frequency band:	[2400 – 2483.5] MHz																				
Maximum transmitter power:	+16.635 dBm																				

The conformity assessment procedure referred to in Article 17 and detailed in Annex III of Directive 2014/53/EU has been followed with the involvement of the following Notified Body:

DEKRA Testing and Certification, S.A.U.

Parque Tecnológico de Andalucía Calle Severo Ochoa, 2
29590 CAMPANILLAS (MALAGA)

Country : Spain

Notified Body number: 1909

Thus, the following marking is included in the product (**Label on top**):



There is no restriction for the commercialization of this device in all the countries of the European Union.

➤ **Specific instructions of installation and proper use of the equipment**

This Multimedia System Equipment must be fixed in a car dashboard.

This Equipment is intended to be installed by service persons or qualified operators in a restricted access location that can only be accessed by using a tool.

Demounting or disassembly of the NAC Wave 3 from the car is only allowed by qualified and trained personnel.

The external devices and accessories connected to the equipment shall comply with its product standard in order to prevent fire risks.

The equipment is suitable for direct current only:



Voltage rated:	12V (Volts)
Maximum Current:	15A (Amperes)
Direct Current symbol:	

Fuse characteristics:

MINI AUTO FUSE W Yellow 20:

Voltage rated: 32V (Volts)

Current rated: 20A (Amperes)

600	0.30 seconds	0.100 seconds
350	0.080 seconds	0.250 seconds
200	0.15 seconds	5 seconds
135	0.75 seconds	600 seconds
110	100 hours	-
% of rating	Minimum	Maximum
	Blow Time	

- List of countries within the EU or geographical zones where it can be used.

There is no restriction for the commercialization of this device in all the countries of the European Union:

Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, United Kingdom,

- Information about the license that apply to it.

There is no specific license.

- Restrictions or possible additional restrictions when trying to achieve the authorisation of use of the equipment.

There is no specific restriction to achieve the authorisation of use of the equipment.

USA – Federal Communications Commission (FCC)

FCC ID: ZFW-NACEUR3

1. Modification Statement

“Continental Automotive Rambouillet France S.A.S.” has not approved any changes or modifications to this device by the user. Any changes or modifications could void the user’s authority to operate the equipment.

2. Interference statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

3. Wireless notice:

This device complies with FCCC radiation exposure limits set forth for an uncontrolled environment and meets the FCC radio frequency (RF) Exposure Guidelines. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all the persons must not be co-located or operating in conjunction with any other antenna or transmitter.

4. FCC Class B digital device or peripheral notice

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.