




CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,319.200	102.08			14.17	H	217.0	2.0
6	5,350.000	64.5	74.0	9.5	14.27	H	48.5	1.0
6	5,350.400	64.25	74.0	9.75	14.27	H	48.5	1.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.800	91.31			14.17	H	5.8	1.0
6	5,350.000	40.47	54.0	13.53	14.27	H	197.8	1.0
6	5,356.400	40.98	54.0	13.02	14.28	H	5.8	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.200	105.82			14.18	V	248.2	1.0
6	5,350.000	57.0	74.0	17.0	14.27	V	215.9	2.0
6	5,356.800	58.94	74.0	15.06	14.28	V	47.4	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,320.800	91.28			14.18	V	335.4	1.0
6	5,350.000	40.28	54.0	13.72	14.27	V	231.5	1.0
6	5,354.400	40.73	54.0	13.27	14.28	V	231.5	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5320MHz: Fundamental frequency.




802.11n (20MHz)

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.425	99.62			14.15	H	312.8	2.0
4	5,350.000	50.44	74.0	23.56	14.27	H	107.2	2.0
4	5,354.850	53.04	74.0	20.96	14.28	H	152.6	1.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.425	84.45			14.15	H	102.3	2.0
4	5,350.000	37.12	54.0	16.88	14.27	H	47.3	1.0
4	5,350.100	37.12	54.0	16.88	14.27	H	47.3	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.275	101.86			14.14	V	211.1	2.0
4	5,350.000	50.85	74.0	23.15	14.27	V	262.5	2.0
4	5,359.600	53.29	74.0	20.71	14.29	V	5.1	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.425	89.97			14.15	V	213.5	2.0
4	5,350.000	38.65	54.0	15.35	14.27	V	113.1	2.0
4	5,350.575	38.63	54.0	15.37	14.27	V	113.1	2.0




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5260MHz: Fundamental frequency.

CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.800	99.69			14.12	H	312.7	2.0
5	5,350.000	54.91	74.0	19.09	14.27	H	49.7	1.0
5	5,355.500	55.92	74.0	18.08	14.28	H	49.7	1.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.500	87.34			14.12	H	312.7	2.0
5	5,350.000	37.82	54.0	16.18	14.27	H	113.1	1.0
5	5,354.300	37.92	54.0	16.08	14.28	H	113.1	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.200	101.63			14.12	V	215.8	2.0
5	5,350.000	55.14	74.0	18.86	14.27	V	315.1	2.0
5	5,355.800	58.26	74.0	15.74	14.28	V	5.8	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.500	88.11			14.11	V	213.5	2.0
5	5,350.000	38.25	54.0	15.75	14.27	V	213.5	2.0
5	5,359.400	39.02	54.0	14.98	14.29	V	5.8	1.0




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5300MHz: Fundamental frequency.

CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.400	97.53			14.17	H	105.9	2.0
6	5,350.000	58.43	74.0	15.57	14.27	H	105.9	2.0
6	5,350.400	58.94	74.0	15.06	14.27	H	105.9	2.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,322.800	88.83			14.19	H	47.3	1.0
6	5,350.000	37.88	54.0	16.12	14.27	H	355.0	2.0
6	5,358.000	38.47	54.0	15.53	14.28	H	47.3	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,318.800	101.18			14.17	V	182.5	2.0
6	5,350.000	61.33	74.0	12.67	14.27	V	7.3	1.0
6	5,356.400	64.09	74.0	9.91	14.28	V	357.8	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,325.200	87.68			14.19	V	46.1	1.0
6	5,350.000	39.63	54.0	14.37	14.27	V	46.1	1.0
6	5,358.000	39.51	54.0	14.49	14.28	V	46.1	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5320MHz: Fundamental frequency.




802.11n (40MHz)

CHANNEL	TX Channel 54	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,263.100	97.42			14.14	H	154.3	1.0
3	5,350.000	51.99	74.0	22.01	14.27	H	52.8	1.0
3	5,358.433	53.03	74.0	20.97	14.28	H	52.8	1.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,261.267	86.59			14.14	H	77.4	1.0
3	5,350.000	38.72	54.0	15.28	14.27	H	52.2	1.0
3	5,353.300	38.84	54.0	15.16	14.28	H	52.2	1.0






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,260.900	102.09			14.14	V	267.8	1.0
3	5,350.000	53.37	74.0	20.63	14.27	V	216.5	1.0
3	5,353.667	54.79	74.0	19.21	14.28	V	216.5	1.0



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,257.967	88.84			14.15	V	156.8	1.0
3	5,350.000	38.42	54.0	15.58	14.27	V	226.0	2.0
3	5,355.500	38.57	54.0	15.43	14.28	V	95.2	2.0




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5270MHz: Fundamental frequency.

CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,301.000	97.83			14.11	H	125.0	1.0
4	5,350.000	53.8	74.0	20.2	14.27	H	295.2	1.0
4	5,354.500	55.17	74.0	18.83	14.28	H	295.2	1.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,301.500	86.65			14.12	H	153.8	1.0
4	5,350.000	38.29	54.0	15.71	14.27	H	332.2	2.0
4	5,388.000	38.37	54.0	15.63	14.32	H	332.2	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dB μ V/m]	PK+ Limit [dB μ V/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,301.500	101.37			14.12	V	200.3	2.0
4	5,350.000	56.11	74.0	17.89	14.27	V	29.0	1.0
4	5,352.500	57.06	74.0	16.94	14.28	V	29.0	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,303.000	89.79			14.12	V	222.4	1.0
4	5,350.000	39.99	54.0	14.01	14.27	V	248.7	1.0
4	5,350.500	40.0	54.0	14.0	14.27	V	248.7	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5310MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-NQN2406210109RF09

802.11ac (20MHz)

CHANNEL	TX Channel 52	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.425	97.62			14.15	H	314	2.0
4	5,350.000	50.68	74.0	23.32	14.27	H	1	2.0
4	5,351.525	51.97	74.0	22.03	14.28	H	1	1.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,261.750	86.12			14.14	H	88.0	2.0
4	5,350.000	37.03	54.0	16.97	14.27	H	355.5	2.0
4	5,350.575	37.03	54.0	16.97	14.27	H	355.5	2.0






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.900	101.74			14.15	V	226.7	2.0
4	5,350.000	52.15	74.0	21.85	14.27	V	226.7	2.0
4	5,382.400	52.47	74.0	21.53	14.31	V	226.7	2.0



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,258.425	89.92			14.15	V	256.6	1.0
4	5,350.000	38.09	54.0	15.91	14.27	V	309.2	1.0
4	5,350.575	37.95	54.0	16.05	14.27	V	207.5	2.0




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5260MHz: Fundamental frequency.

CHANNEL	TX Channel 60	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,300.900	98.18			14.11	H	312.9	2.0
5	5,350.000	53.42	74.0	20.58	14.27	H	354.3	2.0
5	5,354.300	55.21	74.0	18.79	14.28	H	276.8	1.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,298.200	86.0			14.11	H	46.2	1.0
5	5,350.000	38.02	54.0	15.98	14.27	H	46.2	1.0
5	5,350.400	38.0	54.0	16.0	14.27	H	46.2	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,306.900	100.05			14.13	V	47.4	1.0
5	5,350.000	56.6	74.0	17.4	14.27	V	47.4	1.0
5	5,355.800	58.66	74.0	15.34	14.28	V	4.6	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	5,301.500	87.54			14.12	V	208.7	2.0
5	5,350.000	38.78	54.0	15.22	14.27	V	208.7	2.0
5	5,360.900	38.9	54.0	15.1	14.29	V	5.1	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5300MHz: Fundamental frequency.




BUREAU
VERITAS

Test Report No.: PSU-NQN2406210109RF09

CHANNEL	TX Channel 64	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,312.400	94.57			14.15	H	55.6	1.0
6	5,350.000	58.25	74.0	15.75	14.27	H	280.3	1.0
6	5,352.000	59.39	74.0	14.61	14.28	H	280.3	1.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dB μ V/m]	AVG Limit [dB μ V/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,322.800	87.5			14.19	H	48.5	1.0
6	5,350.000	37.83	54.0	16.17	14.27	H	354.9	2.0
6	5,358.400	38.27	54.0	15.73	14.28	H	48.5	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.600	101.16			14.18	V	100.0	2.0
6	5,350.000	62.07	74.0	11.93	14.27	V	47.3	1.0
6	5,353.600	64.14	74.0	9.86	14.28	V	45.0	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
6	5,321.200	86.34			14.18	V	339.5	1.0
6	5,350.000	38.72	54.0	15.28	14.27	V	5.8	1.0
6	5,364.800	39.13	54.0	14.87	14.29	V	5.8	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5320MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-NQN2406210109RF09

802.11ac (40MHz)

CHANNEL	TX Channel 54	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,258.700	99.97			14.15	H	81.5	1.0
3	5,350.000	51.44	74.0	22.56	14.27	H	331.6	2.0
3	5,446.067	52.41	74.0	21.59	15.01	H	354.9	2.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,258.333	87.57			14.15	H	82.1	1.0
3	5,350.000	37.85	54.0	16.15	14.27	H	181.8	2.0
3	5,356.600	37.93	54.0	16.07	14.28	H	181.8	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,272.633	99.69			14.13	V	145.4	1.0
3	5,350.000	55.68	74.0	18.32	14.27	V	267.8	1.0
3	5,353.300	57.27	74.0	16.73	14.28	V	267.8	1.0



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
3	5,272.267	86.3			14.13	V	241.6	1.0
3	5,350.000	40.79	54.0	13.21	14.27	V	214.1	1.0
3	5,350.367	40.76	54.0	13.24	14.27	V	214.1	1.0




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5270MHz: Fundamental frequency.

CHANNEL	TX Channel 62	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,313.000	95.92			14.15	H	316.8	1.0
4	5,350.000	57.06	74.0	16.94	14.27	H	307.8	2.0
4	5,357.500	58.59	74.0	15.41	14.28	H	79.7	2.0






BUREAU
VERITAS

Test Report No.: PSU-NQN2406210109RF09

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	82.98			14.14	H	83.3	2.0
4	5,350.000	41.79	54.0	12.21	14.27	H	306.7	1.0
4	5,350.500	41.49	54.0	12.51	14.27	H	306.7	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,306.500	97.62			14.13	V	29.6	1.0
4	5,350.000	60.5	74.0	13.5	14.27	V	29.6	1.0
4	5,350.500	61.77	74.0	12.23	14.27	V	29.6	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
4	5,307.500	85.1			14.14	V	29.0	1.0
4	5,350.000	45.02	54.0	8.98	14.27	V	95.2	2.0
4	5,350.500	44.71	54.0	9.29	14.27	V	95.2	2.0



REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
2. 5310MHz: Fundamental frequency.




802.11ac (80MHz)

CHANNEL	TX Channel 58	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,271.167	91.02			14.13	H	46.2	1.0
1	5,350.000	53.09	74.0	20.91	14.27	H	103.6	2.0
1	5,359.167	56.15	74.0	17.85	14.29	H	103.6	2.0





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,267.867	77.24			14.14	H	46.1	1.0
1	5,350.000	38.61	54.0	15.39	14.27	H	302.0	1.0
1	5,350.367	38.57	54.0	15.43	14.27	H	302.0	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,296.467	95.26			14.11	V	58.1	1.0
1	5,350.000	54.96	74.0	19.04	14.27	V	200.3	1.0
1	5,355.500	62.6	74.0	11.4	14.28	V	264.9	2.0



ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	AVG Level [dBμV/m]	AVG Limit [dBμV/m]	AVG Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
1	5,256.133	81.25			14.15	V	44.9	1.0
1	5,350.000	41.44	54.0	12.56	14.27	V	44.9	1.0
1	5,350.367	41.59	54.0	12.41	14.27	V	44.9	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5290MHz: Fundamental frequency.


Band 4:

802.11a

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,638.438	53.65	68.2	14.55	16.5	H	348.2	2.0
12	5,744.063	99.52			17.19	H	95.3	1.0
13	5,973.000	54.03	68.2	14.17	16.41	H	100.0	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,619.688	53.33	68.2	14.87	16.3	V	229.1	1.0
12	5,744.063	98.84			17.19	V	282.9	1.0
13	5,935.500	53.57	68.2	14.63	16.28	V	170.5	2.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5745MHz: Fundamental frequency.




BUREAU
VERITAS

Test Report No.: PSU-NQN2406210109RF09

CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,634.063	53.71	68.2	14.49	16.45	H	2.0	2.0
12	5,784.060	101.15			16.6	H	94.1	1.0
13	5,956.500	53.46	68.2	14.74	16.42	H	359.0	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,649.688	53.57	68.2	14.63	16.61	V	232.6	1.0
12	5,788.438	101.35			16.54	V	94.0	1.0
13	5,967.000	53.49	68.2	14.71	16.43	V	339.5	1.0




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5785MHz: Fundamental frequency.

CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,631.875	53.21	68.2	14.99	16.43	H	1.0	1.0
12	5,824.375	100.48			15.98	H	94.1	1.0
13	5,961.375	54.05	68.2	14.15	16.45	H	345.2	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,649.063	53.81	68.2	14.39	16.61	V	233.9	1.0
12	5,821.875	100.53			16.02	V	94.0	1.0
13	5,957.625	53.74	68.2	14.46	16.43	V	15.0	2.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5825MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-NQN2406210109RF09

802.11n (20MHz)

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,636.250	53.0	68.2	15.2	16.47	H	239.8	1.0
12	5,743.750	100.21			17.19	H	293.5	1.0
13	5,969.250	53.63	68.2	14.57	16.42	H	359.1	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,636.875	53.76	68.2	14.44	16.48	V	2.0	2.0
12	5,743.750	98.7			17.19	V	78.5	2.0
13	5,966.625	53.66	68.2	14.54	16.43	V	183.7	1.0




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5745MHz: Fundamental frequency.

CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,617.813	54.23	68.2	13.97	16.3	H	4.6	1.0
12	5,783.750	100.19			16.61	H	284.0	1.0
13	5,959.125	53.54	68.2	14.66	16.44	H	3.5	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,631.250	53.21	68.2	14.99	16.42	V	359.0	2.0
12	5,783.750	99.51			16.61	V	91.6	1.0
13	5,971.500	53.87	68.2	14.33	16.42	V	333.0	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5785MHz: Fundamental frequency.




BUREAU
VERITAS

Test Report No.: PSU-NQN2406210109RF09

CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,626.563	53.21	68.2	14.99	16.37	H	1	1.0
12	5,823.438	98.51			16.0	H	1	1.0
13	5,980.875	54.01	68.2	14.19	16.38	H	359	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,646.875	53.32	68.2	14.88	16.58	V	233.8	1.0
12	5,823.750	99.47			15.99	V	95.2	1.0
13	5,962.875	53.81	68.2	14.39	16.45	V	103.6	2.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5825MHz: Fundamental frequency.



BUREAU
VERITAS


Test Report No.: PSU-NQN2406210109RF09

802.11n (40MHz)

CHANNEL	TX Channel 151	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,630.313	53.68	68.2	14.52	16.41	H	0.8	2.0
11	5,743.440	100.86			17.2	H	311.4	2.0
12	5,964.375	53.48	68.2	14.72	16.44	H	359.0	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,620.938	53.32	68.2	14.88	16.31	V	359.0	2.0
11	5,743.438	98.85			17.2	V	298.3	1.0
12	5,976.750	54.38	68.2	13.82	16.4	V	359.1	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5755MHz: Fundamental frequency.




BUREAU
VERITAS

Test Report No.: PSU-NQN2406210109RF09

CHANNEL	TX Channel 159	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,636.563	53.14	68.2	15.06	16.48	H	164.6	2.0
11	5,783.750	100.61			16.61	H	310.2	2.0
12	5,980.875	53.72	68.2	14.48	16.38	H	266.0	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,648.750	54.18	68.2	14.02	16.6	V	359.0	2.0
11	5,784.063	102.26			16.6	V	217.5	2.0
12	5,945.625	53.89	68.2	14.31	16.34	V	327.5	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5795MHz: Fundamental frequency.




802.11ac (20MHz)

CHANNEL	TX Channel 149	DETECTOR FUNCTION	Peak (PK) Average (AV)
FREQUENCY RANGE	1GHz ~ 40GHz		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,632.188	53.07	68.2	15.13	16.43	H	4.6	2.0
12	5,748.438	97.22			17.12	H	268.4	1.0
13	5,959.875	53.56	68.2	14.64	16.45	H	182.5	2.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,642.500	53.4	68.2	14.8	16.54	V	354.9	2.0
12	5,743.440	100.4			17.2	V	91.6	2.0
13	5,951.625	53.99	68.2	14.21	16.38	V	1.0	1.0




REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5745MHz: Fundamental frequency.

CHANNEL	TX Channel 157	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,646.563	53.74	68.2	14.46	16.58	H	355.5	2.0
12	5,783.440	100.4			16.61	H	282.8	1.0
13	5,965.875	53.82	68.2	14.38	16.44	H	187.2	1.0






**BUREAU
VERITAS**

Test Report No.: PSU-NQN2406210109RF09

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,647.813	53.37	68.2	14.83	16.59	V	134.6	2.0
12	5,792.813	97.01			16.48	V	89.2	1.0
13	5,946.750	53.94	68.2	14.26	16.35	V	1.0	1.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5785MHz: Fundamental frequency.




BUREAU
VERITAS

Test Report No.: PSU-NQN2406210109RF09

CHANNEL	TX Channel 165	DETECTOR FUNCTION	Peak (PK)
FREQUENCY RANGE	1GHz ~ 40GHz		Average (AV)

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,646.563	53.71	68.2	14.49	16.58	H	355.6	2.0
12	5,823.750	99.46			15.99	H	270.8	1.0
13	5,954.625	54.0	68.2	14.2	16.41	H	359.1	1.0





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
11	5,638.750	53.25	68.2	14.95	16.5	V	4.5	1.0
12	5,823.750	100.01			15.99	V	125.0	1.0
13	5,959.125	53.65	68.2	14.55	16.44	V	39.0	2.0



REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
Margin value = Limit value- Emission level.
- 5825MHz: Fundamental frequency.



BUREAU
VERITAS

Test Report No.: PSU-NQN2406210109RF09

802.11ac (40MHz)

CHANNEL	TX Channel 151	DETECTOR FUNCTION	Peak (PK) Average (AV)
FREQUENCY RANGE	1GHz ~ 40GHz		

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBμV/m]	PK+ Limit [dBμV/m]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
10	5,641.875	53.37	68.2	14.83	16.53	H	0.9	2.0
11	5,751.563	99.62			17.07	H	304.4	1.0
12	5,985.000	54.03	68.2	14.17	16.37	H	177.8	1.0

