

ABOVE 1GHz

Note: For higher frequency, the emission is too low to be detected.


LTE B14

CHANNEL BANDWIDTH: 5MHz / QPSK

CH23305


MODE	TX channel 23305	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1581.000	-51.90	-52.13	-40.00	-11.90	0.23	Peak	Horizontal
2	2377.000	-52.80	-57.79	-13.00	-39.80	4.99	Peak	Horizontal



MODE	TX channel 23305	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	1578.000	-49.82	-50.35	-40.00	-9.82	0.53	Peak	Vertical
2		2371.500	-53.76	-58.35	-13.00	-40.76	4.59	Peak	Vertical



CH23330


MODE	TX channel 23330	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	1578.000	-51.42	-51.63	-40.00	-11.42	0.21	Peak	Horizontal
2		2379.000	-53.42	-58.42	-13.00	-40.42	5.00	Peak	Horizontal



MODE	TX channel 23330	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1586.000	-51.54	-52.13	-40.00	-11.54	0.59	Peak	Vertical
2	2377.000	-53.98	-58.59	-13.00	-40.98	4.61	Peak	Vertical



CH23355


MODE	TX channel 23355	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	1595.000	-52.55	-52.90	-40.00	-12.55	0.35	Peak	Horizontal
2		2386.500	-53.57	-58.60	-13.00	-40.57	5.03	Peak	Horizontal



MODE	TX channel 23355	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	1591.000	-51.98	-52.60	-40.00	-11.98	0.62	Peak	Vertical
2		2394.000	-53.23	-57.88	-13.00	-40.23	4.65	Peak	Vertical




CHANNEL BANDWIDTH: 10MHz / QPSK

CH23330


MODE	TX channel 23330	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

		Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
		MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP	1586.000	-53.77	-54.04	-40.00	-13.77	0.27	Peak	Horizontal
2		2377.000	-53.64	-58.63	-13.00	-40.64	4.99	Peak	Horizontal



MODE	TX channel 23330	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1578.000	-54.17	-54.70	-40.00	-14.17	0.53	Peak	Vertical
2	2379.000	-51.95	-56.56	-13.00	-38.95	4.61	Peak	Vertical






Test Report No.: W7L-P23030016RF09

LTE BAND 26

CHANNEL BANDWIDTH: 1.4MHz / QPSK


MODE	TX channel 26697	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1638.000	-52.54	-53.23	-13.00	-39.54	0.69	Peak	Horizontal
2	2462.000	-53.27	-58.57	-13.00	-40.27	5.30	Peak	Horizontal



MODE	TX channel 26697	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1646.000	-50.77	-51.79	-13.00	-37.77	1.02	Peak	Vertical
2	2457.000	-53.79	-58.61	-13.00	-40.79	4.82	Peak	Vertical






Test Report No.: W7L-P23030016RF09

CHANNEL BANDWIDTH: 3MHz / QPSK

CH26705


MODE	TX channel 26705	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1635.000	-53.94	-54.61	-13.00	-40.94	0.67	Peak	Horizontal
2 PP	2445.000	-52.73	-57.97	-13.00	-39.73	5.24	Peak	Horizontal



MODE	TX channel 26705	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1629.000	-51.66	-52.56	-13.00	-38.66	0.90	Peak	Vertical
2	2452.500	-53.17	-57.98	-13.00	-40.17	4.81	Peak	Vertical



CH26740


MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1646.000	-51.88	-52.64	-13.00	-38.88	0.76	Peak	Horizontal
2	2457.000	-52.69	-57.97	-13.00	-39.69	5.28	Peak	Horizontal



MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1638.000	-50.32	-51.28	-13.00	-37.32	0.96	Peak	Vertical
2	2462.000	-52.34	-57.18	-13.00	-39.34	4.84	Peak	Vertical



CH26775


MODE	TX channel 26775	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1646.000	-53.43	-54.19	-13.00	-40.43	0.76	Peak	Horizontal
2 PP	2461.500	-52.79	-58.09	-13.00	-39.79	5.30	Peak	Horizontal



MODE	TX channel 26775	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1641.000	-51.27	-52.26	-13.00	-38.27	0.99	Peak	Vertical
2	2462.000	-53.71	-58.55	-13.00	-40.71	4.84	Peak	Vertical






Test Report No.: W7L-P23030016RF09

CHANNEL BANDWIDTH: 5MHz / QPSK


MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1638.000	-53.72	-54.41	-13.00	-40.72	0.69	Peak	Horizontal
2 PP	2462.000	-53.04	-58.34	-13.00	-40.04	5.30	Peak	Horizontal



MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			


	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1 PP	1646.000	-51.97	-52.99	-13.00	-38.97	1.02	Peak	Vertical
2	2457.000	-53.59	-58.41	-13.00	-40.59	4.82	Peak	Vertical



CHANNEL BANDWIDTH: 10MHz / QPSK


MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	1646.000	-56.35	-57.11	-13.00	-43.35	0.76	Peak	Horizontal
2 PP	2457.000	-52.81	-58.09	-13.00	-39.81	5.28	Peak	Horizontal



MODE	TX channel 26740	FREQUENCY RANGE	Above 1000MHz
ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH	INPUT POWER	AC 120V/60HZ
TESTED BY	Jace Hu		
ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M			

	Freq	Level	Read Level	Limit Line	Over Limit	Factor	Remark	Pol/Phase
	MHz	dBm/m	dBm	dBm/m	dB	dB/m		
1	PP 1646.000	-52.24	-53.26	-13.00	-39.24	1.02	Peak	Vertical
2	2457.000	-53.64	-58.46	-13.00	-40.64	4.82	Peak	Vertical




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.



Test Report No.: W7L-P23030016RF09

3.7.4 TEST RESULTS

Please Refer to Appendix Of this test report.



Test Report No.: W7L-P23030016RF09

4 INFORMATION ON THE TESTING LABORATORIES

We, BV 7LAYERS COMMUNICATIONS TECHNOLOGY (SHENZHEN) CO. LTD., were founded in 2015 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

If you have any comments, please feel free to contact us at the following:

Shenzhen EMC/RF Lab:

Tel: +86-755-88696566

Fax: +86-755-88696577

Email: customerservice.sw@bureauveritas.com

Web Site: www.adt.com.tw

The address and road map of all our labs can be found in our web site also.



Test Report No.: W7L-P23030016RF09

5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No modifications were made to the EUT by the lab during the test.

6 APPENDIX

LTE BAND14


PEAK-TO-AVERAGE RATIO(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band14	5MHz	QPSK	23305	1RB#0	3.43	13	PASS
Band14	5MHz	QPSK	23305	25RB#0	5.02	13	PASS
Band14	5MHz	QPSK	23330	1RB#0	3.48	13	PASS
Band14	5MHz	QPSK	23330	25RB#0	5.34	13	PASS
Band14	5MHz	QPSK	23355	1RB#0	3.73	13	PASS
Band14	5MHz	QPSK	23355	25RB#0	5.32	13	PASS
Band14	5MHz	16QAM	23305	1RB#0	4.85	13	PASS
Band14	5MHz	16QAM	23305	25RB#0	5.78	13	PASS
Band14	5MHz	16QAM	23330	1RB#0	4.94	13	PASS
Band14	5MHz	16QAM	23330	25RB#0	6.06	13	PASS
Band14	5MHz	16QAM	23355	1RB#0	5.45	13	PASS
Band14	5MHz	16QAM	23355	25RB#0	6.10	13	PASS
Band14	5MHz	64QAM	23305	1RB#0	6.15	13	PASS
Band14	5MHz	64QAM	23305	25RB#0	6.47	13	PASS
Band14	5MHz	64QAM	23330	1RB#0	6.09	13	PASS
Band14	5MHz	64QAM	23330	25RB#0	6.79	13	PASS
Band14	5MHz	64QAM	23355	1RB#0	6.48	13	PASS
Band14	5MHz	64QAM	23355	25RB#0	6.71	13	PASS
Band14	10MHz	QPSK	23330	1RB#0	3.41	13	PASS
Band14	10MHz	QPSK	23330	50RB#0	5.23	13	PASS
Band14	10MHz	16QAM	23330	1RB#0	4.94	13	PASS
Band14	10MHz	16QAM	23330	50RB#0	6.01	13	PASS
Band14	10MHz	64QAM	23330	1RB#0	5.83	13	PASS
Band14	10MHz	64QAM	23330	50RB#0	6.62	13	PASS

Test Graphs

Band14-5MHz-QPSK-23305-1RB#0



Band14-5MHz-QPSK-23305-25RB#0




Band14-5MHz-QPSK-23330-1RB#0



BUREAU
VERITAS


Test Report No.: W7L-P23030016RF09






BUREAU
VERITAS


Test Report No.: W7L-P23030016RF09



Band14-5MHz-16QAM-23305-1RB#0



Band14-5MHz-16QAM-23305-25RB#0




Band14-5MHz-16QAM-23330-1RB#0



BUREAU
VERITAS


Test Report No.: W7L-P23030016RF09



Band14-5MHz-16QAM-23330-25RB#0



Band14-5MHz-16QAM-23335-1RB#0




Band14-5MHz-16QAM-23335-25RB#0




BUREAU
VERITAS


Test Report No.: W7L-P23030016RF09



Band14-5MHz-64QAM-23305-1RB#0



Band14-5MHz-64QAM-23305-25RB#0




Band14-5MHz-64QAM-23330-1RB#0




BUREAU
VERITAS


Test Report No.: W7L-P23030016RF09



Band14-5MHz-64QAM-23330-25RB#0



Band14-5MHz-64QAM-23355-1RB#0




Band14-5MHz-64QAM-23355-25RB#0



BUREAU
VERITAS


Test Report No.: W7L-P23030016RF09



Band14-10MHz-QPSK-23330-1RB#0



Band14-10MHz-QPSK-23330-50RB#0




Band14-10MHz-16QAM-23330-1RB#0




BUREAU
VERITAS


Test Report No.: W7L-P23030016RF09



Band14-10MHz-16QAM-23330-50RB#0



Band14-10MHz-64QAM-23330-1RB#0




Band14-10MHz-64QAM-23330-50RB#0



BUREAU
VERITAS

Test Report No.: W7L-P23030016RF09



26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band14	5MHz	QPSK	23305	25RB#0	4.4925	4.847	PASS
Band14	5MHz	QPSK	23330	25RB#0	4.5046	4.889	PASS
Band14	5MHz	QPSK	23355	25RB#0	4.4962	4.866	PASS
Band14	5MHz	16QAM	23305	25RB#0	4.4991	4.844	PASS
Band14	5MHz	16QAM	23330	25RB#0	4.5098	4.819	PASS
Band14	5MHz	16QAM	23355	25RB#0	4.5016	4.873	PASS
Band14	5MHz	64QAM	23305	25RB#0	4.4901	4.847	PASS
Band14	5MHz	64QAM	23330	25RB#0	4.4971	4.848	PASS
Band14	5MHz	64QAM	23355	25RB#0	4.5011	4.863	PASS
Band14	10MHz	QPSK	23330	50RB#0	8.9912	9.549	PASS
Band14	10MHz	16QAM	23330	50RB#0	8.9765	9.493	PASS
Band14	10MHz	64QAM	23330	50RB#0	8.9725	9.504	PASS

Test Graphs





BUREAU
VERITAS

Test Report No.: W7L-P23030016RF09



Band14-5MHz-16QAM-23305-25RB#0



Band14-5MHz-16QAM-23330-25RB#0



Band14-5MHz-16QAM-23355-25RB#0



BUREAU
VERITAS

Test Report No.: W7L-P23030016RF09



Band14-5MHz-64QAM-23305-25RB#0



Band14-5MHz-64QAM-23330-25RB#0



Band14-5MHz-64QAM-23355-25RB#0



BUREAU
VERITAS

Test Report No.: W7L-P23030016RF09



Band14-10MHz-QPSK-23330-50RB#0



Band14-10MHz-16QAM-23330-50RB#0



Band14-10MHz-64QAM-23330-50RB#0



BUREAU
VERITAS

Test Report No.: W7L-P23030016RF09



BAND EDGE

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band14	5MHz	QPSK	23305	1RB#0	-18.44	PASS
Band14	5MHz	QPSK	23305	25RB#0	-27.39	PASS
Band14	5MHz	QPSK	23355	1RB#24	-18.95	PASS
Band14	5MHz	QPSK	23355	25RB#0	-27.69	PASS
Band14	5MHz	16QAM	23305	1RB#0	-19.92	PASS
Band14	5MHz	16QAM	23305	25RB#0	-28.31	PASS
Band14	5MHz	16QAM	23355	1RB#24	-19.66	PASS
Band14	5MHz	16QAM	23355	25RB#0	-29.13	PASS
Band14	5MHz	64QAM	23305	1RB#0	-21.22	PASS
Band14	5MHz	64QAM	23305	25RB#0	-30.43	PASS
Band14	5MHz	64QAM	23355	1RB#24	-21.84	PASS
Band14	5MHz	64QAM	23355	25RB#0	-30.44	PASS
Band14	10MHz	QPSK	23330	1RB#0	-26.43,-47.31	PASS
Band14	10MHz	QPSK	23330	1RB#49	-45.58,-29.23	PASS
Band14	10MHz	QPSK	23330	50RB#0	-29.99,-31.99	PASS
Band14	10MHz	16QAM	23330	1RB#0	-28.00,-47.72	PASS
Band14	10MHz	16QAM	23330	1RB#49	-47.24,-29.82	PASS
Band14	10MHz	16QAM	23330	50RB#0	-31.63,-33.85	PASS
Band14	10MHz	64QAM	23330	1RB#0	-28.42,-47.71	PASS
Band14	10MHz	64QAM	23330	1RB#49	-47.82,-32.00	PASS
Band14	10MHz	64QAM	23330	50RB#0	-33.89,-35.92	PASS