



WF150A Wi-Fi INTEGRATED AMPLIFIER

Quick Start Guide



Thank you

for purchasing the WF150A
Wi-Fi INTEGRATED AMPLIFIER

We are confident that it will provide reliable, high
performance sound for many years to come.

To set up, please...


Download the DaytonAudio app:



Follow the instructions on screen Sign
Sign up for news and software updates:


<http://Daytonaudio.com>

Play & Enjoy!





Front Panel

1. IR Remote Control Sensor
2. Direct Pre-sets 1-18: Press 10+ button to access pre-sets 10-18
3. Central Dial:
Long press: Turn on / Standby
Short press: Choose between each mode
Turn Dial Left / Right: For volume control
4. **Light Button: Change the color of the outer ring surrounding the central dial**
5. Headphone Out
6. Bass, Treble and Balance Adjustment Display
7. Bluetooth Aerial
8. Wi-Fi Aerial
9. Group Button: Press to group SIA75 with other
Daytonaudio Smart Audio products



Rear Panel

1. WPS Button: Press to connect to Wi-Fi
2. Ethernet / LAN Port: For connecting directly to a router
3. RCA Line In 1: Left / Right. For your devices
4. RCA Line In 2: Left / Right. For your devices
5. Phono In: Left / Right. For connecting a turntable
6. Sub Out: For connecting a subwoofer
7. Optical In: For connecting CD player / TV
8. Left / Right speaker out binding posts: For connecting speakers
9. AC Select
10. Mains Power Input
11. Power Button: On / Off



Remote Control

1. Power On/ Standby
2. volume Up (+) / Down (-)
3. Group Button: Press to group to other Daytonaudio Smart Audio products
4. Bass and treble Down(-)
5. WIFI Button
6. Bluetooth Button
7. Line 1 Button
8. Line 2 Button
9. Preset Buttons 1-9: Recall direct pre-sets
10. Mute Button
11. Play / Pause Button
12. Light Button: Change the colour of the outer ring surrounding the central dial
13. Brass/Treble/Blance control Button
14. Bass and treble Up(+)
15. Optical Mode Button
16. Phono Mode Button

Connecting the WF150A to speakers

The WF150A uses screw terminals. Unscrew the terminal and insert the bare end of the cable into the hole at the base of the terminal. Then tighten securely. Ensure positive + and negative - are matched with the amplifier /speakers.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.



**daytonaudio.
com tel +
937.743.824
S
info@daytona
udio.com**

**705 Pleasant
Valley Dr.
Springboro,
OH 45066**

**U
SA**